

COMPUTER ARTS

Atari, Casio & Yamaha Make Music Together

Generate
3-D Action

Weave Color

New Graphics Commands

from BASIC

Cover Contest Winners

GEM Seminar ST Support

10 Type-In Programs (25 Pages of Listings)





Flight Simulator II

Milia do On Philes



See your dealer . .

Order Line: 800/637-4983

Champaign IL 61820 (217) 359-8482 Telex: 206995

LOTSABYTES CONTINUES THE WAR!

WAR on high prices ! We're going to put an end to the software price ripoff. And YOU can help! Just keep those orders coming while you continue to enjoy the quality. quantity, selection and low prices that you deserve. Our National Public Domain Copy Service will save you time, tedious work, and money. And our exclusive distribution of sharoly discounted commercial programs will bring you some of the finest programs the lowest possible price, usually 50% and more off retail! You continue to get FREE SONUSES with each purchase of three or more disks

PUBLIC DOMAIN SOFTWARE -

#1	12	13	84	45
GAMES	UTILITIES	AMS MUSIC	GAMES	EOUCATION
Two full disk	25 powerful	25 Advanced	All different i	Loaded with
sides packed	programs to	Musicsystem	14 more	28 programs
with over 25 games	help you get the most out of	fifes including a new Player	better games on 2 drik	on 2 disk side
including some	your Atan	program	sides Some	Fun learning for the whole
Arcade quality	computer	2 sides	Arcade lypes	family
\$7.95	\$7.95	\$7.95	\$7.95	\$7.56
37.90	81.59	07.00	01.00	97.90
85	47 1	178	En 19	410
AMS MUSIC	GAMES	UTILITIES	GAMES	UTILITIES
25 all-time	Two disk sides	17 more	Two full sides	A new
favordes	nucked with	nower-nacked	filted with	accountment.

favorites with a Player program Two sides \$7.96	packed with 14 more great games Some Arcade types \$7,96	power-packed utilities to help unlessh full potential of your Atari \$7.95	fifted with 17 of the best and most recent Some Arcade \$7.95	assortment of 17 great and powerful programs Den't mas e \$7.95
#11 GAMES	ADVENTURES	EDUCATION	M14 AMS MUSIC	#15 UTILITIES
NEW!	NEW/	NEW!	NEW!	NEW?
Our newest.	2 full disk	2 disk sides	2 sides	Another
2 sicks	Sides	filled with	filled with	assortment
filled with	filled with	something	great musec	of fine
great games	text	for	and a player	programs
	adventures	everyone.	program	Not to be missed

\$7.95

Ongunatty \$49.95

LotsaBytes EXCLUSIVES

\$7.95 AOVANCEO MUSICSYSTEM II

Allows you to create music dynamic level, meter tempo and key 4 independent voices

ULL instructions * 24K dak Oviomatly \$29.95 Only \$14.95

ORIGINAL ACVENTURE For all Atari computers

that launched the whole Adventure craze of today

* 40K dak or 32K tape Only \$14.95



that has more features and is easier to use then anything else available for the Atan Easy for the beginner to use if asks questions and remembers the answers ESI WRITER is so sophisticated that if mention! Works with ANY Atan

*Reads any text file *Built in Help screen *Very last | *Works with ANY printer * Instant top, bottom or text location

* Every printer feature * DISK ONLY (Any Alan) * Search and replace * Block move text *Page eject/start * Set margins/lines etc

*Full justification * Print headers etc * Block delete etc * Change video color * Over 50 pages of docs and tutorials TRUST US ON THIS ONE! YOU WILL LOVE IT!

· · FREE BONUSES · ·

LotsaByles price \$19.95

Now for each 3 disks ordered you may choose any 1 of the following disks FREE! ... buy 3 - get 1, buy 6 - get 2, buy 9 get 3 ...
a. The Atan XL TRANSLATOR DISK
that enables XL owners to use most

400/JOO software b. An all different AMS MUSIC disk

e. Your choice of one of the P D disks --#1 #2, #3, #4, #5, #6 #7, #8, #9, or #10 (specify one) COECII



included

programs chak sides

MUSIC MAJOR Learn the basics of music with this light hearted but very thorough appro

Covering such topics as note recognition key signatures, note counting, and much more, it is designed for use by both the individual student and music class. This program includes a thoroughly illustrated manual and offers a QUIZ MASTER utility that allows the teacher or he self-taught student to create their own A-B-C-O type tests, with a sample quiz

Originally \$39.95 Only \$14.95

GREAT GAMES!

SPACE GAMES: Three games for one low price! In Allens you can tget them all and the pace keeps getting fister. When you do get nd of most of them, you are left in a space goaldrant peppered with mines. Will ou Survive? If you do, you must Robot Attack and get back your stolen closking device! Interested?

\$24 95 Ost LotsaBytes price: \$9.95 THE BEAN MACHINE by Steve Robinson Award Winning Arcade game that will drive you crazy belanding a series of beams while trying to get all the beams to roll down, without touching, all the white avoiding strange creatures who drop in to steal the beams. It's addicting!

LotsaBytes price: \$9.95 OIGGERSONK, another Award Winning ve Robinson challenges yo

strange creatures. Along the way you will need to Book some of them, but watch out LotarBytes price: \$9.95

GUESS WHAT'S COMING TO CINNER you try to manuever a snake through levets if you can keep a from starving two players

LotsaBytes price: \$9.95

CREATIVE LEARNING **ADVENTURES** Ages 4 to 10 - Disk only

1. Hours of educational fun playing 3 friendly alien learning about our planet Hand/eye co-ordination, drawing and music skills are emphasized \$24.95 Ust LotsaBytes price: \$12.95

Four challenging learning games that are the tavorites of our friendly alien Helps your child to develop logical reasoning ability

LotsaBytes price: \$12.95

 These 3 Fun-Day learning games will help with intellectual development, hand/eye co-ordination, logic, spatial LotsaBytes price: \$12.95

LOTSABYTES

Full 100: Replacement generator Any deal trend to be delective will be replaced first and we will also reland pour relant postage. All injury of great the first U.S. Mar. Appl 31 St Approp and handle give 1105 disks AN 42 SS for First 2 disks. California excellents and First I seek 124. The ST appl and U.S. and Clouds and 519: U.S. Funds only. We accept checks at Money Creator Serry, no COD or Charge Cants. Allow three weeks for personal cheeks to these.

15445 Ventura Blvd., Suite 10G, Sherman Oaks, CA 91413

Join the Atari Safari



Create your own electronic art with Atari Color Graphics: A Beginner's Learn to Create Wild Graphics Create your own electronic art with many closer organics; a assgande in workbook So simple to follow, even a complete novice can program. worknown, so simple to reality, even a complete moves, sunning graphic displays by following a few easy steps.

Agar Graphics and Arcade Game Design will teach you how to design outs to appear, and arease traine Design will teach you now to design quality games on the hard. A series of flow charts, text and commented Program Ferocious Games quanty games on the Asan. A series of flow cuarts, sext and continuence code explain everything in detail. Five complete games show you how

it's done.

If you're wondering what to do with your Atari now that you've played countest gwise to do with your auri now that you've played countries games, get 166 Auart users encycopenus. 1103 book tells everything you need to know for creative and satisfying

put an end to the computer software and book hunt today. Write Put an end to the computer someone sing DOUS, than GOUST or or call our Product Information department for the dealer in your area.

Arrays, Inc./Continental Software Arrays, Inc./The Book Division 11223 S. Hindry Ave., Los Angeles, CA 90045

(213) 410-3977







A	The ATARI Resource	C JUNE
C C A T I	LDEC	

The ATARI	Resource	JUNE 1985,	VOLUME 4, NUMBER 2

r E A I U K E 3	
ANTIC AT FIRST GEM SEMINAR by Nat Fried Converting IBM PC software to Atari	dland
PIXEL SCANNER by Lyn 8uchanan Enhance your picture details like NASA does	TYPE-IN SOFTWARE
ATARI IN LIGHTS by Michael Ciraolo (heater lighting designer's Atari CAD	
COLOR PALETTE by John Felton	TYPE-IN SOFTWARE
PRINT SHOP by Jack Powell Smash-hit graphics softwere now in Atari version	
COLOR INKLE LOOM by Gerald Hagopian	TYPE-IN SOFTWARE
PLAY IT AGAIN, ATARI! by Nat Friedland Atari makes MIDI music with Casio	
GUITAR TUTOR by Frank Imburgio and Grace 8arr	Y TYPE-IN SOFTWARE
THE MUSICIAN by Angelo Giambra Type-in "music construction" software	TYPE-IN SOFTWARE
VIEW 3-D by Paul Chabot	TYPE-IN SOFTWARE
G.U.P. THE GREAT by Darek Mihocka	
Fast graphics power from BASIC	TYPE-IN SOFTWARE

TYPE-IN SOFTWARE 43

DEPARTMENTS

THE #1 SYSOP Ron Luks of 5IG*Atar		
TURTLE PIANO	TYPE IN SOFTWARE	10

MICROSCREENS		
COLOR-THE-COVER CONTEST WINNERS		2
ASSEMBLY LANGUAGE		
TURBO TYPO II by David McLaughlin		
Speedier TYPO II with three-line fix	TYPE-IN SOFTWARE	4

TAME OF THE MONTH	
HELICOPTER ROUND-UP	by Walt Rulawa

he sky cowboy game	TYPE-IN SOFTWARE

I / I E II V E I V E I V E			
I/O BOARD	6	ADVERTISERS' LIST	
HFI P	7	ATARI SERVICE CENTERS	
PRODUCT REVIEWS	77	NEW PRODUCTS	



Publisher James Cappacell

Editorial Department Nor Privilland Edwar Jack Powell Technical Editor, Michael Circolo, Associate Editor, Charles lackson, Program Editor, Ron Laks, On-Line Editor

Contributing Editors Carl Evans Ken Harms Jerry White Suzi Subeck, Anita Malnig

Art Department Marin Tapscott, Art Director, Deane Lindley. Production Supervisor, Linda Tapscott, Ad Production Coordinator, Julianne Geoske,

Cover Artist Contributing Artists Rosland Solomon, Bearner Benjamin

Circulation Department Les Torok, Manager, Hun-sik Kim, Peter Walsh, Shipping, Monica Burrell, Subscriptions, Eve Gowdey, Dealer Sales, Doug Millison, Dealer Sales, Berndt/Klingle, Carcultation Consultants

Accounting Department V.J. Braggs, Marrager, Brenda Oliver, Accounts Receivable Lowne Kaarz, Cordin Macanee-Andrew Pope, Customer Service, Retailers

Marketing Gary Yost, Marrager, Marketing Services, Serve Bandall, Advertising Sides Director, Harvey Bernstein, Advertising Sales, Garland Assoclass, East Coast Representative

Maria E Chavez, Receptionist

mal Officer (425) 957-0986 Aftertime Sales (NS) 667-3600 Credit Card Subscriptions tide California (800) 225-8627 est. 133 incide Galifornia (1900) 772-35-55 and 1555

Jane 2985. Volome 6, Number 2 Artic The Asia Resource a published analysismus. BONG, California and additional makes of end submissions should include program issuing

will be covered if self-addressed stanced maker in applied Artic sources no responsibility for an ing, or otherwise, without the prior written

Antic is no independent periodical not affiliated to try way with Atan Corp. ATAT is a undersark of Atan Corp. All sufercences to Asian products are understarked

> Artis to a required and and mark of Azeic Publishing, Inc.

Copyright @1995 by Artic Publishing All Sector Browned Printed in 1764

i/o board

REATING THE ZURK BLUES

I've been having problems typing in line 5000 of "Zurk" (March 1985). Please help. Douglas Hiatt Lango, FL

Line 5000 contains the phrase "SET 1=LI*256". We are going to assume here that you're using the BASIC XL cartridge from O.S.S. This BASIC is more powerful than Atari BASIC and has several extra commands. One of these commands is SET and thus, it cannot be used as a variable unthout stecial precautions See page 131 of your BASIC XL manual on this. "ZURK" runs as published and should work in BASIC XL if you change all the SEB to some other variable name -ANTK FD

TYPO II TYPO

TYPO II (lamary 1985) does not work on my 1200 XL. It doesn't accept the SET commands. Any suggestions? Mary Mucham

Houston, TX The original instructions in "How to use TYPO II" read "BASIC XI, cartridge owners type SET 5,0", etc. We bare subsequently cleared up the wording -ANTIC ED

SOME THOUGHTS ON AL In most issues of Antic, there are type-in

programs listed in BASIC as well as in assembly language. I've spent many hours typing in Al. programs and found that none worked. In particular, I've had problems with "Keyboard Commander".

(March 1985). Can you help me? Henry lennings

Detroit, Mi If the AL listing is an addendum to a BASIC program, it's printed primarily as a study example for serious AL programmers. Unlike BASIC, machine language is unforgiving. One mistyped bit of code and your computer will lock up.

"Keyboard Commander" loads into Page Six. So does MAC/65. Unfortunately, there is only room for one program in Page Six, and the big orange supercartridge is not about to let it be Keyboard Commander".

Keyboard Commander" will run on Atari Assembler Editor, Atari BASIC and ACTION! It will not run on MAC/65 unless you relocate the code-ANTIC ED

OKIMATE 10 REVISITED

I think that your comments on the Okimate 10 were a bit harsh. Perhans you were using the wrong type of paper. True, dumos on plain paper are barely readable. However, I used black on white dumos on thermal paper (I use IBM PC Compact Printer Paper, # 1503926). For color prints, try Scotch 501 Transparency Film for Plain Paper Copiers

Alan Fillmore Bakersfield, CA

Several readers have suggested that we used the wrong type of paper in reviewing the Okimate 10 Well. Antic finds it refreshing to be considered too tough on an advertiser for a change. We recognize that some readers have had better results with that printer than we did.

When we reviewed the Okimate 10, we used the paper, printhead, printer and ribbons provided by the Okimate Corponation. We followed the company's instructions-but then wound up spending most of a worlday tinkering with the configuration in order to get even the slightly improved results we printed.

We assume that a major company would ship a working, pre-tested piece of equipment to assure the best possible review. If we were, in fact, provided with a bad printhead that we didn't recomize at the time, this is a noteworthy problem that might be faced by anybody purchasing the printer-ANTIC FD

OF BITS AND BYTES

What is so special about the number 256, as in 10 PEEK A(195)*2562

Kevin A. Scott Algonquin, IL The highest number you can have in any one address is 256 Your Atari is an eightbit, binary computer. "Binary" means it only understands two numbers, 0 and 1, These numbers are called "bits". Eight bits make a "hyte" and the maximum different combinations of eight hits is 256

i/o board

Since memory is nothing but a sequence of byte addresses, and we want to reach more than 256 of them, we but two bytes together and have 256 combinations times 256, or. 65,536.

These double-byte numbers are called "words" and the two bytes that make up a soord are called the "low-hyte" and the "high-byte". When the low-byte goes beyand 255 (remember (i-255) it returns to zero and the high-hyte is unned by one

This means that each unit in the high byte is equal to 256.

Now if, for example, the bigb-byte contains 2, its value is 2°256, or 512. And if the low-byte contains \$0, the two

butes together equal 562. Words are stored in the Atari in a backwards order of lowbyte followed by bigb-byte. If the number 562 was stored in locations 88 and 89. 88 would bold 50 and 89 would bold 2 The formula to find the values of these two locations is: WORD=PEEK(88)+ PEEK(89)*256-ANTIC ED

BATTERIES MOVES

Batteries Included, publishers of PaperClip (reviewed in Antic last month) moved to 30 Mural Street, Richmond Hill, Ontario. L4B 1B5 Canada, However, please don't order products from them by mail

help!

KWIK DUMP

"Kwik Dump" (Antic. March 1985) conrains an error in line 1070. The last number in that line should be 27 instead of a zero.

THIEF

Readers are having problems ryping in "Thief", the March 1985 Game of the Month The game does run as published, but if your TYPO II code for line 1105 is UK, make sure that the inverse [p] in that line is lower-case

WIDE TEXT

Bill Morris's "Wide Text" (Antic, January 1985) cannot print a double-width [Z], Substitute these lines to correct this problem:

In the assembler listing: 9689 CPV #27#8 BYTES TO A LETTER

In the BASIC listing: CT 28138 DATA 216,288,2 13,185,8,224

S.A.M. SOURCE CODE

The assembly language listing of "S.A.M Handler" (Antic February 1985) contains an error in line 900 LDY \$01 should read LDY #01. The BASIC listing is correct, however, and runs as published.

TYPO II BONUS

Ever since our improved TYPO II program typing proofreader began appearing in lanuary Antichasheen setting letters that ask for TYPO II codes to the most nopular and difficult pre-1985 programs. These will be in the issue Next Month!

You'll find the TYPO II line codes for the four most-requested listings-"Biffdrop," "Escape From Epsilon," "Advent X-5" and "Adventure Island." And we'll print codes for more Antic golden oldies if we get enough requests.

CHECKED 100 TIMES I typed in a program from the July 1984

one

issue and it still doesn't run. I checked my listing 100 times and I have not found a typing error Talso checked the following issues for an error report but didn't find H Reynaldos Miami, FL

This is typical of many letters we receive from frustrated readers who type in a program only to find it does not run. They may check it many times and when it still won't work, they naturally suspect

a nuhlishing error.

Antle does make mistokes, as you can we from the mapazine's Help! items and the monthly Error File But the great majority of program problems come from readers mistytring the listing or misunderstanding the instructions.

gram that was published more than three months ago, and you don't see a correction printed in either Help! or Error File, you can bet the error is on your end.

That's because most major program problems are discovered within two weeks of trublication! But due to the long turnaround time for four-color national magazines, the soonest you can expect that error to appear in Help! is two issues later. For example, a February error should show up in April's Help!

If you are baving problems with a pro-

Program errors which antear in Helb! are transferred the following month to the Error File where they remain for apteroximately six months. A complete index of all Antic errors can be found on our ANTIC ONLINE service on Compu-Serve

We test all programs on Atari 800s, 1200XLs, 600XLs and 800XLs using both cartridge and built-in BASIC. We use Atari 810, 1050 and Indus GT drives with Atari DOS 2.08, single density Some of our listings are more difficult

to type in them others. If you are just starting, we strongly suggest that you first try the shorter listings and avoid the frustration of typing in very long listings with Atari stycial characters

When using TYPO II, be careful that you have typed in every line. It's not so hard to miss one entire line and TYPO II won't spot it. If you're sure all the lines are there and the program still won't run. nycheck-each TYPO II line code -- ANTX ED



THE #1 SYSOP

Ron Luks of SIG*ATARI

by MICHAEL CIRAOLO. Antic Associate Editor

Back when the IBM PC had just come out and Ron Luks was thinking about buying one, a friend showed him Atari's classic Star Raiders game, Luks bought an Atari to play with while he was on the IBM waiting list. As it turned out, he never bought an IBM PC.

Instead Luks, 33, became the system operator (syson) of SIG*Atari on CompuServe-the world's largest Atari bulletin board, with some 6,000 enrolled members At the time he bought his Atari.

Luks was a stockbroker and money manager who traded options on the American Stock Exchange. Previously he had taught scuba diving in Miami for a few years. "Fooling around with the Atari was light and fun, like a puzzle, after a high-pressure day in Wall Street," he said. One of Luks's first peripherals was

a modem "I got the Haves Smart-Modem, an 850 interface and the original TeleLink cartridge, which came with a CompuServe Starter Kit."

EARLY COMPUSERVE Back then, CompuServe wasn't pri-

marily concerned with sponsoring special interest groups (SIGs), So when Luks first logged onto the system, he "looked all over for the word Atari," It wasn't there. Luks then began to spend time in the Popular Electronics magazine online edition. "In those days, the network had no

FILLING PCS-132 online sysops, no help. It was like a

Once you read this latest issue of Antic, log onto CompuServe and rype GO ANTIC-you'll see a preview of the magazine's NEXT

issucti

In the ANTIC ONLINE preview, you'll find a comprehensive look at all the stories and programs in the next Antic Magazine-the July Computer Challenges issue. You'll even find a major excerpt

or two from the upcoming issue's featured articles-such as our Atari chess software tournament or our interview with the boss of Strategic Simulations, Inc. And as a special CompuServe

bonus you can now download from SIG*Atari the complete program that won Antic's Color-TheCover Contest. This scrolling twoscreen picture won't be on the monthly Antic Disk until next issue. even though you'll find its photo in the current magazine. To download this file, type DL4 at the SIG 'Atari prompt. This puts you into Data Library 4, where BRO WINNER.* is what you type next. If you're using an Xmodem protocol program (such as HomePak or Chameleon) choose the WINNER XMO file. With TSCOPE, use the WINNER, BIN file.

ANTIC ONLINE special bulletins may be downloaded for reprinting in newsletters of users groups affiliated with the Antic Worldwide Users Network Officers of Atari users groups may write to the Antic WUN Coordination for details.

big nuzzle." Luks said. "I kent leaving messages-How can I do this? Why can't it do that?" The messages were picked up by the sysop about once a month. CompuServe finally collapsed

under Luks' badgering, "They made me an assistant syson and gave me a free flag," which meant he would have free access to the network. This was a good deal for a man who had monthly connect bills 'approaching four figures".

One thing led to another, and Luks

was soon allowed to set up an Atari board, "They said 'There are some empty pages at PCS-132' and I got to fill them up." Luks took as assistant sysons a few of the most active memhers interested in Atari-such as Michael Reichmann of Batteries Included and programmers Steve Ahlstrom (SynFile+, PaperClip) and Russ Wittmore (Prepole, HomePak). After an all-nighter over cappuc-

cino in Greenwich Village. Luks came up with the name SIG *Atari. "It's different from 'the Atari SIG,' the 'Radio Shack SIG' and so on. Atari is a word


continued on page 19

For Your Atari Computer Dorsett Educational Software

Passes the Cost-Efficiency

Test! For computer assisted instruction, our software more than passes the test...it EXCELSI With over 1000 educational programs designed specifically to concentrate learning for all users, from kindergarten level to advanced individual studies, from slow learners to exceptionally bright students, you'll get positive results DORSETT (BURSEWHSE IS COMPATIBLE WITH ATTAKE 1806 LOOF BROTTLED, APPLE IT THE SO I II I.4., COMMODORE 68 I IBM PC JR. COMPUTERS. with our quality, economicallypriced courseware.

500 Programs Available for TRS 80 Color; 400 for IBM PC Jr.



Interactive Tutorial Programs

Over 1000 Programs with Full Time Audio Narration, Pictures & Text

We're Your Educational Software Source Reading

DORSETT

Classroom A Room # 1

PROGRAMS OFFER

Audio Narration 2 Synthesized Voice

· Multiple Choice 4. Clear Graphics # of Courses

9. Compatibility

10. Urs in Education

DORSETT

Mathematics norehension

16 Progrems in each of the following: Carpentry - Electronics - Health Services Office Skills - Statistics - First Aid/Safety Economics - Business - Accounting

Psychology AND MANY MORE! Dealer inquiries welcome Azari 406/00/00017200 computers require the Azari cassette recorder on 4001 Bitucatorial Meather Carthidge, 92.95. Applie II, 1795-90 L, III, 5.4, and O-computers require respective conversion kits (plage) board and size player, 1990,00. For the IBM PC un a cassette adapter cable and a gi

Send for a catalog of over 1000 programs for Atam, TRS 80, Apple, etc. For more information, or to order call:

TOLL FREE 1-800-654-3871 IN OKLAHOMA CALL (405) 288-2301

Box 1226 Dept A Norman, OK. 73070





TURTLE PIANO

Easy Logo keyboard music

by CRAIG McBAIN

A simple but adaptable Logo program that plays a musical scale from the Atari keyboard. Works on al. Atari computers of any memory size Disk or cassette.

Children love to sit in front of a piano keyboard and pound out simple melodies. The child's joy comes from immediate success at making music and a rare chance to control the environment.

With an Atari, Logo and just a few short commands, children can have the same kind of musical fun they would have with a piano, but with a little extra learning thrown in. Turtle Piano convers the computer

keyboard's home row—A, S, D, E, G, H, J, K, L, ;, + and *—into a 12-key piano that plays a do-re-me scale in the Key of C without sharps and flats. It also changes the screen turtle into an eighth note which jumps around

to the appropriate spot on a musical staff whenever a note is played. As each note is played, its letter-name is also printed on the screen.

Turtle Piano can also remember your compositions so you may listen to them over and over again

Though it is not a particularly completed program, Turtle Plano is an engrossing project for young computer users and programmers. So type in Listing 1 and SAVE a copy before you RUN it.

HOW IT WORKS

BEEP the heart of the program, uses

the first sound channel (TÖOT 0) to play the notes. After you have typed in the BEEP procedure, if you type BEEP followed by a number greater than 14 you will hear a nice note. The number 260.7 will give you Middle C. Why? A violin string (or anything else) vibrating at 260.7 cycles per second produces a Middle C. The PLAY procedure lies the home

The PLAY procedure ties the home row keys to their assigned pitch values. If a key is pressed which is not one of the home row keys, PLAY will output a frequency of 50000 (too high to hear). So you can use the space bar, for example, as a rest between notes. PLAY, using the SETY command, also draws the turtle on the staft.

Type BEEP PLAY "A to hear Middle C. PLAY takes the input character [A] and searches for its corresponding pitch value (260.7). PLAY passes this value to BEEP, which plays the appropriate note.

Note the relationship between the

values for Middle C (260.7) and High C (521.5) in the PLAY procedure Now, look at the values for the E and F tones. The higher note in each pair is double the pitch value of the lower note. This is always true. BEEP2, the next procedure, uses this fact to produce interesting results.

Try BEEP2 a few times and com-

sound channel (TOOT 1) to play a tone which has half the pitch value of the first note. For example, if you press the [A] key, BEEP2 plays Middle C and the tone one octave below it.

We use the GET.NOTE procedure to check the keyboard and store our notes, GET.NOTE passes each note to the REMEM procedure, which stores the notes in the variable LINE. Two [START] to run the program.

Now, press the [Y] key to start the piano. This invokes the START procedure. The [C] key calls the CLEAN-UP procedure which erases the text window and erases all your old tunes stored in LINE. If the [R] key is pressed, the REPLAY procedure will replay the list of notes stored in LINE. The procedure REPLAY is really

tricky. This recursive procedure removes the top note from LINE, plays it, and discards it. Then, it starts again, playing the first note on the shortened list. REPLAY continues to remove notes from the top of LINE, play them and discard them until LINE is empty. The graphics portions of the pro-

gram need little comment except perhaps for the LOGO names "STAF-FHI." STAFFLO, and "NOAT. Don's forget to type these, too. These variables contain lists of numbers which tell the computer how to reshape the turtles into musical notes. The turtles are reshaped in the SETUP procedure with the PUTSH command.

continued on page 19

C'mon, Cut it out!

Can \$79.95 buy me an Atari 1030 Modem and software package?

An Atari 1030 Modem guaranteed to	can take advantage of the disk communication
work with your Atari Computer can be yours-	software (included at no extra cost). This free
all you need is at least 16K and a telephone	package also includes introductory subscriptions
line—you don't even need a disk drive.	to Compuserve (access to hundreds of free pro-
AT.	grams) and Dow Jones Retrieval Services at
The Atari 1030 Modem is an easy	no additional cost.
to use, high tech, high qual-	
ity modem which auto-	Cut it out! Don't wait! Act now!
matically uploads to your	Take advantage of this incredible
Atari Computer.	offer-Atari quality at a lower
And, with a disk drive you	price than any other modem!
ma, war a dak dire jou	NO INTERFACE REQUIRED
S ATARI 10	90
	Send coupon to ADD-ON Systems 524 2nd St., San Francisco, CA 94107
YES! I want this extraordinary communications value! I'm ordering a	ow so I can receise: ctory Time on: Dow Jones, Composerve Disk Communications Software
The suggested retail value is \$199.95 MY PRICE IS ONLY \$79.95. Send in	
THE SUGGESTED FORTH VALUE IS \$155.50 MLC I HAVE TO COULD \$15.50.5 SHARE IN	and the proof of the proof of
Name	
Address	City State Zip
Please make check payable to ADD-ON Systems. Credit Card Orders O Perssent enclosed check money order 800 227 1617 X133	Allow 2-4 weeks for delivery
Bill my Mastercard Visa 800 772 3545 X133 (mode CA) Prices subject to change without notice 16/25 sales tex Delivery subject to availability.
ID0 Experts	I 82:75 per modern.
Lieben Edward	

ANTIC AT THE FIRST GEM SEMINAR

Converting IBM PC software to Atari

by NAT FRIEDLAND, Antic Editor

ntic was the ONIY Atani Magazine present at the first GEM Software Developens Seminar held at Monterey, California in February by Digital Research, Inc. DRI created the Macintosh-like? GEM operating interface that is being used for the new 16-bit Atan ST computers.

GEM has aroused especially wide interest in the computer industry because it's supposed to make it simple to convert software between the IBM PC and clones, the Macintosh, the Atarl ST and any other computer that GEM licenses a version for.

Some of Atari's top technical executives were on hand, debuting a working ST with a preliminary version of Atari GEM burned into ROM.

Antic was told that Atari still coniders itself on schedule for bringing the first production ST computers onto the market in April. Pull ST production capacity won't be reached until June. The 10–15 megabyte hard disk for the ST will show up in the summer.

ATARI CAD/CAM?

Remember the 32-bit Atari we reported Jack Tramiel talking about at his November press conference? Well, apparently it is well along in development. Atari still hopes to meet Tramiel's goal of unveiling the machine at the April electronics fair in Hanover, Germany. Every time Atari engineers talked to the 32-bit computer in Montercy, delighted smiles appeared on their faces. The computer was described to Antie as a "VAX minicomputer on a chip" and a "\$40,000 CAD' CAM computer graphics workstation that will sell for under \$2,000."

LEARNING ABOUT GEM

As for the GEM Seminar itself, the 8800 workshop was highly technical and directed at professional consumer-software programmers who were thoroughly experienced with the C language or with Macintosh window program development.

The Seminar sessions were taken up with highly detailed discussions of GEM development must and bolts such as the strict interfacing procedures which are supposed to make "porting" GEM-based programs between different computers a routine

Access to GEM windows, debugging, and correct embedding of transging, and correct embedding of transfer hooks were among the other technical topics discussed. All attendees were given the two-volume GEM Toolkit documentation. DRI's recommended professional development language was Lattice C, which costs around \$500.

one-day process.

It should be noted that the Seminar was specifically dealing with the justcompleted IBM PC version of GEM. Six-disk beta test editions of GEM

were being sold to developers by DRI for \$500. The GEM Library software of prepared graphics routines cost extra.

The Atari version of GEM was not yet ready for beta testing at the time of the Seminar.

WETMORE SUMS UP

Russ Wetmore, author of Homepak and Preppie as well as other major Atari programs, flew in from his Florida homebase to attend the seminar and then stayed on to see the Mac-World Show in San Francisco.

He spent time at Antic during this period and shared with us the viewpoints of a highly experienced Atari professional programmer.

"I think the developers at the Seminar fell into two groups. One group is totally sold on the GEM goal of making alot of different computers compatible with each other," said Wetmore. "And for now they are willing to overlook any unanswered questions that came up during the sessions. The second group is taking more of a wait-and-sec attitude."

Wetmore expresses some doubt that GEM software will port between different computers as easily as DRI says it will. He also feels that GEM lacks certain built-in features found in the Macintosh interface—such as a text editor—which will make it more

continued on page 19

SURVIVAL OF THE SMARTEST

Outsmart your Friends. Outwit the Dragon.

Join the Quest. fere are just a few of many screen







Atan is a trademark of Atan, Inc. © 1984—Royal Software





EXCITING NEW

Royal Software exciting new concept in computer

entertainment will keep you and your friends involved for hours and

hours. This is probably the best party-game ever developed, and new question disks will be available.

Optional: Utility disk which allows you to create unlimited trivia questions and answers for educational or entertainment. The utility disk also includes over 1000 additional questions. Utility disk \$24.95.



"Software fit for a kino!"

2160 W. 11th . Eugene, OR 97402 . (503) 683-5361



he Atari's graphics capabilities are the best you can get for anywhere near the price. The problem most of us run into is that our pictures LOOK as if we did them ourselves This doesn't need to be the case.

however, Pixel Scanner will perform automatic computer enhancement of a picture by using a process called pixel averaging, which gives a depth and fullness to an otherwise flat picture.

And that isn't all. By rinkering with this program a little, you can simulate the sophisticated computer enhancements used by NASA to bring out small details in satellite photos.

To get started, type in Listing 1, check it with TYPO II, and SAVE a copy.

The program includes a demonstration picture of a stick figure bird in Graphics 9 (lines 200-270), and the pixel averaging routine (lines 100-161). The picture was made using simple PLOT and DRAWTO commands: if you're enterprising, you can create your own picture by changing these commands in the demonstration nicture. The stick figure is drawn at the top

half of the screen, leaving room for the enhanced version at the bottom.

HOW IT WORKS

After the picture is drawn, the program looks at each pixel and its surrounding pixels, then places their This BASIC program introduces you to trivel averaging-an advanced graphics technique similar to the method NASA uses for enhancing satellite pioto details. Pixel Scanner works on all Atari computers of any memory size. Disk or cassette.

values into variables. This is done in lines 121-129 by means of the LOCATE command, which positions the cursor at a specified x,y coordinate on the screen and assigns the value of the byte for that data to a specified variable.

The format for a LOCATE command is

LOCATE (x-coord),(v-coord), (variable)

The program then adds the values of all the variables together, and divides by the number of pixels sam-

WHAT'S A PIXEL?

The word "pixel" is computer jargon for "picture element" It stands for the smallest controllable element of a screen display.

Naturally, pixel size is determined by computer and video resolution limits, as well as by graphics mode selection. In Atari Graphics 8 mode. for example, a pixel is one scan line high by one-half color clock widewhich essentially matches the resolution of a home television receiver. pled (line 131). Using that average value, it then re-colors the center pixel, to make it blend more smoothly with its surroundings (line 141).

PIXEL SEPARATING The Pixel Scanner demo program

blends pixels. It could just as easily widen the difference between pixels—as is done in satellite photos to distinguish between extremely small variations

To do this, change the way the value of K is figured. In line 131, K is figured as the average of all the variables. It would be just as easy to make K vary by, say, 4 times the average, if you change the command COLOR K (line 141) into COLOR K*4.

With a little experimentation, you will begin to find a wide variety of things to do with this routine. Other effects can be achieved by sampling only certain adjacent pixels and not others

You might also try changing to Graphics 11 (line 201). You'll be surprised at the beautiful blends of colors which are produced.

Lyn Buchanan is a civilian programmer at Fort Meade, Maryland, He is also a programming and systems analysis instructor.

Listing on page 58



MORE REAL POWER FOR YOUR ATARI

DESK SET \$39.00

HOME WRITER \$19.00

SMARTDOS \$39.00

Complete Desk Package CALENDAR CALENDAR is a perpetual calendar, an appointment calendar and also a card file. The perpetual calendar is a calendar of overy month, past, present or taken.

be made each day CARD FILE card tile is a mail list program which holds up to

200 addresses. The printing format of cord life in-cludes confinuous lists, labels or envelopes. Files can be printed, all the files from one file number to another, by zip code; by state or by selected free, LETTER WRITER P

LETTER WRITER is a preformatted letter writing program LETTER WRITER can be used for any number of applications evolving entering, editing and printing text LETTER WRITER is designed to be easy to use and does not expuse colorises training. While LETTER WRITER is not a full word processing system, if performs 90% of the functions used by harder to use and more expensive word pro-cessors. DESK SET also contains a program hall al-lows you to combine Card File and Letter Writer for

FINANCIAL CALCULATOR

riterest earned on savings, loans and investments Plus, this program will give a complete interest carned lable and amortization table. This program is a must for anyone aericus about mores FORECASTER crecast future events based on past mormation romoust nume events based on past mormation. Forecast profits, coals, sales hends, prices lest soones, whilely anything Edit, save on disk and test vances elements to dearmine the outcome. FORECASTER is a powerful "what if program — a

FINANCIAL CALCULATOR Ensaces witually any questions concerning the cost of money loans, and

Two days - double density - 48K required

The HOME WRITER is an easy to use word processor which includes a carefully selected group of functions that are at your disposal immediately. The functions are as follows SAVE, LOAD, REVIEW, PRINT-OUT, or EDIT All the popular editing lea-tures available on the ATARI Home Computer in direct programming mode are also of either disk or cassette, and number

available with HOME WRITER You may also search for phrases or strings, load off pages automatically. Unlike other small word processing programs, HOME WRIT-ER does not wrap-around when at the end ol a line. Right and left margin justification. is available for any type parallel printer.





SMARTDOS is 100% density smart SMARTDOS will sense the density of

each disk in use and automatically reconliqure the entire system to that density SMARTDOS does not require that a "system disk" has to remain in the drive or he continually inserted and removed in order to use the DUP SYS commands · With SMARTDOS you may Copy with

query, (eliminates specifying each item individually). · Counter screens - which keeps the user

informed as to what the system is doing and where in the task the system is · Disk testing for bad or unusual sectors that may be corrected

· RESIDUP teature allows sample yet powerful full time availability of DUP SYS commands while leaving your program intact and ready to RUN

· Minimum keystrokes for maximum power. e.g. a disk directory is done by pressing only one key - the drive number (great for filesearches, and "-" may be used to

replace ... The ability to run from 1 to 9 autorun files sequentials

· Built in disk drive speed check. · SMARTDOS is only 34 single density sectors long and works with all Atan computers with a minimum of 24K RAM BILLING/INVENTORY \$49.00

BILLING allows you to do invoices, posts to

account cards, deductions from inventory

and payments. There are provisions for

FILING SYSTEM \$19.00

FILING SYSTEM allows the user to confi gure any type of data tile imaginable. Examples are recipe cards, mail lists, reminders for birthdays, check-ups, etc... complete inventories (home and business), per sonnel files, customer call-ups, price list and much, much more You may retrieve data using any field or combination of fields. Files also may be saved, sorled, and printed in a preset format that you configure Uses either a single or a double density disk drive, 24K minimum

and MASTER LIST plus the necessary program that allows for combining the two programs for interaction. Call a file off disk, type a letter and (with the right printer) type

on envelope or just nin one letter after another. All of the nowedul features of both LETTER WRITER and MASTER LIST plus the ability to use them together Includes 35 pre-typed letters

shipping, discounts, no charge items and tax. BILLING also allows maintenance for up to 500 customer files, and printing of the darly total of billings. A flowcharf is given to show the step-by-step direction that the program takes. Allows for up to 300 inventory items, 48K

STAT-PLUS \$29.00

STAT PLUS is the most powerful statistic
tool we have seen Run sample space,
mean, variance and standard deviation. Do
probabilities using binomial, poisson or nor-
mal distribution. Also, do students' 1-test,
Mann-Whitney U test and Chi Square Do
linear regressions, may use 1-12 indepen-
dent variables, interact a sample from one
module to another, edit, rank and print out
24K mp

DISK DOUDIEF	\$14.00
5' I/O Cable	\$12.50
1' I/O Cable	\$ 8-50
Transformer	\$18.50
IBX 10 SS/DD Disks	\$14.50
w/ plastic box	\$14.50
C-5 Data Cassette w/box	\$ 249
Disk Fix and Cleaning Kit	\$29 00

DEMONS DUNGEON \$19.00

Queen Isotore's crown was stolen by the Demons that live in the deep territying dungeon If the crown is not recovered the magic that protects her and the kingdom will varish. Others have fried and died. Whoever recovers the crown and saves the kingdom will win the hand of the princess. liena and the Kingdom

THE PROGRAMMERS WORKSHOP 24686 REDLANDS BLVD. + SAN BERNARDINO, CA 92406 OUTSIDE OF CALIFORNIA (800) 228-6821 CALIFORNIA (714) 796-6821

TO ORDER: VISA/MASTERCARD, Check or Money Order accepted. If charge, please include expiration date, Shipping and Handling - Software \$1.50 - Disk Drives \$10.00. California residents add sales tax. Phone or mail.



Atari in Lights

Theater lighting designer's Atari C.A.D.

> by MICHAEL CIRAOLO, Antic Associate Editor

ames Brentano is the stage lighting designer and lecturer for the Drama Department of U.C. Berkeley. He has also been a dedicated Atari hacker since he bought his 800 back in the days when it cost \$800.

When you think about it, designing the lighting for a theatrical production is a highly information-intensive task. You have to combine dozens of color filters, lights, cables and dimmers in order to get the job done.

"A typical show will require 150-200 lights. For each light you must keep track of the following—name or label, any one of several hundred colors, circuit which plugs the unit into the control board, a dimmer switch and stage focus spot where the light is aimed. Also each light unit will have different level settings for up to 200 cues," Bernaton said.

Designing the lighting for a show traditionally requires extensive drafting of diagrams and long lists of each light's location, focus and so on. For each show, lights, cables and other material also have to be ordered—more paperwork.

Brentano now uses his Atari to handle the entire process. He wrote a BASIC routine to draw the lighting characters in Graphic 8, and uses Graphics Master software to produce a design layout template.

He also uses SynFile + to keep track of lighting information which can be sorted—by focus, type of light, etc.

ANTIC, The Atari Resource

COMPUTER AIDED DESIGN

Brentano isn't content to simply turn the paperwork over to his Atari. He's planning to unite his lighting programs and utilities in one system, a computer aided design (CAD) package for the Atari.

'Nobody has yet developed a system where you're simultaneously hooked into the stage cues and all the lighting unit information." Brentano

said.

"For the price of two IBM graphics boards and a whistle, I can produce a package with an Atari, dot-matrix printer, disk drives and the software to do all the CAD lighting work." Brentano figured. All for around \$1,000

'Ideally you'd have onscreen a picture of the lighting diagram, and you'd use a light pen or mouse to circle and call up all the information on given unit."

After producing a package to do CAD lighting design, the next step is direct computer control of the lighting board. "The technology of light board computers is primitive-the interface to all the knobs and controls is expensive," the designer explained.

The light board Brentano uses at U.C. Berkeley costs \$37,000, not including the dimmers. "That's ridiculous when an Atari costs \$120." Brenbies onet

"LET'S MAKE A SHOW"



The map and key above are used to tell theater electricians where to have certain lights, what kinds of lights to use, and what focus each light requires.

own Ataris-they like to play games. And we all play this game together, "Let's go make a show". Backstage crafts simply offer bigger and more expensive toys."

Brentano maintains that the Atari appeals to stagehands because of the machine's game tradition and because it's not hard to get inside the computer and play with it.

You can do a lot of this design with the Macintosh and File Vision." Brentano admitted. FileVision is a visual database which lets you design icons that can be moved around the screen. Each icon also represents detailed information, such as the focus, location and type of each light.

But Apple has a certain snobbish-

believes that the Atari is the best 8-bit machine on the market. "Pong is the greatest thing since sliced bread."

LIGHTING BOARD

Brentano's dedication to the Atari has made it the computer of choice for a theatrical bulletin board he's startine

Based on an Atari 800, an MPP 1000C modem and two disk drives. Brentano's bulletin board will cater to the theatrical lighting community. It will have classified ads for jobs, equipment and so on. The board will also feature electronic mail, hints and tips for lighting designers, product reviews and comments

"Eventually. I want to be able to dump a show's files to the bulletin board, so rental companies can log on, look at the file, and give me a price."

'A problem with theater is that we spend \$10-20,000 per show. Any way to share information saves money." Brentano said. "There's a need for a clearinghouse of information."

Brentano's board will be the only Atari theater BBS in the country-and only the second theater board of any kind. It is called ICN (lames' Computer Network). The phone number is (415) 562-3364.

"JCN-it's like HAL in '2001' HAL was from one letter before IBM, ICN is one letter after."

You have already made your first mistake!

You thought that cassette recorder would handle your storage needs.

WRONG!

Don't make another one!

You think you need a disk drive to solve your storage problems

WRONG!

You need 2 disk drives!

Any serious application practically demands at least 2 drives.

Word Processing Spreadsheet Data Base Management Mailing List Software

All of these are made more powerful and, at the same time, easier to use if you have two disk drives.

So now it will cost twice as much, right?

WRONG!

You need an Astra single or double density dual disk drive. Two drives In one low-priced unit.

Astra Systems now has two new models for your ATARI:



ASTRA 2001

Single or Double Density Disk Drive

- Advanced Circuitry
- Rotary Doors
- Direct Drive Motors
- 360 Kbytes
- Reliable, Quiet Operation
- Fast Read/Write
 Easy Data Read
- Laby Data Nead

ASTRA "BIG D" ■ Double Sided Drives

- Double Sided Drives
 Single or Double Density
- Single or Double Density
 Direct Drive Meters
- Direct Drive Motors720 Kbytes
- 720 hbyte

ALL DRIVES FURNISHED WITH SMARTDOS OR MYDOS * *DOUBLE SIDED DRIVES

For nearest dealer or distributor call (714) 549-2141

*ASTRA SYSTEMS. INC.

2500 South Fairview, Unit L Santa Ana, California 92704

ANTIC AT THE FIRST GEM SEMINAR continued from nese 19

difficult for professional programmers to work with.

Despite this, Wetmore was positive

enough about GEM that he bought the Seminar disks and intends to invest over \$4,500 for a souped-up IBM PC to run Lattice C. "But right now any GEM programs I publish will just be for the Atari," he said, "because it's the only computer that a developer won't be charged royalties for by DRI when the software comes out." A

TURTLE PIANO continued from page 10

As stated earlier, this program is really pretty simple. Readers are encouraged to make it more special. With a little tinkering, Turtle Piano could flash different colors with each note extend for another octave or two, or include sharps and flats. The basic structure can accommodate all these changes and more. The only rule is to share your ideas by sending them to Antic.

Craig McBain is a third grade teacher in Mt. Clemens, Michigan. His wife wisbes that Atari Logo had never been invented

Listing on page 74

THE #1 SYSOP continued from page 8

from the Japanese game Go, and SIG "Atari has an oriental sound," said Luks, pronouncing the name quickly and sibilantly, as one monosyllabic word.

MILLION-DOLLAR SIGS SIGs are now the second or third largest moneymaker for CompuServe.

bringing in millions of dollars a year, Luks said. And he has a well-defined niche in that enterprise.

Luks, the "Godfather of SIG Atari".

now works with a CompuServe syson school and a test SIG where new SIG software is beta tested. He also beloed launch the IBM SIG and works eight other boards besides SIG*Atari-as well as being OnLine Editor of the

Antic CompuServe Edition. Of course all that takes a lot of time "60 to 70 hours a week." Inks figured. As we've found out at Antic when we try to get in touch with Luks, the phone at his Greenwich Village apartment routinely gives off a busy signal till after 3 a.m.

And during regular working hours. Luks is a freelance computer consultant to a major Wall Street brokerage firm

"Nowhere else can you find a more knowledgable group on the Atari world than on SIG "Atari." Taks said. SIG "Atari members gave constructive input to Synapse Software during its development of the Syn Series, More recently they've done the same for Batteries Included's HomePak

"Our users decide what service they get and dictate policy," Luks said. However, Luks insists that users maintain a sense of decorum on SIG *Atari and that the board not become a haven for pirates.

FREE ACCESS

Luks is committed to bringing the SIG to as many Atari users as possible. If a large users group has never been in SIG "Atari before Talks said he would try to arrange free access to the SIG for a weekend so the group could discover the magic for themselves.

"If we could get a new machine from Atari, we could have 50-60 public domain programs for the ST on the SIG *Atari," Luks claimed. Nor does it annear an idle boast. "On the Macintosh SIG, we had 50 programs when there were only five for sale in the stores'

'All they have to do is ship it. We'll do the rest," Luks promised. Luks sees his demanding work with

CompuServe as an investment in the future. "We're shaping the technology, Also I want to be able to live anywhere, to be geographically independent and able to work over the phone."

YOUR SOFTWARE

1. You, the Atan owner, have the right to expect a simple, easy-to-use filing system 2. You have the right to see your Ater; perform to its follest capabilities—using advanced

graphics, opior and sound 3. You have the right to expect home productivity

software that's easy, convenient and natural AND YOU HAVE THE RIGHT TO YOUR SATISFACTION GUADAN TEED OR YOUR MONEY RACK.

We hear you. That's why Antic is presenting you with Sparky Starks and Russ Wetmore's

HomeCard™ HOLMANAN

For \$24.95, HomeCard gives you an electronic filing box. Intelligent Rolodex® with automatic tone or pulse dialing of up to 234 telephone numbers. Full search ability with the speed of a RAMDISK And the natural convenience of index cards.

ord 2 ofto Wasszine he Start Besserce E24 Second Street Eas Francisco, Cd 94102

By the author of HomePak.™

HomeCard allows you to: . chain any number of cards together . store up to 234 cards in each box (one disk) . create up to 8 major categories and attorties silv search any combination of those groups use any 1030 or Haves-competible modern or TV speaker to autodal

Ideal for home and student applications.

Arrado #RW100 \$24.95+shipping & handling

ORDER NOW reference #RW100 Use the order form in the Arcade catalog Credit card orders call 800-227-1617 (ext. 133) in Calif. 800-772-3545 (ext. 133)

> Fatherwely Inter Artic. Requires 48K and disk drive.

ATARI® 820 or 822 PRINTER - \$39.00 With Cable and Paper Everything you Need!

DISK DRIVES

- New Special Edition \$199.00 or \$349.00 w/Happy
- Reconditioned ATARI® 810 \$149.00 or \$299.00 w/Happy
- · Happy® Compatible
- •100% Software Compatible
- 100% Software Compa • 120 Day Warranty
- Most Durable & Serviceable



MADE FROM ATARIF 810 BOARDS AND TANDON® MECHANISMS 410 PROGRAM RECORDERS CASSETTE - \$29.00

Star Raiders
 Touch Typing
 States & Capitals
 Amissle Command
 Time Wise
 2 More Games

All for \$19.95

800 Computer Boards Complete & Tested

Mother Board
 Power Board
 Ram Board

ROM Board All for \$39.00

Numeric Keypads w/driver \$19.95
 Disks from \$1.00 each

· LJK® LETTER PERFECT or DATA PERFECT

San Jose Computer 1844 Almaden, Rd. Unit E San Jose, CA 95125 (408) 723-2025



Everything for the ATARI

YOU CAN'T TELL A DISK DRIVE BY ITS COVER!!

Systems to Parts



WITH A HAPPY ENHANCEMENT INSTALLED THESE ARE THE MOST POWERFUL DISK DRIVES FOR YOUR ATARI COMPUTER

WARP SPEED SOFTWARE DISK READING AND WRITING 500% FASTER

HAPPY BACKUP — Easy to use backup of even the most heavily protected disks
HAPPY COMPACTOR — Combines 8 disks into 1 disk with a menu

WARP SPEED DOS — Improved Atan DOS 2.0S with WARP SPEED reading & writing SECTOR COPIER — Whole dlisk read, write and verify in 105 seconds 1050 ENHANCEMENT — Supports single, 1050 double, and true double density

810 ENHANCEMENT — Supports single, 1050 double, and true double dens

SPECIAL SUCCESTID BETAL FROET. Girls 4-10/PFT DENANCEMENT SIG or 1500 services with the 16/PFT MOUNTED PROGRAMS. About him made to Maryl MOUNTED FROET. Girls 4-10/PFT MOUNTED FROET. BETAL SIGNATURE SPECIAL MOUNTED FROET. BETAL SPECIAL MOUNTED FR

HAPPY COMPUTERS, INC. • P. O. Box 1268 • Morgan Hill, California 95037 • (408) 779-3830



Let your joystick select program hues!

by JOHN FELTON

Take the tedium out of program color selection with this joystick-driven BASIC utility. Color Palette runs on all Atari computers of any memory size. Disk or cassette.

hen the time comes to select colors for your new program, it's heart new program is new program in the program is new program in the program is new program program program program, not program, not

USING PALETTE

to type it in

Color Palette gives you a better way to use the best home graphics computer on the market.

Type in Listing 1, check it with TYPO II, SAVE a copy, and RUN the program. You'll be looking at a joystick-driven utility for color selection. Listing 2 is the source code for the assembly language routines used in the BASIC program. You don't need

The palette's screen is divided into two windows. In the top, you'll see 12 patches of color, each with its hue and luminance numbers and a color register value. The lower right corner

is the background color.

The bottom half modifies the color of patches in the top half. Put the cursor over the patch you wish to modify and press the joystick button. You'll now be able to change colors by moving the stick up and down, and change luminance by moving the stick from side to side. Press the trigger to set that color and move on. To see your values, watch the X in the lower window.

That's all that there is to it. You might note that the top four patches are initialized to the Atari default colors. It is anazing how many programs use these four colors just because it's easier than looking for better ones. Well, no more.

A three-year veteran of the Atari, John Felton is a computer science major at Cal Poly in San Luis Obistro, California.

Listing on page 64

COLOR the COVER— CONTEST

By JACK POWELL and MICHAEL CIRAOLO



When we invited submissions for our Color the Cover Contest, we didn't really expect a winner with the diligence, creativity and . . . uh

... compulsiveness of Paul Sedgewick. His adaptation of the January 1985 Antic cover was artistically a match for any other entry—but it was also a mind-boggling technological tour de force.

The 23-year-old electrical engineer from Northridge, California spends his days producing delicate military microwave machines. And he put in over 100 hours re-creating Antic's cover with redefined

characters on two scrolling screens. Paul decided that the black and white Antic January cover needed at least five colors, if not more. He also didn't think one video screen was large enough.

Wanting the highest resolution possible, Paul chose ANTIC Mode 4, the only mode which offers both high resolution and five colors. (Mode 4 is a five-color text mode,

counting the background.)
He then photocopied the cover,
enlarged it and graphed it on a grid
approximately 40 squares wide and
50 down—each block representing

one mode 4 character.

Next he graphed the cover in even finer detail, dividing each block into a 4x8 pixel matrix.

34 CHARACTER SETS

Having done all this preliminary paperwork, Paul finally reached for his own trusty character set editor. Using the editor, Paul redefined each character block to match the cover. However, there are only 256 characters in a character set—just enough to draw three screen rows.

Rather than re-use characters for different portions of the picture, Paul used display list interrupts (DLI) to actually change character sets while the screen was being drawn. After each three rows of characters on screen, a different set was posited to it memory.

Paul decided that five colors realty weren't sufficient, so he used a vertical blank interrupt (VB) to draw the picture twice, thus creating extra colors by superimposing the hues. Two overlapping hues of the same luminence created at hirt dor, two hues of different luminences

created a vibrating, flickering effect. The VBI was also used for vertical fine scrolling between two screens, which meant the display list instructions had to be continually reflaured.

What began as a simple Color the Cover Contest entry ended in a fourscreen phantasmagoria. The VBI alternates between two screens, and the vertical scroll switches between two more. After 100 hours of work. Paul had created the necessary 34 complete character sets. With an accompanying assembly language program, the entire binary load file occupied 316 disk sectors!

...AND RUNNERS-UP Nearly 150 readers mailed in entries

to the contest. Just about half the entries used the KoalaPad or Atari Touch Tablet with accompanying Micro Illustrator (AtariArtist) software. Interestingly the second most used computer graphics tool was Price's Picture Painter" the powerful program from Antic's September, 1984 issue.

Tim O'Connell, of Mastic Beach, New York used a Koalafad to produce his strong head-and-shoulders close-up of Utility Man. Our distinguished panel of judges (Antie editorial and art departments) particularly liked the way this U-Man seemed to be posing for a hero portrait.

Alfred Gomez of Las Cruces, New Mexico spent several sleepless nights to produce his entry. Gomez demonstrated his good taste by depicting a ministure Antic magazine hanging from Utility Man's belt, although this is too small to see in our screen shot. Our judges were also pleased with the excellent use of contrast and color His successful ef-

and the winner is

Paul Sedgewick



Montreal's Gaston Aladin used the Atari Touch Tablet and his own software to produce his highly impressionistic entry. Aladin's work demonstrates interesting, complex background textures captured in a fluid sense of movement

Nick Turner was "inspired to go to the limit" of his patience in recreating our cover. This programmer from Mountain View, California used AtariArtist cartridge with Atari Touch Tablet to produce a Utility Man that closely resembled our cover. Turner displayed wellbalanced colors, a good sense of proportions, and well defined shapes.

When she read about the Color the Cover Contest, Marta Taylor ran out and bought a KoalaPad to produce her entry, one of the more abstract renditions we saw. Taylor, who hails from Douglasville, Georgia, depicted Utility Man surrounded by a fanciful collection of balloons. While not a true copy of the cover, the entry contains unique imagination and a charming, simplistic innocence. continued on page 24







Gaston Aladin



Runner-up winners are not presented in any particular order on these pages. Color The Cover Contest first prize is an indus GT disk drive. Runner-ups receive their choice of any single item in the Antic Arcade Catalos.

Antic Disk subscribers: You will find the winning contest entry as a bonus on your August disk NEXT month. It was too large to fit anywhere on the current issue's twosided disk.



Alfred Gomez

runners-up ...

Tim O'Connell



Nick Turner







PRINT SHOP









WELL WORTH THE WAIT!

by JACK POWELL, Antic Technical Editor

up. Looks like the dry spell for Atari software has finally ended. At last, the big guns are coming out: EPYX is marketing the fabulous kucasfilm games, Paper-Clip is on the way, and Alternate Realities will finally become a reality—courtey of Daussoft.

Then just the other day a bright yellow box came in from Broderbund. The Atari edition of Print Shop had finally arrived!

Print Shop is a graphics printing program that Apple owners have been enjoying for quite a while. It's current-ly Broderhund's hottes selling liem, and the reason why is easy to see. From the bright yellow packaging to the foolproof programming. Print Shop is so darn friendly you feel like Bambi has just toddled into your been applied to the printing that the summer of the printing that the printing that the program of the printing that the printing that the program of the program of the printing that the program of the progr

When the package arrived, we tore off the wrapping and booted the disk. The very first page of the reference manual said to ignore the documentation, start up the program and just follow the prompts. Within minutes, the Antic offices were littered with gaily decognized printer paper.

If you've always dreamed of being an art director, Print Shop is exactly what you've been waiting for. You'll be cranking out flashy greeting cards, sationery, bannes and signs, featuring clever graphics and a variety of different type-styles. You can decorate with ready-made graphics icons that are supplied, or design your own, (My own "Onus The Penguin" has been

very well received.) The results are remarkably professional.

The program is entirely menudriven and leads the user easily through the options. In the tradition of all Broderbund's Apple-oriented programs, there is an almost complete lack of sound, but this is essentially

a utility so it's not too bothersome. Before you rush out and buy Print Shop, make sure you have a dotmatter brinter capable of graphics. No matter how nice the program, it work work on your letter-quality Atari 1027 printer. Print Shop handles most graphics printers. They're all listed on the box. If in doubt, call Broderbund.

As fun as it is, Print Shop has its illimitations. Wur eight type-fonts to choose from and there's no way to design your own. The disk comes sign your own. The disk come may also designs. And you may also design your own using the Print Shop graphics editor, but as usual with multiple utility pockets, the graphics editor is a crude joy-stick/Koala Pad pixel editor with does not allow for patterned fills or other desirable soubsitications.

It would certainly be nice if we could use one of the many versions of Micro Illustrator to design our icons, but this is not the case. And, since the disk files have been hidden, continued on page 28

FANTASTIC PRINTER SALE!! \$2495

Commodore 64 — VIC 20 — Atari

 40 And 80 Column Printers
 ⊕ Up To 100 Characters Per Second
 ⊕ Full Graphics Capability



3100 Alphacom 42-80 CPS 40 Column Printer Print out listings with full computer character sets (interface required, see below). Print in upper and lawer case. Cames with a rall at paper and all pawer adapters needed. Perfect far a spare printer ar pragram lister. List \$99.00. Sale \$24 95

40 Column Extra Paper	LIST	SALE
3103 25 Meter Rolls Blue	\$9.95	\$3.00
3104 40 Meter Rolls Blue	\$16,95	\$3.95
3105 25 Meter Rolls Block (1 per pkg.)	\$12.95	\$3.95
3106 25 Meter Rolls Blue (2 per pkg.)	\$19.95	\$5.95
3107 25 Meter Rolls Black (2 per pkg.)	\$19.95	\$5.95

3150 Alphacom 81-100 CPS 80 Column Printer

Naw you can have a printer far the cast of a large bax of paper. This printer prints in upper and lawer case with true lawer descenders. Cames with 1 rall of paper and power adapter. With the intelligent interfaces (sald below) you can da Ascii graphics as well as Atari ar Cammadare graphics. Plus yau can da underlining and expanded mades. Print aut pictures, pragram listings, ward pracessing

hameawner. List \$199.00. Sale \$39	.95.	
80 Column Extra Paper	LIST	SALE
3153 40 Meter Rolls Blue	\$14.95	\$3.95
3154 40 Meter Rolls Block	\$19.95	\$4.95
3155 25 Meter Rolls Blue (2 per pkg.)	\$19,95	
3156 25 Meter Rolls Block (2 per pkg.)	\$19.95	\$8.95



3101 Intelligent Commodore Interface — Allows you to hook the 40 or 80 column printer to the Commodore 64, do program listings, allows softwore screen dumps, etc. Includes Commodore grophics and reverse characters. (Specify 40 or B0 Column) List \$59.95. 40 Column Sale \$9.95.

80 Column Sole \$14.95.

Add 510 00 for shipping, bonding and inswonce. Illnois residents place and 5% ins. Add 520 00 for CAMADA, PUEFO RICO, MANAE, place and 5% ins. Add 520 00 for CAMADA, PUEFO RICO, MANAE, Millow WE DO NOT EXPORT TO OTHER COUNTERS EXCEPT CAMADA, Encisee Cabhers Check, Marey Order or Personal Check, Allow 14 days for delivery, 2 for 3 days for planes and/s. 1 day express modit VISA -- MASTER CARD -- C.O.D. No.C. O.D. to Conodo. APO-FPO

3102 Intelligent Atori Interface - Allows you to hook the 40 or 80 column printer to the Atori computer, do program listings, ollows softwore screen dumps, etc. Includes Atori grophics and reverse chorocters. (Specify 40 or B0 Column) List \$59.95. 40 Column Sole \$9.95. 80 Column Sole \$14.95

PROTECTO

We Love Our Customers Box 550, Borrington, Illinois 60010

312/382-5244 to order DEPLANTA

Lowest Price In The USA! ATARI* Computer System Sale

Students
 Word Processing
 Home
 Business



Rated "Best Buy" by Consumers Digest Buyers Guide, January 1985

LOOK AT ALL YOU GET FOR ONLY

(1) Atari 800XL 64K Computer

Atari 1050 127K Disk Drive
 Atari 1027 Letter Quality 20 CPS Printer
 Atari Writer Word Processer

Atari Writer Word Processer
Atari BASIC Tutorial Manual
All connecting cables & T.V. Interface included
Monitors sold separetly.

CPS Printer

INDIVIDUAL
LIST PRICE SALE PRICE
\$299.00 \$109°°
399.00 189°°
399.00 199°°
79.95 39°5

\$44900 SYSTEM SALE PRICE

\$1193.90 \$549.90

16.95

12*5

15 DAY FREE TRIAL. We give you 15 days to try out this ATARI COMPUTER SYSTEM! If it doesn't meet your expectations, just send it back to us prepaid and we will refund your purchase price!!

19 DAY IMMEDIATE REPLACEMENT WARRANTY: If any of the ATARI COMPUTER SYSTEM equipment or programs fail due to foolity workmanship or material within 90 days of purchase we will replace it IMMEDIATELY with no service charge!

Best Prices • Over 1000 Programs and 500 Accessories Available • Best Service • One Day Express Mail • Programming Knowledge • Technical Support

Add 325.00 for shipping and handling! Dept.ANT/a Enclose Cashiers Check, Money Order or Personal Check Allow 14 days for delivery, 2 to 7 days for phone orders. 1 day express mail! We accept Visa and MasterCard. We ship C.O.D. to continental U.S. addresses only COMPUTER DIRECT

Box 1001, Barrington, III. 60010 312/382-5050 to order PRINT SHOP continued from Page 25

a programming hobbyist would have a difficult time writing a conversion program.

One frustrating omission is Print Shop's inability to make labels. What about all my home-made peach preserves and canned prunes?

Nevertheless, Print Shop is the kind of program that should appeal to a huge audience. I can't think of a better computer gift for children-if the adults will let them get their hands on ir We really should all thank Broderbund for converting this hit software to the Atari. Now if they would only

buckle down and get to work on an

Atari conversion of Championship Lode Runner. .

PRINT SHOP Broderbund Software

17 Paul Drive San Rafael, CA 94903 (415) 479-1170 \$44.95-48K disk





direct mode commands and functions. All at your fingertips and all made ways by the MONKEY WHINCH II

The MONKEY WRENCH II plugs easily into the cartridge stol of your ATART and works with the ATART BASIC.

- Order your MONKEY WRENCH II today and enjoy the conveniences of these 33 features:
 - Line numbering
 Renumbering basic line numbers
 Deletion of line numbers
 - Location of every string String exphanae

The MONKEY WRENCH!! also contains a machine langue \$29.95



Call us today for your "KISS" Only \$19.95

process fext
 Text can be sent to screen

Single page or tan-folded agger can be used by

3239 Linda Dr. Winston-Salem, N.C. 27106 (919) 748-8446 Send for free catalog

Have You KISS

Introducing "KISS", a new, simpler, more powerful Word Formatter/Processor for your Atari 800, 600XL, and 800XL

"KISS" comes in a contridge, and is designed for the accosional user, yet simple enough for beginners and children it comes with an easy to read manual, that contains example

If comes with on easy to read monual text files. Check out these other "KISS" features Input of text is via standard ATARI screen editor - so there is nothing new to lear Only 13 commands to

- Prints English error messo
 The "KISS" oprindge doe The "KISS" oarhidge does not have to be installed in order
 - input text information Automatic page numbering Text can be justified to both ne left and right margins Can be used for letters, reports, term papers, etc.

Color Inkle Loom

Your Atari master weaver

by GERALD M. HAGOPIAN

Design intricate 39-thread weaving patterns for the inkle loom with this BASIC program. (If you're a weaver, inkle loom won't sound strange) Color Inkle Loom works on all Atari computers with 24K memory. 24K cassette 32K disk

crious weavers regularly face the process of selecting colors and patterns for their various looms. And as you know, displaying intricate color paterns is a job that's duck soup for the Aani. With the Color India Loom pe

This program should be a good start for Antic readers who might wish to develop design software for looms that are more complicated than the widely used inkle.

ATARI WEAVING

Type in Listing 1 and check it with TYPO II. SAVE it before you RUN it. After the opening screen, you'll see a menu. You can choose to Create a new weaving, Save a weaving, Load

a previous weaving, or Exit the program.

If you are creating a new weaving, you'll be asked for the number of threads per harness, up to 39 each. After typing a number, you'll be asked if you're sure Type [Y] to continue,

anything else to go back

Then choose colors, starting with harness #1, thread #1, followed by harness #1, thread #2, and so on. In each case, you'll be asked for the color letter—which you'll take from the marked band of colors across the screen. Once again, you'll be asked if you're sure. Type [Y] to continue, anything else to go back

When you're done choosing colors, you'll be asked if you're ready to weare. Bype [Y] to continue. You can start weaving, or change the intensity of the colors you've chosen. With the spectrum band's range of 16 colors, and the Change Color Value option, you can produce any of the Atari's colors.

Gerald M. Hagopian is a freelance consulting designer working with consumer products and interior design.

Listing on page 60

They laughed when I sat down at the 800 XL...

by NAT FRIEDLAND, Antic Editor

kay, I confess. Before I settled on writing I was a committed would-be musician As a kid and teenager I must have spent hundreds of hours teaching myself piano,

rhythm guitar and chromatic harmonica. I played first trombone in the high school band, thus becoming automatically eligible for a music scholarship to state teachers college if I had wished to on It was relatively easy for me to pick

up the rudiments of playing different instruments. But there would always come a time-much too soon-when I ran into the upper limits of my musical coordination. I could never seem to really master any instrument. I used to daydream about some

kind of future electronic musical instrument coming along that would automate things the things I couldn't get my fingers to do and let me express my musical ideas without being an instrumental whiz Little did I know those instruments would become a reality-even an affordable reality-in less than two decades.

Recently my musical frustrations have been much more localized. It seemed as if all the good musical software and plug-in computer pianokeys from companies like Sequential Circuits or Passport were being made only for the Apple II or the Commodore 64.

1985 ATARI MUSIC However in 1985 all this bas changed

Some truly phenomenal new musical peripherals for our favorite personal computer are about to make the Atari the new champion of computer-assisted musicmaking.

- In this article you will read about: · A new kind of "music generator"
- software that lets you compose and improvise in real-time at the Atari keyboard. The four-voice sound is tracked by colorful geometric graphics. Press a couple of Atari keys and you'll feel like the next Brian Eno.
- . A software and "black-box" product that lets your Atari emulate an advanced 16-track digital recording studio.
- · A remarkably powerful new MIDI synthesizer that sells for no more than what an Atari disk drive used to cost.

1. VIRTUOSO

At a music studio in Queens, New York last year you'd find three kids at a time sitting in front of Atari computers and listening on carphones while geometric natterns of color flashed across the video screen. These



VIRTUOSO screen.

kids were taking two-hour lessons in creating music on the Virtuoso sound generator and when the sessions were over their parents often had to drag them away from the machines.

Virtuoso is such a unique new approach to musicmaking that it's not easy to describe. It's one of the closest things in the real world to the multiarts competitions that Herman Hesse wrote about in his classic literary fantasy The Bead Game. In that book. Hesse wrote about chess-like contests where one player's move might be a theme from a symphony and the opponent's countermove could be a line of a poem or a section of a paintine

Virtuoso gives you a user-friendly method of tapping the extremely fast and powerful changes that a computer can control in every aspect of music performance. It bypasses the limits of traditional musical notation



MIDITRACK II

and uses an almost self-explanatory color graphic display that delivers mathematical insights into the structure of music.

USING VIRTUOSO

You'd enter a musical pattern into Virtuoso from the Azir keyboard, or call up one from about 480 that could be stored on a single disk. The pattern would start sounding and the lines of colors would trace it visually. At this point you could start creating all sorts of changes in the pattern—which you would hear and see immediately.

As the pottern was playing, you could change its speed, rhythm, pitch, tone volume, key-scale ere. You could enter new patterns any time. There's even a Future mode where you can enter changes before they are due to be played. The effect of controlling so much musical power so effortlessly feels something like conducting an orchestra at the same time as you are composing the music that it plays.

In technical terms, Virtuoso is a sound generator that produces four voices from the POKEY chip. You can make instant real-time changes in the voices in any of six parameters. Four computers running Virtuoso can be linked together to have up to 16 independent channels controlled by one Atari. As a sound editor, Virtuoso can synchronize multiple voices with 1/60 of a second accuracy and tune them within 10 steps of intonation. Any musical passage can be moved anywhere, saved, and replayed in any key and in virtually any rhythm.

COMING SOON

This groundbreaking product is a collaboration between former Julliard Music Professor Joseph Lyons and Frank Schwarz, a highly experienced programmer and electronics designer. Originally, Virtuoso was financed by Warner Leisure Software, who naturally wanted it for the Atari and in catridge form.

After Warner Software shut its doors last year, Schwartz and Lyons obtained new funding and are hoping to have Virtuoso on the market by August. At this point, Virtuoso is to be on disk, available for either the Atari or Commodore 64, and priced at abour 850.

Not only that, a \$150 MIDI interface for Virtuoso is also being reading for August release. Virtuoso will therefore be usable as a visual language for MIDI controllers—not only for music, but also for lighting and sound effects, lasers, etc. Once again, shades of Hesse's The Bead Game Lyons and Schwartz are as enthuisastic about the Casio CZ-101 synthesizer as Antle is, and Virtuoso will definitely run on this outstanding electronic instrument—which will provide even greater power, versatility, sound quality and handling case than the Atari POKEY chip

PLEASE NOTE that Virtuoso is a product that is still under development and has not yet been released at this writing. Antic will print more news of Virtuoso as soon as it becomes available, so please do not phone or write us asking where to get

How does Antic know that Virtuoso is for real? There are two reasons. 1. We have heard (and seen) Joe Lyons play four-part Bach Fugues on it. 2. Antic has a first-generation Virtuoso cartridge that Frank Schwartz gave us.

Our protoxype Virtuoso cartifegies packed solid with microchips and actually a plug-in board. Its music generating functions are 100% in working order, but figuring out how to play it from only the skimpy documentation notes is not too easy. At present you'd need lyons standing over your shoulder to explain things, the way he does in his studio lessons.

That why the final development

Thats why the final development work is concentrated on making Virtuoso even friendlier to operate. There will be icon menus, an inexpensive membrane keyboard for musical input (if you're not using a MIDI instrument), and six levels of complexity that will gradually take you from beginner to expert status.

2. MIDITRACK II

MIDITRACK II has been wowing them at computer shows and musical instrument shows since last fall. It's available at various professional-music stores around the country or by mail from the manufacturer information will be found at the end of the article.)

Interestingly, your Atari will be the least expensive component of this

continued on next page

music system. Bob Moore of Hybrid Arts, makers of MIDITRACK II, gives a slightly surprising reason why the Atari was chosen to drive the system. "The Atari is the sturdiest of the inexpensive lightweight computers," he said. "We believed it would have the best chance to survive a long professional road tour."

MIDTIRACK II disk software and the included MIDIMATE interface box work with any Atari that has 48K memory. The Atari itself does not produce any sounds with its POKEY chip here. It simply acts as the controller for up to 16 channels of information transmitted by MIDI instruments.

WHAT'S MIDI

MIDI stands for Musical Instrument Digital Interface. It's a set of electronic standards—just as ASCII, RS-232 and Parallel Centronics are standards that allows electronic musical instruments to coordinate and exchange dieitally encoded sound information.

Moore, who was primarily a Hollywood studio musician before coming up with the idea for MIDI-TRACK II, said, "If you've already got an Aari and disk drive, it should cost you no more than \$3,000 to have a fully professional digital recording setup, (fo) just have fun with your Atari music system, you could get away with \$500 or less More on this later.)

What you need for a fully professional system is a main synthesizer, a drum machine, and probably a second synthesizer to give you a bit more variety of sounds. The second synthesizer doesn't even need to have a keyboard because you can play it from the main synthesizer.

At the other extreme, you could theoretically dissylvain lung-gangs of MIDIMATES and electronic instruments. You could mix 16 completed tracks onto a single track, make 15 new tracks and mix everything down to track 2, and then repeat the process. You could run a symphony orchestra of synthesizers from a single Atari, even a stadium filled with synthesizers.

Normally the way you'd operate a MIDITRACK II system is something like this: First you'd set up a drum pattern and record it on track 1. Next you'd adjust your synthesizer to sound like a bass and play an accompaniment onto track 2. With your "thythm section" in place you could

FINE COMPANY

O INI

O

A typical system hook up is shown in figure 1. Note that synth A is the master synth because both its wIDI IN and MIDI OUT are connected to the MIDIMATE interface box.

then start layering all sorts of interesting synthesized sounds on top to make melodies and harmonies in the rest of the available tracks.

STUDIO IN A BOX

Once you were finished, you would have a fully edited arrangement for MIDI instruments which you could then record on tape for combination with vocals or non-MIDI instruments. The length of the music you could save would depend somewhat on how many notes were in the piece. The limit per file is 3,000 sounced

By the way, usually you can simultaneously call up more than one track from a single MIDI instrument. Many synthesizers could give you as much as 8 simultaneous tracks.

On the whole, the MIDITRACK II documentation is excellent. Once you have plugged everything in, the manual suggests that you simply press your Atari spacebar, play something on your synthesizer, and then press the spacebar again. That's all it takes for a recording and playback!

One of our testers kept losing his music at first, every time he tried to save a track. But once he figured out that this was caused by holding down the Inverse Video key too long during the save command, there were no problems.

MIDITACK II is designed to operate like a profession multitack apper ecorder. So it contains all the features you would normally expect to find in a recording studio. All 16 tracks are independent unless you may them together. You can syncheonie tracks to change the speed of the entire recording. You can overdulor trampsope tracks. You can automatically locate any spot on the recording. You can "purch in" any where to record difficult passages one noce at at time.

MIDITRACK II even supports the advanced technique of quantization, or autocorrect. For example, if your timing was a bit uneven when you were trying to play that flashy bass part you could set the notes to automatically come out on the beat.

3. CASIO CZ-101

Most Attri owners who buy MIDI-TRACK II will probably decide to use the new Casio CZ-101 synthesizer as their primary keyboard. That's because the CZ-101 selfs for about onefourth the price of any comparable synthesizer! It lists for 8-99 but has been on sale at Macy's for as low as 5300.

The instruments that Bob Moore brought along to demonstrate MIDI-TRACK II were the Yamaha DX7 synthesizer which has a list price of \$1,995 and the Yamaha RXII drum machine which lists for \$895. Both of these instruments are very popular with professional musiciars and are not considered unusually high-priced in comparison to the competition.

At the time Woore (ald Auric that

a new low-priced but powerful synthesizer from Casio was due to be released shortly and it would apparently be at least somewhat comparable with the DX7. Well, the CZ-101 was shown at the Consumer Electronics Show and Casio kindly let us have one to use with our MIDI-TRACK II.

ST OF SYNTHS

We wriftly discovered that the CZ-IOI is considerably more from merely a stripped-down vension of the DX7 in fact, this Casio could almost be considered the Atan ST of synthesizers—it delivers far more "power without the price" than anything else in its Casio Denshitme we are talking about a real synthesizer we are talking about a real synthesizer were not an "lectronic masses maker" with one bey chords and preset draming the control of the control of



Fig. 2 shows an example of an envelope using all 8 steps. In this example, there are two attacks before the Sustain Point as well as a third attack after releasing the leys. This shows how you even have the possibility of setting an "after-envelope".

In many ways the CZ/I01 is even more versible than earlier, more comby symbolisers. A review in the March, 1998 State of "Reploand," the top magazine for electronic keyboard phyres, concludes, "The CZ-I01 makes good use of the latest digital technology, its straieture features include seven excellent envelope generaturs, good-sounding waveforms, and the seven excellent envelope generaturs, good-sounding waveforms, despending waveforms, and the seven excellent envelope generates, and versible MID1 stare module; it could be a very effective addition to admost any stack."

Upon translation from synthesizer jargon, what this means is that the CZ-101's strongest point is its wideranging capability of creating and manipulatine synthesized sounds. It has more waveforms, envelopes, oscillators and more ways to combine these soundmaking elements than most previous synthesizers. multitrack compositions featuring your own synthesized sounds almost as soon as you've got your system cabled together.



In this instrument you'll find a full assortment of standard high-end synthesizer features such as pitch-bend wheel, ring modulator, portamento, octave shift, detune control, phase distortion sound generator.

16 INSTRUMENTS

The CZ-IOI starts you off with 32 factory-preset sounds—flute, electric piano, violins, organ, etc.—that range from okay to pretty good. You can reprogram 16 of these sound "patches" to hold your own sound creations (you can bring back the factory patches anytime). Also there's a slot for additional If-patch programmable carridges.

People who play piano by ear and can only play in one key (usually either all white notes or all black notes) will deeply appreciate the transpose button that will instantly shift you into even the most complex key (four flats, five sharps, etc.).

The CZ-101 has 49 keys of standard "mini-keyboard" size. Purists may insist that only full-size keys will do, but personally I enjoy the feeling of spanning left-hand tenths as effortlessly as I would reach octaves on a full-size keyboard.

A GREAT TEAM

The CZ-101 works in combination with MIDITRACK II remarkably effectively. You don't need to be a musical genius to record and playback flashy And you can dramatically change the synthesizer voicings during playback and hear your new sounds in real time. Or if you tinker with the playback of the demonstration songs provided with MIDITRACK II you can try out sounds as unique as a Mozart Sonata being played on a vibraphone or izzz onna.

So tune up your Atari and unlock your creativity. With MIDITRACK II, the Casio CZ-101 and Virtuoso, you might very well be world's next musical genius!

MANUFACTURERS

MIDITRACK II Hybrid Arts P.O. Box 480845 Los Angeles, CA 90048 (818) 508-7443 S349—48K disk CZ-101 SYNTHESIZER Casio, Inc. 15 Gardner Road

Fairfield, NJ 07006 (201) 575-7400 \$499 (Suggested list) VIRTUSOS Enhanced Technology Associates

Enhanced Technology Associat 125 W. Duke Ellington Blvd. New York, NY 10025 \$50—48K disk \$150—MIDI Interface (Awallable, August 1985 or later)




POWER WITHOUT THE PRICE



COMPUTERS	COMPUTERS	GENERIC DISKS AT	FANTASTIC PRICES!	
	ALL Aton 130 ST			
Alan 65 XE FOR NEW Aran 520 ST Alan 130 XE PRICES		Constitution of the control of the c	S AS LOW AS 994 ee.	
		Indicates absence links in 100% DEN	icl tabs, reinforced hub rings, fletime	
DISK	DRIVES	warranty (2 boxes meanum)	ici raca, reintorced hub rings, liletims	
Alter 1050 CALL			55/DD 05/DD	
Indus GT (Free Software) FOR	Atlan SF 354 (31)* Roppy disk 500KQ	DISKETTES	2 boxes \$11.99 \$13,99	
Astra 2001 NEW	Alan SH 317 (3h" hang esk 10 MRs	(2 bt norman) 3	5 boxes \$10.99 \$12.99	
Astra "Big D" PRICE				
	810 and 1050 Drives			
PRINTERS	MONITORS	* * DEALER INOL	INIES INVITED * *	
Atan XTM 201 (Non-impact	Atan XC 141 (14" Composts	001101 575 1115 0		
Dot Matrix 20 CPS)	Colori	COMPLETE LINE O	F ATARI SOFTWARE	
Atlant XTC 201 (Color, non-	Attes XM 148 (12" CALL	SOFTWARE	INFOCOM	
impact Dot Matrix 20 CPRs	Monochrome 60 column, FQR	FPTZ	Cel Throsis (D) 24	
Atan XDM 121 (Davis Wheel	low resolution) PRICES	Dregotinders of Pero (D) 28	Desiding (D) 32	
Letter Quality 12 CPS) CALL	Monocinome, 80 column,	Suniter Carres 28	Enthanter (D) 34	
Albert XMM 601 (Dot Martrix	high respiratory	Printed in Ch. 26	Hitchbiser's Guade to	
Impact 60 CPS FOR	Attn SC 1224112" RGB Colon	Beltiszer (D) 98	The Galaxy (D) 24	
Attan 1026 (Dot Matrix, Impact	Sanyo 12" Green Screen 79	Pletique on Fractalus (D) 98	Inhdel (D) 28.	
CPSi NFW	Sanyo 12" Amber Screen 79	Temple of Apphar(D)	Pranetlalt@i 24	
Aften 1027 (Letter Gunlity)	Saryo Color Screen, 13" 209	ACCESS	Sea Stalker (0) 24	
Attari ST 504 (Color Det Matrix PRICES	Seryo 9" Green Screen 89	Blach Head (D) 24	Sorcener (D) 28	
non-impact 60 (PS)	Monitor Cable 7	Beech Head II (D) 24	Starceous (D) 32	
EPSON PRINTERS	Teknéa 13° Color MU 10 209	Raid Over Moscow (D) 26	Suspect (D)	
LX-80 (80 column) Cell For	MODEMS	ACTIVISION Decethologist 21	Suspended (D) 32 Witness (D) 24	
LX-90 Tractor Feed Printer &	Atan 1080 Direct 300 Band	Decethakon (R) 21 Pitali II (R) 21	Writess (D) 24 Zork I (D) 24	
Epson FX-60+ (60 column) Interface	Connect CALL	Space Shuttle (R) 21	Zork II or III (D) 26	
Epson RX 100+(135 col) . Peckages	Aten XM 301 Direct FOR	Ghoel Busiers (2) 24	Investiges Hart Books 7	
	Connect 300 Bend PRICES	AMERICAN EQUICATIONAL	MICROPROSE	
STAR MICRONICS PRINTERS	MPP-1000E Modern 109	Spelling Grades 2 thru 8 db 15	F-15 Strike Facile (Dt 24	
5G-10 (90 column)	Signalman Mark XII Modern with	Reading Comprehension (D) 18	Mig Afley Ace (D) 24	
SG-15 (136 column) CALL		BATTERIES INCLUDED		
50-10 (50 column) FOR 50-16 (136 column) PRICES	Merk X with D-Vortor 169 Compations Starter Kill	Papercip (D) 59	oss	
571-10 (00 column) PRICES		Homepek 35	Action (R) 68	
879-15 (136 column)	UPGRADES/	BrOzack Cell SECOCESSUND Home Pek	Action Tool Kit (D)	
58 10	ACCESSORIES/BOOKS	Prietshp (2) 32	Basic XL (R) 55 DOS XL (D) 25	
Powertyge Dasywheel	ACCESSORIES	Springer Di 91	MACIES IR) 58	
Powertype Tractor Feed	Fig n File 10 4	Steal(1) (2) 21	MACIES Tool Kit (D) 28	
PANASONIC PRINTERS	Flan Fie 15 7	Whatler's Brother (C) 21	Whiter's Tool Kit	
KX-1010 CHI	Original Flig of File 50	Cas	DRIGIN	
KX-1091 Eor	Fig of File Cert Copp 12	Call for forms and prices	Utera III(D) 42	
KOS 1092 Primes	Ubrary Cases (10 colors) 4	CONTINENTAL	SCAREOROUGH	
LO-3151	Disk Bank/5 (Holds-50) 12	Home Accountant (D)	Maslertype 26	
Okunate 10 plus plug if priet	Drak Benk (Holds 10) 8	Brick Lee 94	Net Worth 52 SIERRA ON LINE	
	Power Strp (Bloufiet) 16	Dallas Openi 24	Utima I 26	
PRINTER INTERFACE CABLES	Linequard State Suppressor 15 Disk Drive Cleaning Kit 15	Conen 28	Ubrest 42	
MPP-Microprot 49 MPP-1150 Passilel Proter	MicroMate Paper	Letter Waard whoeler Cell	SPINNAKER	
Interface 55	(20# 540 shorts) 10	FLECTRONIC ARTS	Call for dems and proces	
U-Phrt A 75	Computer Paper	Archon (2) 29	SYNAPSE	
A-16 Interloca/Buffer 99	(15# 3200 sheets) 30	Probabli Construction (C)	Ouatimodo 18	
APE Face XLP 45	Printer Stand(wire) 18	MULE (D) 29	Alley Cat 15	
APE Face 12XLP 75	Dest Covers Cell for availability	Merden/Zindermeuf (C) 29 One on Ose (D) 56	Syn Pile + 38 Syn Cale 98	
Microbits Microstuffer	UPGRADES:	One on Ose (D) 29 Archon II (D) 29	Syn-Calc 58 Syn-Trend 28	
	Rem Rod X/L W/Coseimon 99	Music Construction (D) 29	Syn-Comm 96	
PRINTER RIBBONS George Posters (Black/Blue)	Contract for 200 XL 49 But 80 Column Advency Call	Ream/ingosability (2)	Syrr Stock 24	
Red/Purple/Grn /Grn.) 8	Bil 80 Column Adaptor Cell U.S. Doubler AS	Hand Hot Mack 95	Mindwheel Call	
Eason Printers &		AXIS Assesio 25	Essex Cell	
Panasonic Privilers, Stack 10	NPP 54 K 69 BOOKS:	Seven Cross of Gold	TRONIX	
Panasonic Printers, Color 13	Lg selection of filles med Cell	Adverture Construction Set	SAM 42	
12	oy were an interest Call	Cut and Paste 37	Chatterbee 28	
-				
T	a andan aall	TOLL FRI	N N	
1	o oraer can	TOLL FRI	o) o'	
1 000 004 ===06				
	THE RESERVE		$\Lambda \epsilon -$	

COMPUTER CREATIONS, Inc. P.O. Bo 292467 - Dayton, Ohio 45429 For information call: (513) 294-2002 (Or to order in Obio)



A program that diagrams and plays simulated guitar chords. The BASIC listing works on all Atari computers of any memory configuration.

great new Program In he Works wasn't working at all Rather than break my new 800XI. which was a serious consideration at this point). I reached for my guitar. I played a song or two while staring at the screen, and the idea for Guitar lutor was born. Why not create a program to generate, diagram, and play guitar chords: major, minor, seventh and minor seventh chord combinations?

To use the program, first type in the BASIC listing. Check it with TYPO, and save an extra copy as a backup. A music background is not necessary to understand or play with "Tutor"! The first thing you will see is "Pick a note to build a chord on." Take your pick from the list given, A through G. Then you will be asked to pick a natural, flat, or sharp. After you do that, you can pick whether you want your chord to be a major, minor,

seventh, or minor seventh, Now the screen will disgram the chord for you! These are standard guitar chord diagrams used in music books. Vertical lines represent the six strings of the guitar. Horizontal strings represent the frets. Dots represent where you press your fingers. X's represent strings that are not strummed. and O's represent strings that are strummed "open", with no finger pressing on the string. If two dots are on the same fret, "bar" with your finger-press more than one string down with the flat of your finger.

If you press "S" at this point, you will hear the four individual tones which make up the chord you have chosen. To the right of the diagram you will see a vertical line of eight numbers, the eighth reading REST, By pressing a number from one through seven, you can put the chord on the screen into a "memory." Now press [P] and you can play your chords by continued on next page

Software Discounters of America (& Peripherals, tool)

For Orders Only - 1-800-225-7638* Inquires and PA 412-361-5291



59 Imerium \$23 Specier Enter (D) 523 \$12 Kamp/gruppe (0) 127 Digital Devices 202 Printer Buffers 523 Cell \$23. Tablet w(Painter (R) Call Knights of Desert (D) 527 Digital Davices U Print A \$19 "see our display ad in 547 Disk Case (Holds 50) \$9 \$19 LJK Pac Man (D) 519 Data Perfect (DI 549 Retorper 88 (D) 117 LEARNING COMPANY \$23 Cheen DESIGNWARE SCARROROUGH Indus GT Disk Drive Call MPP 1000E Microb \$25 Mootown Parade (D) \$25 \$100 \$26 Word Squitter (D) 523 \$49 Medem FLECTRONIC ARTS MICRO LEARUE Microbits Micropani

\$19 MPP 1150 Microbins

\$23 Wico Boss

Printer Interfece Monaya 32 48,64K

Monitor willwise Till Stand

Rana 1000 Disk Drive \$189

\$225

Nato Commander 527 Solo Flight (D) \$23 Alphabet Zoo (R) \$23 Della Dizwino (R) \$17 Wco Three Way P.O. Box 278 - Dept. AT • Wildwood, PA 15091

527

S27 SPORTS

\$23 F 15 Streen Emple (D) . \$23

\$27 Kennedy Approach(D) \$23

Out & Paste W P (D) \$35

Ordering and Terms. Orders with cashier check or money order shapped immediately. Personalico Ordering and Tetres. Orders with cather chicks or monly order supportunities are used to the history. Since I weeks clearance. No C.O.D. is Sleggery. Commental U.S.A.—Odders under \$100 and \$3 real shipping on orders ever \$100. Ph. residents aid \$1% sales tex. AK, Ht., PDAPO—Aid \$5 on all orders measurance. Goder Police—No Credit Candes—aid \$10. or 15% of order whothers in created to create a local commentation of Goder Police—aid. cohandse will be replaced with same merchandise—NO CREDITS! Return must have authorized when (412) 351 5291. Prices subject to change without notice.

Wurard & Princess (Ct \$2)

Adventure Creator (R)\$17

pressing the numbers you have assigned them. Play chords in any order and of any duration you want! Press [8] and you get no sound.

So as you see, you can also use Guitar Tutor to play a simple chord accompaniment if you feel like taking a break to sing a song while you're programming.

GUITAR TUTOR VARIABLE LIST

BOTS

S.D. of A

STRINGS

FRETS Graphic patterns to draw box

PATTERN(90)-Array holds DATA line numbers and is later used

for sound numbers K-value returned from keyboard

X-GOSUB 600 returns with X as a DATA line number TONIC-adjusted note (i.e., B#

reads data from C natural) ACC-Accidental:0 if natural, 1 if flat. 2 if sharp

CHORD-0 if major, 1 if minor, 2 if seventh, 3 if minor seventh LINE-saves line number to get

sound numbers from F-counting loop A-current data

FRET-vertical position while writing data I-counting loop

TIME-loop to allow notes to sound individually TONES(63)-array holds sound

numbers and names in seven chord "memory" TONE-current location in the ar-

ray TONES ONE-root of chord being put into "memory"

THREE-major third of chord being put into "memory" FIVE-major fifth of chord SEV-seventh of chord

MINTHREE-minor third of chord Frank Imburgio and Grace Barry are the founders of Homespun Software in Setauket, New York. The company's stated aim is to produce

bome applications software that is easy to use but not limited by its easiness.

Listing on page 69



Musiciam

Type-in "music construction" software



struction" program. You can easily combose songs with three-part chord backgrounds-or simply copy the notes and chord symbols from sheet music. This BASIC program runs on any Atari computer with 32K memory. Disk or cassette.

he Musician, you an easily enter and hear playback of any song on your Atariwith a full background of three-part chords. Only an elementary knowledge of music is required. In fact, you can simply copy your favorite songs directly from sheet music. You set The Musician to play harmony chords by simply naming them-the program fills in the required notes!

Type in Listing 1, checking it with TYPO II and SAVE it to either cassette or disk. Antic Disk subscribers will find a short demonstration song bonus file Here's how to use The Musician.

USING MUSICIAN

When you RUN The Musician, you will see an introductory screen for a few seconds as the program initializes. A music staff will then appear on the screen with a single red note.

Use your joystick to move the note up and down on the staff. If you are working from sheet music, simply place the note in the same position you see it on the sheet music. To enter the note, press the joystick button. The note will turn white. Then The Musician will briefly play your chosen note and a new red note will appear.

TIMED NOTES

Placing your note on the staff just gives you the basic pitch. You must still set time values, indicate if a note is sharp or flat, and enter rests or dotted and sustained notes.

You select these various note types by pressing keys on the Atari. Here is how it works

Whole notes Half notes Quarter notes Eighth notes Sixteenth notes Thirty-second notes Dotted notes Sustained notes

Sharp notes Flatted notes Natural notes Rests

A little music information here: There are various "time signatures" possible at the start of a piece of music. In the most common types, 4/4 (standard) and 3/4 (waltz), a quarter note would be held for one heat, half note is two beats and whole note is four beats. An eighth note is half a lyear sixteenth note is onefourth of a beat and a thirty-second note is one-eighth of a beat

Dotted notes increase the time a note is held by half its normal value. continued on page 50





Rotate and zoom 3-D images in ACTION! by PAUL CHABOT quires ACTION! cartridge, disk drive and 48K memory. Antic disk subscribers can run VIEW3D.EXE without the ACTION! cartridge. Disable BASIC and use the L option from DOS 2.08. Disk or cassette.



Create 3-D wire-frame outline pictures in your Alari's bigbest resolutions, Graphics 8 and Graphics 7+. Magnify, shrink, rotate, and otherwise shift your view of the 3-D picture easily and fairly autobly. ReWhen Paul submitted View 3-D to Antic, we saw it was easily ble largest ACTION! program any magazine bad considered publishing. But in recent months, we have received so many letters from readers wanting ACTION! that we thought it was time for a monster example of programming in this powerful Atari language.

Be warned: there are ten separate program listings, nine of which are dependent on and INCUIDEd into the tenth to form one main program. Because of the nature of ACTION! there is no TYPO II, so type patiently and carefully. The results will be well worth it.—ANN ED.

here are different approaches to 3-D viewing. You can leave the viewing point ("eye") fixed and rotate the object. Or you can think of the object as fixed and change the location of the eye. These are mathematically equivalent, but conceptually quite different to most people.

Also, should the projection be perspective or orthogonal? Where should the focus be placed? View 3-D will allow any combination of these variations and more. To manipulate a 3-D frame quickly, you need faster number crunching than BASIC proGR78M and MISC1. This third program, when compiled, will compile

the first two, and so on. VIEW3D is too large to be compiled and run from the ACTION! editor. When all your files are properly typed in, clear the editor and, from the monitor type: C "VIEW3D.ACT". After the compilation is complete,

type [R] and away you go. THE PROGRAM

The first thing you should see is the menu screen. View 3-D alternates between two screens-the menu screen and the view screen. The menu screen screen. One-key commands are acted upon immediately. No [RETURN] is needed.

[B] Returns you to the menu at any time

[G] Switches you between GR, 7+ and GR. 8. GR. 7+ offers four colors (counting the background), changed

with the [C] selection (below). [C] Alters the GR. 7+ color registers. The message line at the bottom will indicate the current color number (0-3) its current bue and

luminence values, plus the word Default. The keys [C], [H], [L] increment the



vides. The answer is ACTION!, the cartridge-based programming language from Optimized Systems Software, which is becoming increasingly popular with serious Atari pro-

grammers. TYPING IT IN

View 3-D is one program, but it has been split into ten files. Listing 10. called VIEW3D, is the main file which INCLUDEs the other nine. If you look at the beginning of listing 10, you can see the name of the other files.

Type each file in the order they are INCLUDEd in Listing 10. Each subsequent file shares procedures from previous ones, none may be compiled or run independently. You can partially check your work by compiling programs accumulatively in the order in which you type them. For example, GR78M may be compiled alone. After typing in MISC1, create a temporary third program which INCLUDES



has command options and a disk directory. The view screen shows your 3D drawing. Shortly after the menu appears, the colors will alter and the program will switch to the view screen and display a simple 3-D object called "Plane" which is similar to Figure 1.


THE COMMANDS

With the exception of [D], any key pressed will take you to the view



color, bue, and luminence. This can be used while in GR. 8 But the effect may be misleading because the GR. 7+ registers and the current screen registers are being altered but not the GR. 8 default values. The [D] key resets all GR. 7+ registers to default values. These values are updated each time you load a data file. Also, none of your playing will affect the menu screen colors, since these are main-





tained separately. Any other key terminates this routine.

minates this routine.

[M] Magnifies the object. This is initially set at 4 and wraps to 1 when incremented past 9. You won't see the effect until the picture is redrawn by pressing [SPMCR].

[V] Changes the view between perspective and orthogonal. Perspective, which emulates our vision, takes into account the distance from the eye, whereas orthogonal is used in drafting and engineering.

Figures 2 and 3 show the difference between perspective and orthogonal projections.

PREROTATE

These selections let you rotate your object about any of the three X, Y and Z axes. The message line shows the values of rx (rotate Y), rz (rotate Y), rz (rotate Z), and ri (rotational increment). Each time the [X], [Y] or [Z] keys are pressed, the object rotates about the chosen axis in ri increments. The rotations are about axes

that pass through the focus point. The [I]/[J] keys increment/decrement the value of ri in degrees. Negative values of ri make rotations go in the opposite direction.

POINT OF VIEW

The following commands affect your

dimensional view of the object. [3] Fix FPKeldist, The eye coordinates are controlled by your poyatick Sections [1]4[3] use the same joyatick scheme: Lethright alters the X coordinate, upidown afters the Y, and upidown while holding the trigger atters the Z in selection [3], lethright with the trigger presence lethright with the trigger presence of the distance. Press [SPACE] to draw your object from this new eye

Remember that the eye coordinates are relative to the focus point (see [4] below) and only establish the viewing direction in the orthogonal view. The eye-object distance is important only in the perspective view. Keep the distance large to avoid distortion. [4] Channer FXCUS. The focus is the

point in space at which the eye is aimed and through which all the rotation axes pass. It is normally on or near the object being studied and will be mapped to center screen (cx,cy). Move the flashing dot with your joystick. More importantly, watch its coordinates. Use [SPACE] to set your choice.

[5] Change CENTER. This alters ex and ey, shifting the object. These are actual screen coordinates (0,0 is the upper left). Use [SPACE] to set your choice and see the effect.

[0] Resets the center, eye, focus, magnification, and prerotation values to defaults used at start-up.

1/0

[D] Lists up to 22 data files in the menu window, assuming they have "V3D" extenders. This is also done automatically at start-up and after each successful save.

cach successful save: [L] Loads a data file from disk. Answer the input prompt with a filename only. The program supplies the "D:" prefix and a "V3D" extender. Upon histing [RETURN] you'll seet full filespec. Press [L] again to accomplish the load. Any other key will abort the process.

[S] Saves data to a disk file. The process is the same as the above [L] load. [P] Outputs to your printer. After pressing [P] you may choose to print

pressing [P] you may choose to print the picture data [D] or the picture [P]. The picture is produced by a short screen dump for a Gemini 10X. You'll get best results by printing the GR. 8 nicture.

To alter the printout procedure for your own printer, examine the Prnt procedure in the PRINTIO.ACT file and adapt accordingly. The st array contains printer control codes 26, 51, 16 which, on the Gemini, set the line feed to 16/144 inches. In the pre array, the 27, 75, 192, 0 mean print normal-density graphics (60 dots/inch) using 192+256*0 characters. If you have an Epson FX-80, for example, you need only change the line feed commands: Change the 16 to 24 in the st array, and later in the procedure at st(3)=16. Also, change the 20 to 30 in st(3)=20

3-D DRAWING

It's not easy to draw in 3 dimensions. The easiest way to learn is simply to try it. Concentrating on the changing coordinates in the message line may be easier than watching the dots and lines on the screen.

lines on the screen.

However, before you start, you may wish to save the object currently in memory. The process is easier to understand if you use the EDIT command, [2], to display a blank screen.

Each time you press the [SPACE] bar, the screen will step through the drawing, process of the object in memory, showing you how to construct a drawing.

To get sarried on your own, press
[0] to use default values. To create a
blank screen, press [2] then [1]. The
fysystick moves a flashing dot, whose
coordinates appear in the bottom line.
Position the custom where you want
it, and catablish that point by pressing the [SDR-2] bast Your current upin the bottom line. Next. move the
custor to your second location, press
[P] to switch from "Plot" to "Linello"
and press [SBR-2] to draw the line.

For starters, keep I simple, or tryciding a sample drawing. (The program can take up to 200 data points.) To edit a previous drawing, press [1] to ADD points and lines. As you step through the drawing by pressing (SPMCE), you can begin (SPMCE) you can begin adding to the last points. You can, of course, save your object to disk at any time.

DATA STORAGE

At this point, you need to understand a little about how data for your 3-D object is stored. The INTeger array P contains all the information in the following format:

points in your object. The next four integers contain EYE data. The first three indicate the direction away from the FOCUS, and the fourth gives the distance.


The following four integers contain the three space coordinates of the focus point and a presently unused value. These nine integers are followcdby n data sets for your object. Each is made up of four integers containing the three space coordinates for a point and a fourth coded message. The encoding of the fourth integer is given by c= color + 16*p, where p=0*for "Lin60" and p=1 for "Plot".

SAMPLE DATA

You can enter the data in figure 4 in the ADD mode to create a house with windows and a red chimmey. Press [2], then [1] to clear memory. Now use your joystick to get the coordinates in the message line to mach those of the first point in the example. His [C] and [P] as needed and set the data by hitting [SPACE]. Now do the same for the second point in the example.

Longtime Antic contributor Paul Chabot is a professor of mathematics and computer science at California State University, Los Angeles. He wrote "Splash in ACTION!" in our Abril 1985 issue.

Listing on page 54



ORTHOGONAL PROJECTION




Figure -

HOUSE : eye=(16	3 5:160) foci	us=(15 30 20)
(8 8 8:P2)	(30 0 0:L2)	(30 60 0:L2)
(0 60 0:L2)	(8 8 8:L2)	(0 0 48:L2)
(15 0 50:L2)	(38 8 48:L2)	(30 0 0:L2)
(38 68 8:P2)	(38 68 48:L2)	(15 60 50:L2)
(8 58 48:L2)	(8 68 8:L2)	(8 68 48:P3)
(8 8 48:L3)	(38 8 48:P3)	(38 68 48:L3)
(15 68 58:P2)	(15 0 58:L2)	(30 10 0:P3)
(38 18 25:L3)	(30 20 25:L3)	(38 28 8:L3)
(30 30 10:P3)	(38 38 25:L3)	(38 58 25:L3)
(38 58 18:L3)	(38 38 18:L3)	(38 48 18:P3)
(38 48 25:L3)	(18 68 18:P3)	(18 68 25:L3)
(28 68 25:L3)	(28 58 18:L3)	(18 68 18:L3)
(10 0 0:P1)	(18 -5 8:L1)	(28 -5 0:L1)
(20 0 0:L1)	(28 8 55:L1)	(28 -5 55:L1)
(20 -5 0:L1)	(10 0 0:P1)	(18 8 55:L1)
(10 -5 55:L1)	(18 -5 8:L1)	(10 0 55:P1)
(20 0 55:L1)	(10 -5 55:P1)	(18 -5 55:L1)

COMPUTER PALACE WE KNOW ATARI

INDUS GT DISK DRIVE e Free Software Free Software Double Density 1-Yr. Warranty · Double Density Our Most Popular Drivel recommend and sell more of these drives

thin any other it a so quist thit you'll probably longer you are using a disk drive. Fig up dust cover LED residout, and FREE

New Low Price \$259.95 GAMES FDUCA-

TIONAL call 15 (503) 683-5361 BOOKS

5,619 B CASIC ANII FOR 12.55 CASIC ASSET ASSE

FourDment

Deluxe ATAR 400, 800, 800/800/120000, New ATAR 400, 800, 800/800/120000, New PROWRITER primers INDUS, RANA, PERCOM TRAK disk drives

ONLY \$8.95 EACH | ONLY \$7.95 EACH DISK NOTCHER NEW!

SPECIAL!

Only \$9.95 Now use both sides of vour diskettes

Smply place the disk against the built-in stops and squeeze

48K Nick \$39.95 · Program Covers 4 Disk Sides

 Butwit The Bragen
 Join The Guest ng Interlectual challenge strategy and arcade action. Each

leger accepts the retire a loss was repeated by all the retire accepts the same and a larger with the to king and thus, the game . Utility Bisk: 1000 Additional questions plus create your pwn...\$24.95

FREE CATALOG You will receive the most com-

prehensive reference catalog available. Containing hundreds of software and hardware listings with illustrations and descriptions, our main catalog will give you the answers you need. Join our mailing list and receive free flyers with updates and special offers.

IF YOU DON'T HAVE DUR CATALOG . YOU'RE MISSING OUT!

NEW! COMPUTER PALACE B.B.S.

rotten and lotter the screen restrictions. We will be because a written

Give us a call! 1-503-463-7634

the most oppular accounting purdents is applied for Atta: Rack in Applied Accounting System is a double entry, accounting system consistenced three interactive cackages for the small business. General Ledger, Accounts Receivable and Accesses Payable: A powerful system, it includes automatic postering system generated

making labels and password security. For the non-accountent, it comes with one of the thost comprehensive ministate we have seen. For the expert, it will finally put year Azar as because Amounts 2 draws 48K Bask-System Package. \$195.00. Each. \$16.00. One of the most versatile deta-base programs available. Super New Enhanced Version 2.0 Maller Includes:

48K Oisk : OV SCHEEN PROME Features: LIGHTNING FRST PETRIEVAL
 TAST SORTS ON AMY FIELD \$49.95

 PELF SCREEN
 PELT ARRESTITATION TABLE
 PRINT LIBERS 1 2 or 2-or
 RECEPTIANCE FILLOS
 MERCE-CREAT COMMANTON FILES
 SCREEN PRINTERS AND PRINTERS
 SCREEN PRINTERS AND PRINTERS New! Mail Merge Utility \$19.95 New you can use your Super Mailer + records with Atamenter and Letter Wazard. Use names and addresses to create form letters. Input special characters into the word processing programs to tell Super Mailer + where to out the internation, it 25 6RSy 25 1

> USE YOUR CREDIT CARD & CALL Toll Free 1-800-452-8013 * OROERS ONLY, PLEASE * ore's never a penalty for uning your cre For Information, Call (503) 583-5361

A "best buy" ! Festiges "source det" print head with the best print quality for the money 130CPS, bi-directional graphics, and EPSON compatible. Plain or Pin-fed paper.

Super-5 CP150

Assmitibiler Monkey West II SPECIALS

PARTS & MISC Conger Serie 35.55 Chopsher 1
mdux O' Studie: 18.65 Lords of Karne
mdux O' Studie: 18.65 Lords of Karne
Profer Stand 24.55 C Furnishau
Profer Stand 24.55 C Furnishau

New ATARI 130/520ST Computers

128K-\$399/512K-\$599 current flagship of the Atan Family has ed, utilizing the speed of the Motoria 68000 With 128K or 512K, you will have power at cul and pasts features that allow you to integrate spreadshed text and graphic files, creative solutions have never been easier. The quantities

my report cover award certificials sign bulletin? Make one or menutual new about jurishe businer? Simple? Make it 30 feet long you like With only a few king strokes, you co

pathwise WPD Minima S2 90 Good S 17 Nor A Nor Commission of Minima S2 90 Good S 20 The read Nor Commission of Minima S2 90 Good S2 18 The read Nor Minima S2 90 M



TURBO TYPO II

Speedy three-line enhancement

by DAVID McLAUGHLIN

Changing three lines in TYPO II gives assembly language speed to Antic's program typing checker (See Listing Section.) TURBO TYPO II will work on all Atari computers of any memory configuration

When Andy Barton started working on TYPO II. be wrote it as a machine language pertical blank interrupt routine which fit in Page Six of memory. Following a suggestion from Bill Wilkinson of Optimized Systems Software-who wrote the original TYPO-we decided to switch to an all-BASIC TYPO II Antic felt that novices, who most needed TYPO II, would have a much easier time if they didn't have to type in a lot of data statements.

We also wanted a simple program that the widest range of readers could have fun tinkering with. (See the I/O pages in both the April and May issues for some earlier enbancements.) Judging by the many thankyou letters from new Atari users and the large number of improvements that more experienced readers have sent in. Antic certainly succeeded in both goals -- ANTIC ED

TURBO TYPO II

TYPO II is an enormous help, but it does have an annoving drawbackthe longer the line, the more time required to check it. My object was to speed up TYPO II while producing the same two-letter code checksums. I porticed the slowdown came from

line 32150 of the original code. This line was an elegant solution, creating a unique code that also checks for correct letter order (i.e. distinguishes between TO and OT).

Therefore, the best way to speed up TYPO II was to write the line 32150 procedure in machine language. Thus, I created Listing 3, TYPO II, in ML. But you do NOT need to type this listing to create an enhanced TYPO II. It is included primarily for your information.

TWO CHOICES

I have provided two ways to create the necessary enhancements. Listing I is all you need to add to the current TYPO II. If you are one of those brave souls who doesn't mind typing in a lot of special and inverse characters then simply use your old TYPO II to type in Listing 1. When done, press [BREAK] then SAVE or LIST your

enhanced TYPO II to disk or cassette. If you'd rather not take a chance on typing tricky characters, then use your old TYPO II and follow these instruc-

tions in exactly the following order. 1. With TYPO II running, type in lines 32015 to 32025 from Listing 1.

2. Type in Listing 2.

- 3. After Listing 2 is successfully entered, press [BREAK] to stop TYPO II
- 4. Type RUN and line 32026 from Listing 1 will be created for you.
- 5. When the READY prompt apneats type GOTO 32000
- 6. Type in line 32150 from Listing 1 and your enhanced TYPO II is complete. 7. Press [BREAK] and save the new
- TYPO II to disk or tape by typing:

LIST "D:TYPO II",32000,32220 or LIST "C:".32000.32220.

If you want a SAVEd version then type NEW and then ENTER the new. enhanced TYPO II and then SAVE it to disk or tape.

SOURCE CODE

can hold

Listing 3 was created with the Atari Assembler/Editor cartridge, Of oreatest interest is the use of three bytes to calculate TYPO II's variable ANS. Normally, in this type of application, the programmer returns the value of ANS back to BASIC through

memory locations 212 and 213 (hexadecimal \$D4 and \$D5) as the Atari creators originally planned. However, ANS can only have a maximum value of 65535, the greatest value two bytes

continued on next pega

assembly language

The original TYPO II's design allows ANS to become larger than that after the length of LINE\$ becomes greater than about 20-30 characters. But the use of three-byte arithmetic is sufficient to hold the highest possible values

A note of caution: TYPO II in ML uses three Page Six memory locations, 1789-1791 (hexadecimal \$6FD-\$6FF). Any program that accesses these three locations will be in conflict with the enhanced TYPO II. But since they are the last three locations on Page Six, there should be little problem.

Listing on page 75



HIGH PERFORMANCE PRINTER INTERFACE

Only \$69.95

- Atari 850 compatible Use on Atari 400, 600XL
- 800. 800XL. 65XE. 130XE. · Power-on LED. · Ribbon cable connector.
- · External power supply.
- Page formatting independent of software DIP switch selections of line feed and English translation of control characters.

TURBOPRINT/GTA . . . \$99.95 · All the above features plus . .

- · Optional 16K or 32K plug-in buffer. Prints Atari graphic characters.
- · DIP switch selection of printer.

Interfaces for Atan, Commodore and Apple 415-651-2970

FOR ATARI*400/800/1200/600XL/800XL*

the XL BOSS

For ATARI 800XL 600XL with 64k Replacement operating system to run the vast majority of all ATARI software. No translator or disk to load! Proper RESET operation especially important for programs like LETTER PERFECT.

DATA PERFECT, TEXT WIZARD, etc. One touch access to extra RAM, all RAM Easy plug in installation

NOW INCLUDES DUAL OPERATING SYSTEM BOARD!

Includes MacroMon XL which is an excellent, unique monitor for beginner and pro alike-written especially for the BOSS. \$79.95 for 800XL/600XL with 64K.

ACROWARE



An all marbine language text graphics, moved mode dump for EP-SON, GEMINI, NEC, PROWRITER.

OKIDATA, M-T SPIRIT, 160L, KXP-1090, DMP-80, ISD 480. SEIKO/AXIOM GP550A Self booting can be used while programming or even running other pro-

grams. Works with or without BASIC ED/ASM. PILOT. LOGO. Calendar generator. Horizontal format allows text to be continued in same direction. Change widths, height, center and program Special handlers for PAINT Micro-Illustrator, LOGO, Micropainter, etc. Includes LISTER program for invested and special characters plus demos and ideas, \$29.95° 16K Dick. All Interfaces

diskwiz-II

plore, dup, disk utility package. Single load, single or double density. Special printout capabilities Repair or change of linked DOS2 or

OSA+2 files, directories, dup filenames. East searches, manning file trace Disassembler, speed check and much more! Low priced, fast, easy, and powerful! \$29.95 16K Disk

Send sause, for update info

*TERMS. U.S. funds, check or M.O. add \$2.50 shipping/handlmg add 6% CA - 6.5% LA COUNTY add \$3.00 for COD No charge cards accepted add \$2.50 foreign orders normally out within 48 hours

P.O. BOX 2205/REDONDO BEACH, CA 90278 * Trademark of Atlen. Inc.



Fast graphics power from BASIC

by DAREK MIHOCKA

raphics Utility Package (G.U.P.) is a BASIC program that creates a boot file. When this file is installed in your Atart's memory several new and powerful graphs commands are available to you in the form of USR calls.

G.U.P. features include:

- PLOT and DRAWTO about 3-5 times faster than normal.
- Circles and boxes drawn at high speed.
 Several lines drawn at once for
- high speed.

 Access by 2 400 or 800 to the 4
- new XL graphics modes.

 Choose solid or multicolor patterns
- Mix text with graphics
- A simple 128 color rainbow command.
- Direct commands in GTIA START and G.U.P. will be written to modes.

 START and G.U.P. will be written to disk. (Note: because of the G.U.P. file

Speed up your BASIC graphics commands and add powerful new ones—including circles, squares and patterned fills. Atari 400800 owners can now access graphics commands available only on the XLs Requires a disk drive and will run on all Atari computers with 48K memory

TYPING G.U.P.

Type in Listings 1 and 2. Check them carefully with TYPO II and make sure no lines have been missed. These programs use machine language routines which could lock up your computer if misryped, so be sure to SAVE backup

copies before RUNning them.
Listing 1 will create an AUTO-RUN-SYS file on disk. RUN the program and at the prompt insert a formatted disk with DOS 2.08, press START and GULP will be written to

structure, do NOT use DOS 3.). Now,

boot the disk, the screen will change color and G.I.P. will be in memory.

DEMONSTRATION

To test G.U.P., LOAD Listing 2 into memory and RUN it. Listing 2 is a demonstration program that will take G.U.P. through its amazing paces and provide examples of how to use G.U.P. in your own BASIC programs.

Lines 40–180 of Listing 2 are essential to any BASIC program using the G.J.P. commands. These lines determine the starting locations of the different routines and store them in command variables. You can renumber them for your convenience, but they must be executed before any G.U.P. commands are given.

LOCK-UP

G.U.P. is really a series of USR calls, which are assembly language routines

that are accessed from BASIC. Computer newcomers, who may be a little wary of USR routines should read last month's "USR Routines" by Ernic

Negos. When using assembly language routines, there is always a good possibility of computer lock-up—your keyboard no longer responds and there's nothing to do but turn off your computer and start all over again took-ups can occur with just one mistyped character. They're time-consuming and annoying and you consument of annoying and you have the start and your machine, so don't be afraid to experiment.

G.U.P. COMMANDS

G.U.P. has 10 separate commands: GRAPHICS, SET, PLOT, DRAWTO,



LINE, BOX, CIRCLE, TEXT, RAN-DOM, and CI28. Here is a description of each:

GRAPHICS x—Establish graphics mode. Any one of the 16 graphics modes can be selected. This allows a ROM B Atari to access the 4 new ROM C graphics modes with one command. To access the 160X192 4 color mode (GR.15 on XL computers), use the command:

A = USR(GRAPHICS.15)



SET a,b,c,d—Choose patterns. Each parameter contains color data for 4 pixels necessary for the pattern of colors. (See the explanation later on.) To set the colors to simulate the BASIC command COLOR 1, use:

A=USR(SET,85,85,85,85)

PLOT x.v—Same as BASIC's PLOT.

Use:

A=USR(PLOT,X,Y)

DRAWTO x,y—Again, the same as

BASIC'S DRAWTO. Use: A=USR(DRAWTO.X.Y)

LINE x1,y1,x2,y2—Similar to DRAWTO, except that the first parameter is the starting pixel. For example, to draw lines from pixel 0,0 to 10.5 to 20.3 use-

A=USR/LINE.0.0.10.5.20.3)

The DRAWTO and LINE commands can have more than one parameter. That is, if 5 pairs of coordinates are given, then a line will be drawn from the first to the second, then the second to third, and so on. This saves time and memory.

BOX x1,y1,x2,y2—This will draw a filled-in box whose opposite corner coordinates are (x1,y1) and (x2,y2). A 10 nixel square box is draw with:

A = USR(BOX, 0, 0, 10, 10)

CIRCLE x,y,r—this draws a circle of radius r pixels at location x1, y1. This command works about 30 times faster than any BASIC algorithm I've rried. A large circle in GR.15 is drawn by

A=USR(CIRCLE,79,79,75)

TEXT x_N; 'abcd.',']—this will print out the given string of length 1 in graphics modes 4,6 or 8 at coordinates x_N. This allows easy mixing of text and graphics. It should be used in a 2 color mode to make the letters readable. To put the word ANTIC in the upper left corner of the screen

A=USR(TEXT,0,0,ADR ("ANTIC"),5)

Repeating the command will erase the word and restore any graphics that were underneath.

RANDOM—This command simply puts random colors in the color pattern. The command is:

A=USR(RANDOM)

C128 d.,—This produces a 128 color rainbow display for the given duntion (d in 1/60ths of a second) in the given color register (f). R is determined by subtracting 704 from the location of the color register. For example, to make a rainbow of the background (location 710) for 10 seconds use:

A=USR(C128,600,6)

VARIABLE REGISTERS

Four variables are established as registers in G.U.P. CIRF is a variable used to switch between empty-circle drawing and filled circles. POKE CIRFO for empty

ANTIC. The Atari Resource

circles or POKE GIRE I for filled ones. Memory location 208 is used with the command GRAPHICS. Since GUP. can only plot up to a coordinate of 255,191, the co-ordinates from 256,191 to 319,191 in graphics mode 8 cannot normally be accessed. By poking an 8 into 208, the coordinate plane is shifted over 61 to poking and 8 into 208, the cotordinate plane is shifted over 61 to the shifted over 61 to unally plot at 64 to

The memory locations SETCOLOR

to SETCOLOR +8 are values that are copied into memory locations 76/16 or 712 when a GRAPHICS command is executed. By poking into these locations, the default colors of the screen can be changed, as they already are in GUR. For comple, in graphics mode 0, to change the screen color bothsck, a POKE 700, 6 run. To set GUR 10 make the screen black every time a GRAPHICS command is given, do a POKE SETCOLOR+6,0 since

SET COMMAND

One of the best things about G.U.P. is that it doesn't just draw in solid colors. A 1x4, 2x4, 4x4 or 8x4 color pattern is stored at memory locations COLOR to COLOR+3. The size of the pattern is determined by the graphics mode. This is because text modes use one byte per character, GTIA modes use one byte to display 2 pixels, 4-color modes use one byte for 4 pixels, and the 2-color modes can store 8 nixels in a byte.

The pattern can either be POKEd in, or put in with the SET command. This way circles can be drawn in a checkerboard pattern, lines can be dotted, and more.

onted, and more The formula for determining the parameters to use in the SET command is quie simple, Just like BASIC'S COLOR command which selects one of the 4 color registers for plotting, each one of the 4 parameters passed in the SET command determines the color registers for a 4×1 army of pixles in a 4-color mode, 8×1 in a 2 color mode, 2×1 in a GTM mode

Lising 2-color modes 4, 6 and 8, an 8-st pattern can be set up. This means that charing PLOT, DRAWTO, LINE, BOX, or CIRCLE, the pixels will be plotted so that if the whole screen is filled up it will be made up of little 834 boxes of the same pattern. By making the psycks alternate from black to white, a very fine checkerboard pattern is made as follows: Let 0 represent a pixel in color 1 and a 1 represent a pixel in color 1 and a 1 represent a pixel in color 1. The pattern is

This pattern represents 4 binary numbers. In decimal they are 85, 170, 85 and 170, Therefore the command to give is:

A=USR/SET 85 170 85 170)

If you just want to plot with color 1, the whole pattern would be I's and the four numbers would each be 255 (HHIIII in binary). Similarly, if you want to plot with color 0, use the

number 0 four times.

In a 4-color mode, 4 colors can be used so each pixel must be represented by two bits: 00, 01, 10 or 11.

This is why only 4 can be used in one byte. Similarly, in a GTIA mode, 16 colors are possible, therefore 4 bits are

required per pixel and only 2 pixels fit in one byte.

In a text mode, 0, 1, 2, 12 or 13, the four numbers represent a block of 1×4 characters. Each number is the XTASCII code of the character. If you wish to POKE these values

instead of using the SET command,



locations COLOR to COLOR+3 are where the four parameters of the SET command go and can be POKEed directly.

FEEL FREE

Luckily, you don't really need to understand any of this Simply try out different numbers in the SET parameters until you see what you like. This holds true of all of G.U.P. Many of these routines may be placed in strings for those more advanced programmers. Feel free to experiment.

Darek Mibocka placed in the top 10 in three nationwide Canadian university math and physics contests. He's a member of the Toronto Atari Federation and a licensed glider nilot

Listing on page 68

Α

game of the month



in Australia there are more men than women and more cows than men. To keep the cows under control, ranchers use helicopters. Your helicopter is supposed to scare the cows into their holding pen.

In case you've never buzzed a bovine with a helicopter before, you'll need some advice. As you maneuver your joystick controlled copter closer to the herd, the animals get increasingly skittish and move away from you. Steering helfers into a corrali isn't.

casy.
While patiently waiting for you to get airborne, the cows move random-ly. Then after all of the cattle have been packed into their pen, the gate will close. You must return the copter to the landing pad for a full score. But if you run out of fuel, your helicopter will crush and kill some innocent cows.

USING THE PROGRAM

To get this game off the ground, type in Listing 1, check it with TYPO II, and SAVE a copy. When you RUN Helicopter Roundup, you'll have to wait while the screen blanks for initialization (don't panic). Then you'll see the same

You can [SELECT] the number of cows to herd, and you can refuel daring play by positioning the copier over the landing pad and pushing the jovstick trigger.

The game continues indefinitely until all cows are controlled or you crash.

When he's not rounding up redefined cow characters, Walt Bulawa is an application programmer for the medical field.

Α

Listing on page 71



Coues' Helicopters? In your Atari? You bet! This BASIC action game challenges you to round 'em up from the att. Works on all Atari computers of any memory configuration. Disk or cassette.

Vasily SUPERIOR to any hand after programs 120001 (60001/80001 with 64K ATARI (Please specify computer model number) \$69.95 (Rpm)

\$49.95 (D or C)

\$69.95 (Rom) THE \$49.95 (D or C) XL "FIX" I

The Atori XI, series computers represent power, sonhistication, and feeblify wrough unrivalled in todays Home Computer Marke With "approximately" 30-40% of existing software being "incompatable", a real, and serious problem exists Because of this we

have developed THE XL TRX1 ADVANTAGES over cheaper "translation products"

1 The XL THXT is capable of fixing more software on estimated 30% more softwore! 2. The XL "FIX" is available in DISK, CASSETTE, and now ROM!

3. XI. "FIX" versions fix ALL THREE types of software (Disk - Cassette and Cartidaes()

4. The XL "FIX" I (disk or cassette) adds OVER 4K at usable RAM to your computer (anyone using Data bases or Ward processors will really

You never have to hold the OPIION button down on 60000, or 800XL computers 6. VERY IMPORTANT You need to load the XL "FIX" only once ... you

can change disks, cassettes, or cartidates without rebooting the XI. FDC1 each time (disk or cassette)4 The ROM version is instantaneous upon computer power up, has a

high speed cursor, is instantly switchable to your original operating system, will work with 16K 60000's, and more! The XL TRXT ... another SUPERIOR product! 64K required!

DISTRIBUTOR/DEALER incluins welcome Most-encode/spolitore Order or Coshier Check Phone (716) 467-9326 Please specify compute

model number

Service of State of the Remiplus \$4 shipping and handling (NYS residents places cetal 7%) to-COMPUTER SOFTWARE SERVICES P.O. Sox 17660 Rochester, New York 14617

THE "SUPER PILL"?

ATARI* Exactly the same as the WORLD'S leading containe backup

desire. The FIGU except it's even simpler to operate, it's SMTCHASSS Secretary for formilles howing young chicken. Intra-ellminates opening computer doors and switches THE "SUPER PILL" is the most advanced state of the CHATERDOS SMCOUNT gaves gradigate. backed up by the original TRILLY Only \$7995 plus 54 shapping and honding

THE "PROTECTOR/SILENCER"!

The "PROTECTOR"! is a disk and hardware modification (no seeing) for Alan \$10, 1050, and lings GI disk drives that will allow you to write hue BAD SECTIONS wherever you wish (not to be confused with adiculous speed comical or tope (erking schemest). Powerful disprogram finds hidden directores, scrambies existing directores, lost mops, hex conversors, disk dupes, and much move

The "SERNORS" counts your ribes bemanatously 1000 grinding noise when you lead a bad sector), PLUS if allows you to want to some sees of any disk Without cutting or notifying the disk Both for only \$49.95 plus \$4 shipping and handling

THE "COMPANION"

An amosting device that will enhance the copabillies of the 3.7997 or Alan listation if will allow you to de-select BASC (no more need to hold the Official button while loading programs on the 603013; and 500(13), and if allow you to de-select the DMG9003105 (no more bad loads because of the DMG900315) supplying the medialques NO soldwing! Only \$2995 plus 54 shipping and handling

DISTRIBUTOR/DEALER inquiries wolcome. Our other line products include THE "PILL", XI, "FIX" ("IMPOSSISLE"), "MESAMORPHOSES", and "REMOSE"

Abarramenti que Herra Order or Costsen Check Phone orders

(716) 467-9326 Atom as g TM of Alon Inc. The METAMORPHOSES" is a TM of Computer Software Services (division of S.C.S.D.,

P.O. Box 17660 chester, New York 14617

THE ATARI * For years they said if couldn't be done \$149.95

"IMPOSSIBLE" I " hey countred"

ocked programs) with an UNMODIFIED ask asvel Backup almost any disk currently available (even heavily prote Wals with ANY disk drive

PURPOSE. The "IMPOSSBLE" was developed in response to the estimated half million discrete users that own a drive other than the Arail 810 (Inclus Percom Trok, Rana, Astra, etc.) That wish to BACK UP their projected software. Due to a radically new technology developed by Computer Software Ser. was, modification to your disk drive has been eliminated. The advantages are abusual Diver warrantes are not volated, the change accidental domage has been eliminated, etc., etc.

OPERATION: The "IMPOSSBLE" consists of a disk program (unprotected so you can make as many backups as you wish) and a 4K STATIC RAM pack which is insighed into your computer (no sold arms) the "IMPOSSBLE" will reconvolute program disk and then new risk it in an unprotected forms!" You may make additional backup copies using a sector copier or evening. EarDOS Bacause your backup copy noting in has BAD SECTORS or DIGNIC FORMAN. the program distriction now be manuscripted in the Company of the interest of the program distriction programs?) No user programming knowledge required. A few programs require logical thinking

FEATURES: 1. Backup protected disks 5 AFSD-Automatic FUZZY Sector Discriminator Handles most MULTI-LOAD programs 6. Exported computer memory to 52K usable 3. Makes DOS files (with Satellite aption) 7. Smple NO SOLDER installation

4. Up to 90K data input capable 8 Satellite expandable PROJECTED SATELLITES: A "COMPACTOR" program which will consent your program into DOS compatibile files (double density compatibile) for the

storage of several programs on one disk. A "COUMNN80" program for Word Processing, etc. It allows 80 columns on the screen" the "VL-MATE" will allow programs made with your 400/800 "MPCSSBLE" fon awards your prolocited CASSETTES into disk DOS files and vice-versa. All schelline programs must be used with Inconjunction with The "IMPOSSIBLE" REQUIREMENTS. The "IMPOSSIBLE" diskette, the 4K STATIC RAM pack a 400 or 800 computer (please specify) with 48K and "8" florm's NOTE the very old

ATATi computers were shipped with "A" flom's which had some serious "Bugs". Evenifyou don't own on "MMOSSBLE," you should upgrade to "B" flom's (simple to install) We have them available at a very inexpensive price CALLUS "XL" version available soon

NOTA PRATING TOOL: We at C.S.S. did not design the "IMPOSSIBLE" to put Software Manufactures out-of-business overnight Nearly at of our products greatern inspect off by and attypographe who have little a modelity to develop a product of the rown sower can ampoint a with their diamona. A CSS products have buth in sole quarts which prohibit her use for fagrant profing the "IMPOSSIBLE" sone exception! While the "IMPOSSIBLE" back up the most heavily protected programs, if also checks to see that the 4K STATIC RAW pack is installed before allowing the backup copy to

EXAMPLES: The "IMPOSSIBLE" I has been fested on 300 of the most pap-Jar and heavily protected programs we could find With nearly (000) programs for Afait we DO NOT guarantee that in will backup all pro-grams in the past-present and future Wewill supply updates of \$6 each ion-profif) if and when necessary Programs we have successfully backed up include Blue Max, Visi-cal, Alchan, Mule, File Manager 800 +. Syn Calc, Syn Ffe, One on One, 7 Cities of Gold, Super Bunny, Load Madercard-Viso-Money Orders or Costney Check Phone: (716) 467-9326 model number

Send \$149.95 plus \$4 shipping and honding (NYS residents please add 7%)

COMPUTER SOFTWARE SERVICES P.O. BOX 17660 ROCHESTER, N.Y. 14617

THE MUSICIAN continued from page 37

A dotted half note gets held for three beats of a measure. Sustained notes slide into the note which follows them instead of playing as separate notes.

To choose a dotted, sustained eighth note, you would press the following three keys-[,] [8] [S]. The Musician isn't fussy. You may press keys in any order for a multiple-key note command.

When you use the [a] or [B] to make sharps or flats, The Musician will stay in the sharp or flat mode until you press [N] for Natural.

Rests are times when no note is played. To choose a quarter rest, first press [Q] to make a quarter note, then press [R] to make it a rest. Similarly, to make an eighth rest, press [8] [R]. Half rests are [H] [R].

Once you have selected the correct type of note and placed it in the right position on the staff, press your joy-

stick button to enter it. Press [C] to Cancel the note if you change your mind. [C] always cancels the last note or the last chord entered.

ENTERING CHORDS

The Musician will recognize even the most advanced kinds of chords. Entering chords is a snap since you enter them by name, not by notes. Press the asterisk [*] key to tell The Musician you want to enter a chord. The Musician will display:

ENTER A CHORD THEN PRESS RETURN

To enter a C chord, press [*] followed by [C], then press [RETURN], The Musician will display the name of the chord you have keved in, and briefly

play the chord Using the Key of C as an example, here is a complete list of chord types

recognized by The Musician.

NIEK	CHORD SELECTED
C	C major
CM	C minor
CM7	C minor seventh
C7	C seventh
CM6	C minor sixth
C6	C sixth

C apprented fifth C-C diminished fifth C diminished

C major seventh

Sharp and flat chords are entered by adding the [#] or [B] keys. For instance, here's how to enter a C sharp minor seventh chord:

Press [*] Press [C]

Press [#] Press [M]

CMAI

Press [7] Press [RETURN]

Chords in other keys are entered in exactly the same manner. For instance, you enter a G seventh as G7.

If a chord is to play simultaneously with a certain note enter the chord first, then enter the note

If you make a mistake when entering a chord and wish to exit from chord mode simply press [*] again. The chord will not be entered and you will return to note entry mode again. To re-enter the chord, press [*]

292in. Chords will continue to play in the background until they are changed to something else or turned off. To turn off a background chord, press [O]. The Musician will display: CHORD

SONG PLAYBACK

OFF

To hear a playback of the song you have entered, press [P]. The song will play automatically and each note will appear on the staff as it plays. You may change the tempo of the song by pressing [T] before pressing [P]. The Musician will display:

CHANGE TEMPO SLOWER

Press the joystick button to slow down the tempo. To speed up the tempo, first move the joystick forwant The word SLOWER will change to FASTER. Pressing the joystick button will then speed up the tempo.

After playing a song, it remains in the computer memory. You may continue adding notes to the end of the song. You may clear it from memory. Or you may SAVE it to cassette or disk. Pressing [ESC] while a song is playing causes The Musician to immediately stop playing the song and return to note entry mode.

SAVING A SONG To SAVE a song, press [A] for Archive,

The Musician will display: ENTER SONG NAME

If you are saving to cassette, just press [RETURN]. You will hear two beens. Put your recorder on record, then press [RETURN].

If you are using disk, type in the sone name. Do not use more than eight characters, since this becomes the file name. Three-character extensions are allowed if you like using rhem. Press [RETURN]. The Musician will write out your song.

LOADING A SONG

To load a previously saved song, press [L]. The Musician will ask you for the name of the sone file

If you are entering the song from cassette, position the tape to the beginning of the song and press [RETURN]]

If you are using disk, type in the sone name and press [RETURN]. The Musician will load in the song

and play it for you. Once a song is loaded it remains in memory until you clear it out. If you add notes after loading a song, they get appended to the end of the song. In this way, you can finish songs you saved only partially completed.

CLEAR AND EXIT

To clear a song from memory, press [CLEAR]. Do NOT use the [SHIFT] key. Now you may begin entering a new song To exit The Musician, press [E]. The

Musician will display

EXIT Y or N

Listing on page 61

Press [Y] to confirm your choice. The program will end and return you to

Angelo Giambra is a senior programmer for Marine Midland Bank in Rochester, N.Y. His "Eight Queens Problem" appeared in the April, 1984 Antic

SOFTWARE LIBRARY

from this issue. Listings are easier to type and proofread, easy to remove and save in a binder if you wish.

► ROTATE AND VIEW 3-D IMAGE IN ACTION!	
VIEW 3-D	. 54
► ENHANCE YOUR PICTURE DETAILS LIKE NASA DOES!	
PIXEL SCANNER	. 58
► YOUR ATARI MASTER WEAVER!	
COLOR INKLE LOOM	. 60
► "MUSIC CONSTRUCTION" SOFTWARE!	
THE MUSICIAN	. 61
► JOYSTICK SELECTION OF PROGRAM HUES!	
COLOR PALETTE	64
► FAST GRAPHICS POWER FROM BASIC!	
G.U.P. THE GREAT	. 68
► LEARN AND PLAY GUITAR CHORDS ON YOUR ATAR!!	
GUITAR TUTOR	. 69
► GAME OF THE MONTH	
HELICOPTER ROUND-UP	. 71
► LOGO	
TURTLE PIANO	. 74
► ASSEMBLY LANGUAGE	
TURBO TYPO II	75
TYPING SPECIAL ATARI CHARACTERS	. 52
HOW TO USE TYPO II53 ERROR FILE	. 53

DISK SUBSCRIBERS: You can use all these programs immediately. Just follow the instructions in the accompanying magazine articles.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electroniae, mechanical, photocopying, recording or otherwise, without the prior written permission of the public, and program listings are typeset by Star's Gerariai 10X Penter—From Star Micromics, Inc., 200 Park Avenue, New York, NY 10166.

JUNE 1985

TYPING SPECIAL ATARI CHARACTERS

Antic priraced program listings leave a small space between each Atari Special Character for easier reading. Immediately below you will see the way Antic prints all the standard Atari letters and numbers, in upper and lower case, in normal and inverse wideo.

The Atarl Special Characters and the keys you must type in order to get them are shown in the two boxes below. (Squares are drawn around the normal video characters so you can see their positions more accurately, these squares will not appear in listings.)

NORM	AL VIDEO
FOR THE MEST OF TH	FOR THE TOTAL TO

_		_			٠
	IN	VERS	E V	IDEO	ı
fOR	TYPE		FOR	TYPE THIS	ı
THIS	水CTRL		THIS	A CTRL Y	ı
I =		Å	E	ACTRL 7	ı
12		Ř	Ē		ı
	A CTRL		24	ESC SHIFT	ı
×	A CTRL	6		DELETE	ı
12	小CTRL	Ę	В	DELETE	ł
2		F	-	ESC	۱
12	A CTRL			SHIFT	۱
	A CTRL		[3]	ESC	ı
	ACTRL	I		CTRL	ı
1 2	A CTRL	j		TAB	ı
100	A CTRI		Ð	ESC	ı
161	A CTRL		-	SHIFT	ı
18	A CTRL			TAB	ł
	ACTRL			A CTBL .	ı
H	ACTRL	ñ	ă	ACTRL;	I
ä		P	-	ASHIFT -	ı
ĕ	A CTRL	ò	E3	ESC CTRL 2	1
Ιĕ	A CTRL	Ř	ñ	ESC	ı
6	A CTRL	S	~	CTBI	ı
ă	A CTRL	Ť		DELETE	۱
ĕ	A CTRL	Û	В	ESC	۱
a	A CTRL	v	_	CTBI	ı
i i	A CTRL	w		INSERT	۱
lã	A CTRL	X		INOEISI	۱

Turn on inverse video by pressing the Reverse Video Mode Key

☐. Turn it off by pressing it a second time.
(On the 400/800, use the Azari Logo Key

☐ instead.) Note: In the printed listings, inverse characters will be slightly smaller than the normal ones.

Among the most common program typing mistakes are switching certain capital letters with their lower-case counterparts—you need to look especially carefully at P, X, O and 0 (zero). Some of Astr Special Characters are not easy to sell anart from standard alpha-numeric characters. Usually the

Some of Atari Special Characters are not easy to tell apart from standard alpha-numeric characters. Usually th Special Characters will be *thicher* than the alpha-numerics. Compare the two sets of characters below: SPECIAL STANDARD

1	\mathbf{z}	CTRL F	12	1
		CTRL G	/ 27	SHIFT +
		CTRL N ·	- =	SHIFT -
		CTRL R	- 0	-
+	**	CTRL S	+ 12	+

HOW TO USE TYPO II

Type in TYPO II and SAVE a copy to disk or cassette.

Type GOTO 32000 and follow TYPO II onscreen instructions. If the resulting two-letter line codes are not exactly the same as those in the magazine, you mistyped something in that line.

To call back any line previously typed, type an asterisk [*] followed (without in-between spaces) by the line number, then press [RETURN]. When the complete line appears at the top of the screen, press [RETURN] again. This is also the way you use TYPO II to proofteed itself.

To LIST your program, press [BREAK] and type LIST. To return to TYPO II, type GOTO 32000.

To remove TYPO If from your program, type LEST "D:FILENAME" (0,31999 [RETÜRN] (Cassette owners LIST "C:). Type NEW, then ENTER "D:FILENAME" [RETURN] (Cassette—ENTER "C:). Your program is now in memory without TYPO II and you can SAVE or LIST it to disk or cassette.

Owners of the BASIC XL cartridge from O.S.S. type SET 5,0 and SET 12,0 before using TYPO II.

- He 32888 REM TYPO II BY ANDY BARTON
 VM 32818 REM VER. 1.8 FOR ANTIC MAGAZIME
 HS 32828 CLR :0IM LINES(128):CLOSE M2:CLO
- HS 32828 CLR : 0TH LINES(128):CLOSE #2:CLOSE #3
 6N 32838 OPEN #2,4,8,"E":OPEN #3,5,8,"E"
- YE 32040 ? "A":POSITION 11.1:? "\$32000"

 EM 32050 TRAP 32040:POSITION 2.3:? "Type
 in a program line"

 H5 32060 POSITION 1.4:? " ":IMPUT =2;LINE
- S:IF LINES="" THEN POSITION 2.4:LIST B
 :GOTO 32060

 XH 32070 IF LINES(1.1)=""" THEN 0=UAL(LIN
- E5(2.LEN(LINES))):POSITION 2.4:LIST B: 60TO 32868 TH 32888 POSITION 2.18:? "CONT"
- MF 32898 8=VAL(LINES):POSITION 1.3:? " "; MY 32188 POKE 842.13:STOP

- ET 32128 ? "A":POSITION 11.1:? "@412/2000 ":POSITION 2.15:LIST 8
- CE 32130 C=0:ANS=C OR 32140 POSITION 2.16:INPUT =3;LINES:IF LINES=**** THEN 7 "LINE ":8;" OELETEO":G
 - 0T0 32858 VV 32158 FOR 0=1 T0 LEN(LINES):C=C+1:ANS= ANS+(C=ASC(LINES(D.D))):NEXT D
- ANS+(C+ASC(LINES(D.D))):NEXT D HJ 32168 CODE=INT(ANS/676) JH 32178 CODE=ANS-(CODE=676)
- EH 32188 HCODE=INT(CODE/26) 8H 32198 LCODE=CODE=(HCODE=26)+65
 - H0 32200 MC00E-MC00E+65 TE 32210 POSITION 0,1617 CHR5(HC00E); CHR5 (LC00E)
 - VG 32228 POSITION 2.13:7 "If CODE dncs no t match press #74700 m and cdit line a bave.":6010 32858

ERROR FILE

BUS OVERLINES Some signals and address iabels were printed with-

CN 32118 POKE 842,12

out overlines in Part III of Earl Rice's Parallel Bus Revealed" (Antic, March 1985).

These are the correct labels:

D8XX-DFXX

CS (CHIP RESET)

R/W
DIXX
RDE (READ DATA ENABLE)
DS (DATA STROBE)
DRST (DEVICE RESET)

RST (DEVICE RESET)

FIRST LESSON IN ASSEMBLY

Line 100 of the listing for "First Lesson in Assembly Language" (November, 1984) should read POKE 755,4 instead of POKE 775.4.

KOOKY'S QUEST

February '85 The following line Is missing:

2100 FOR S=32 TO 16 STEP -4: SOUND 0,S,14,10: EA=EA *EA*EA: SOUND 0,0,0,0: EA=1 \(\lambda_0:\text{NEXT S}\)

DRUM SYNTH

In Figure 1, the "ART" should be the Full (laverse) symbol.

MISSING INFOBITS

DECEMBER '84
The AL source listing for Infobits (Dec. '84) was left out of the previous Issue. You'll find it in the Jan. '85
Software Library.

ADVENT X-5

November '84 Missing line: 8020 RUN, Also, cassette owners should change the 138 in line 4005 to 130. The TYPO II code for line 1005 is FI.

ADVENTURE ISLAND

November '84 Line 837 Is missing its last item of data, a 4. Also, it will not run with DOS XL.

VIEW 3-D Article on page 38

LISTING 1

; GR7BH (LISTING 1)

MODULE: INT xnow=(88), ynow=[98) SYTE CHOW= (1) , key=764, ram=186, cur=752 BYTE ARRAY Mask7=(64 16 4 11,clor=788 .mask8=(128 64 32 16 8 4 2 1), mask, row CARO dlist=560, sa=88 CARD ARRAY adr (192) : CARD POINTER MES

PROC KOLOPESYTE C) RETURN PROC DOT(INT x,9) RETURN PROC OITCINT X, V) RETURN

PROC LineTo(INT x,9) INT dx, dy, xf, yf, a, b, t, i Got (xnow, wnow) IF x=xnow AND y=ynow THEN RETURN FI TF x>xnow THEN dx=x-xnow:xf=1

ELSE dx=xnow-x:xf=-1 FI IF y>ynow THEN dy=y-ynow:yf=1 ELSE dy=ynow-y:yf=-1 FI x=xnow:y=ynow

IF dx>dy THEN a=dy+dy:t=a-dx:b=t-dx FOR i=1 TO dx DO x==+xf TE TOO THEM TEE+A ELSE t==+b:y==+uf

FI BOTCK, 93 ELSE a=dx+dx:t=a-dy:b=t-dy FOR 1-1 TO dy DO 9--+9f IF ten THEN toste ELSE THEFE : X = T + X f

FI Bot(x,y) nn FT VDOMENTUDON-UIDETHON

PROC GC780NC): SYTE 1: SYTE ARRAY 41 Graphics (8+16) : adr (8) =5a: d1=d1:5T FOR i= 1 YO 191 OO adr(i)=adr(i-1)+48 OD d1==-4: d1 (8) =112: d1 (1) =88: d1 (2) =16 FOR 1=3 TO 198 DO d1(1)=d1(1+4) DO d1 (199) =16:d1 (288) =66: mes=d1+281 d1 (284) ==-4 | d1 15 T = d1 | RETURN

PROC Kolor7(8YTE c):8YTE & c==# S:cnow=c FOR i=8 TO 3 OD MOSK (3-i)=c:c==LSH 2 OO PETHON

PROC GOTZCINI X.V3:8YTE Xb.XC BYTE ARRAY Pre=(63 287 243 252) IF X CR OR X>159 THEN RETURN FI IF 9<8 OR 9>191 THEN RETURN FI Xbex RSH 21Xrex AND 31row-adr(y) row(xb) == & pre(xr) x mask(xr) | RETURN

PROC DITT(INT x,y):BYTE xb,xr IF ×<8 OR ×>159 THEN RETURN FI IF 9<0 OR 9>191 THEN RETURN FI xb=x RSH 2:xr=x AND 3:row=adr(v) rew(xb) == ! Mask(xr):RETURN

PROC GET(BYTE ARRAY d): SYTE i mask=mask2:Kolor=Kolor2:Oot=Oot2 Dit=Dit7:d(3)=70:d(99)=70 FOR 1=6 TO 98 DO d(1)=14 00

FOR 1=182 TO 198 DO 4(1)=14 DO:RETURN

PROC KOLOPRIBYTE CLIBVIE 1 CHOMBE & SITE COLUMN COLUMN FOR 1=8 TO 7 OO Mask(7-1)=c:c==LSH 1 OD RETURN

PROC DOTROINT X, V) : SYTE Xb, Xr BYTE ARRAY

pre=(127 191 223 239 247 251 253 254) IF x<0 OR x>319 THEM RETURN FI IF y<0 OR y>191 THEN RETURN FI xb=x RSH 3:xr=x AND 7:row=adr(y) row(xb)==8 pre(xr) x mask(xr):RETURN

PROC 0148(INT x,y):8YTE xb,xr IF ×<0 OR ×>319 THEN RETURN FI IF 9<0 OR 9>191 THEN RETURN FI xb=x RSH 3:xr=x AND 7:row=adr(y) row(xb) == ! mask (xr) : RETURN PROC GESCOTTE ARRAY 43:8YTE 1

mask=mask8:Kolor=Kolor8:Got=Got8 0it=0it8:d(3)=79:d(99)=79 FOR 1=6 TO 98 00 d(1)=15 00 FOR 1=102 TO 198 OO d(1)=15 DO:RETURN

LISTING 2

: MISC1 (LISTING 2)

MODULE: SYTE ST: THE SERAY jx=[1 1 1 1 1 2 2 2 1 0 0 0 1 1 1 1) , Jy=(1 1 1 1 1 2 8 1 1 2 8 1 1 2 8 1) SYTE ARRAY 6="

PROC SetJxJy(8YTE 1) FOR i=0 TO 15 DO J×(i)==-1: Jy(i)==-1 00

RETURN PROC PECSYTE 13:6(8)=1:Print(6):RETURN

FOR J=8 TO W 00 W=#+1:W==-1 OD RETURN . TOTE

PROC Hest (CARO W. J) MODULE: BYTE ARRAY SI (91)

PROC Settrig(SYTE t INT 9) FOR 1=0 TO 98 OO V=(1+1)/45 U=(UHT)/5:U=188HT-U:U==/45:51(T)=U OO RETURN

INT FUNC SINCING T.VI:T==MOD 368 IF t<91 THEN 9=51(T) ELSEIF t<181 THEN 9=51(180-t) ELSEIF t<271 THEN y=-51(t-180) ELSE y=-Si(368-t) FI RETURN(y)

INT FUNC COSCINT t, y): t==MOD 368 IF 1<91 THEN 9=51(98-1) ELSEIF TKIBS THEN UN-SICT-983

54 + ANTIC SOFTWARE LIBRARY **TUNE 1985** ELSEIF t<271 THEN 9=-51(278-t) ELSE 9=51(t-278) FI RETURN(9)

; VECTOR
INT FUNC 60SCINT x)
IF x<0 THEN x=-x FI RETURN(x)

INT FUNC SOR(INT x):INT y

IF x=0 THEM RETURN(0) FI:x=855(x):y=0

00 9==+1:IF y=y+y>x THEM RETURN(y) FI 00

INT FUNC ydot(INT ARRAY 0,w):INT x x=U(8) Hw(6):x==+U(1) Hw(1) x==+U(2) Hw(2):RETURN(x)

PROC Uprod(INT ARRAY 0,0,0)
U(8)=V(1)*W(2):U(8)==-U(2)*W(1)
U(1)=U(2)*W(8):U(1)*M=-U(8)*W(2)
U(2)=U(8)*W(1):U(2)==-U(1)*W(8)
RETURN

PROC NORMIZE(INT ARRAY W):INT i,j,s i=AB5(V(B)) j=AB5(V(Z)):IF i<J THEN i=j FI j=AB5(V(Z)):IF i<J THEN i=j FI

IF 1>100 THEN J=1*1/100 FIR 1=0 TO 2 00 V(1)==/J 0D FI FOR J=0 TO 1 DO S-V40T(V,V):S=50R(S) FOR 1=0 TO 2 00 V(1)=V(1)*120/S 00

LISTING 3

: COLORS (LISTING 3)

MODULE: BYTE ARRAY dfault(5), CP ,C7#(52 24 138 194 8) ,CB=(52 26 8 194 288) ,CM=(52 24 194 138 88)

PROC Incc():8YTE i i=cnow(cnow==1:Position(18.23) If i=3 THEM i=4:cnow=6 FI Kolor(cnow):i=clor(3):Printg(cnow) Position(18.23):Printg(i RSH 4) Put(*):Position(27.23) Printg(i a 14):Put(*):RETURN

PROC INCHUE():BVTE 1, J IF cnows THEM 1=4 ELSE 1=cnow=1 FI j=clor(x) RSH 4 j==+1:XF J>15 THEM j=0 FI Position(x) 23:Print8(J):Put(') clor(x)=(J LSH 4)-(clor(x) & 14) G(x)=(1)=(J LSH 4)-(clor(x) & 14)

PROC Inclum():89TE 4.3
IF cnows THEM 1-4 ELSE 1=cnow-1 FI
J=clor(1) & 14
J==2:1F 13-15 THEM J=B FI
Position(27,23):Printe(J):Put(')
clor(i)=(clor(i) & 2483*j
C7(i)=clor(i):RETURN

PROC OfaultC():8YTE :
FOR i=8 TO 4 D0 C7(i)=dfault(i)
clor(i)=C7(i)
D0 RETURN

PROC SetOfault():8YTE i
FOR 1=8 TO 4 00 dfault(i)=C7(i) 00:RETURN
TUNE 1985

PROC CPON():BYTE 1
FOR 1=8 TO 4 DO CLOF(i)=CP(i) 00:RETURN

PROC CMON(): BYTE 1
FOR 1=8 TO 4 00 clor(1)=CM(1) 00:RETURN

PROC FixCol():IncC()
DO BMILE key=255 00 00
IF key=30 THEN key=255:IncC()
ELSEIF key=57 THEN key=255:IncLue()
ELSEIF key=67 HEN key=255:IncLue()

ELSEIF key=57 THEN key=255:Inchue() ELSEIF key=8 THEN key=255:Inchue() ELSEIF key=58 THEN key=255:Ofault() ELSE EXIT FI 00 RETURN

LISTING 4

; ORAH30 (LISTING 4)

MODULE:8YTE vflog=(8).sflog=(7)
INT sx.su.meg=(3).rx=(80).ru=(90)
,rx=(81).ry=(9).rz=(80).ri=(38)
CARO soi.di.dl2.lini6.lini7.lini8
,lini9.lin28.lin23.lin27.lin27.lin27.lin28

.11179.11072.11072.11072.11072.11073.11073.11073.11073.11073.11072

58 28 8:19:8 28 8:3:8 38 8:19: 58 38 8:3:56 48 8:19:8 46 8:3) PROC FIMP(INT ARRAY 0):INT 1, J Zero(P, 16:8): J=4*0(8)+8 FOR (=8 TO J 00 P(1)=0(1) 00 PW=PP-2 FOC =P+18 (RITURN

PROC ROT(INT ARRAY V):INT x,y,z,s,c
y=u(1)
y=u(1)
y=u(1)
v(1)=y=cos(rx)/128:v(2)=y=sin(rx)/128
x=u(0):z=u(2):s=sin(ry):ccos(ry)
v(0):z=v(2):z=sin(ry):ccos(ry)
x=u(0):y=v(1):s=sin(rx):ccos(rx)
v(0):x=v(1):s=sin(rx):ccos(rx)
v(0):x=v(0):x=v(1):s=sin(rx):ccos(rx)
v(0):x=v(0):x=v(1):s=su(0):x=v(1):s=v(1):x

V(1)=-/128:NOTHIP(V):RETURN

PROC FIRE(1:1RT ABENY V(3), W(3), U(3)
V(3)=128:V(1)=128:V(2)=18:ROT(M)
W(0)=0:W(1)=128:W(2)=0:ROT(M)
W(0)=0:W(1)=128:W(2)=0:ROT(M)
W(0)=0:W(1)=128:W(2)=0:ROT(M)
W(0)=0:W(1)=128:W(2)=0:ROT(M)
R(3)=W(0):R(3)=W(3):R(3)=W(2)
R(3)=W(0):R(3)=W(3):R(3)=W(2)
R(3)=W(0):R(3)=W(3):R(3)=W(2):RETURN

PROC FixE():INT 5 E(6)=eve(8):E(7)=eve(1):E(8)=eve(2) Normize(E+12) IF E(8)=0 THEN E(3)=B:E(4)=B:E(5)=12B ELSEIF E(6)=B AND E(7)=B THEN E(3)=8:E(4)=128:E(5)=8 ELSE E(3)=-E(6):E(4)=-E(7)

E(5) =E(6) =E(6) :E(5) ==+E(7) =E(7) E(5) ==/E(8) : Norm(ze(E+6) IF E(8) <0 THEN E(3) =-E(3) :E(4) =-E(4) E(5) =-E(5)

FI
FI Uprod(E+6,E+12,E):Normize(E):RETURN
PROC FixM()

M(8) = ydet(R,E): M(3) = ydet(R,E+6) M(1) = ydet(R+6,E): M(4) = ydet(R+6,E+6)

continued on next page

ANTIC SOFTWARE LIBRARY ± 55

M(2) = Vdot(R+12,E) : M(5) = Vdot(R+12,E+6) Normize(M) : Normize(M+6) Vprod(M,H+6,H+12) : Normize(M+12) : RETURN

PRDC Meksysy(INT ARRAY V):BYTE 1
INT PX.PU.PZ.t.d:INT ARRAY W(3)
FDR 1=8 TD 2 DD W(1)=V(1)-foc(1) DD
IF vfi.ep=1 THEM PX=Vdot(W,M)/128

Py=Vdot(w, M+6)/128 =x=cx+masmpx/2: =y=cy-masmry/2 ELSE d=eye(3): t=masmd/8 px=Vdot(w, M)/128: py=Vdot(w, M+6)/128

PZ=Vdot(W,M+12)/128 d==-Pz:IF d<4 THEN d=4 FI:d==/4 Sxxtwpx/d:Sy=tMpy/d:Sx==+Cx:Sy=CV-SY FI RETURN

PRDC CLR():Zero(501,7688):RETURN
PRDC Draw(INT ARRAY P):BYTE 1

PRDC Draw(INT ARRAY P):BYTE 1
INT ARRAY Pt
pt=P+18
FDR i=1 TD P(B) DD pt==+8 Maksxsy(Pt)

FDR i=1 TD P(B) DD PT==+8 Makexesy(PT Ke)Or(PT(3) 8 15) IF PT(3)(16 THEN LineTo(5x,5y) ELSE Dot(5x,5y):xnow=5x:ynow=5y FI DD RETURN

LISTING 5

: UPDATES (LISTING 5)

PROC Meye():8YTE 1:Position(5,17)

FOR i=0 TO 2 DO
IF eye(i)<-18 THEM eye(i)=-18
ELSEIF eye(i)>10 THEM eye(i)=10 FI
PrintI(eye(i)):Put(')
DD Position(24,27)

IF eye(3)>288 THEM eye(3)=288
ELSEIF eye(3)<18 THEM eye(3)=18 FI
PrintI(eye(3)):Put('):RETURN

PRDC Umas():Position(37,17):mag==+1
IF mas>9 THEW mas=1 FI:PrintI(mas):RETURN

PRDC Urot():Position(12,18):PrintI(rx)
Put('):PrintI(ry):Put(')
PrintI(rz):Pb(2)
FixR():FixR():CLR():Drow(P):RETURN

PRDC Uri():Position(35,18) PrintI(ri):Put('):RETURN

PRDC Ucen(INT x,y):Position(8,19)
PrintI(x):Put(')
PrintI(y):Put('):RETURM

PRDC UFOC(INT ARRAY v):8YTE (
POSITION(24.19)
FOR 1=8 TO 2 DD Print[(v(1)):Put(') DD
RETHURM

PRDC UPT(INT n):Position(5,22):PrintI(n)
Put('):IF n<108 THEN Put(') FI
Position(38,22):Pb(8):RETURN

PRDC UCXVZ(INT ARRAY PT):BYTE i
Position(15,22):PrintB(Pt(3) & 3)
IF Pt(3)(16 THEM Print(" LineTo ")
ELSE Print(" Plot ") FI

FOR 1=8 TO 2 DO PRINTICPT(1)):PUT(') DD RETURM

PROC Usr():Position(1,15)
If sfiag=7 THEM sflag=8:cxm*-88:CPmC6
Print("Max GRAPHIC5 8 xax"):Gr8(d1)
ELSE sfleg=7:cxm=-88:CPmC7
Print("M GRAPHIC5 7PLUS x"):Gr7(d1)

FI Ucen(cx,cy) CPon():CLR():Draw(P):RETURN

PROC UMESSC():0VT : 1
POSITION(5.17):Pb(12)
POSITION(5.17):Pb(12)
POSITION(6.17):Pb(2)
POSITION(6.17):Pb(2)
POSITION(6.17):Pb(2)
POSITION(6.17):Pb(1.17):Db(1.17)
POSITION(6.17):Pb(1.17):Db(1.17):Db(1.17)
POSITION(6.17):Db(1.17):Db(1.17):Db(1.17)
POSITION(6.17):Db(1.17):Db(1.17):Db(1.17)
POSITION(6.17):Db(1.17):Db(1.17)
POSITION(6.17):Db(1.17):Db(1.17)
POSITION(6.17):Db(1.17):Db(1.17)
POSITION(6.17):Db(1.17):Db(1.17)
POSITION(6.17):Db(1.17):Db(1.17)
POSITION(6.17):Db(1.17)
POSITION(6.17):Db(1.17)
POSITION(6.17)

LISTING 6

: STICKED CLISTING 63

PRDC JoyDCINT n) :=-EDIT.1-ADD BYTE i.h.filmT ARRAY PT IF n=0 THEN r=0 ELSC r=1:n=P(0) FI n==+1:Pt=P+10+80Hn:lUPt(n):UCMX(PT) R) Jor(Ft(3) & 153:HMM8XMSU(PT):Dit(5%,5W)

DD IF n>208 THEN EXIT FI WHILE Stris(0)=0 DD st=Stick(0):Dit(sx,sy) IF st(15 THEN pt(2)==-jy(st)

Mok5x5y(Pt):Ucx92(Pt)
FI Dit(5x,59)
DD
st=Stick(0):Dit(5x,59)

IF key<255 THEM k=key:key=255

IF k=35 THEN n==+1:upt(n)

IF pt(3)<16 THEM LineTo(5x.sy)

EL5E Dot(5x.sy):xnow=5x:ynow=5y FI

IF f=1 THEM

IF +=1 IMEM
FOR imm TD 3 DD PT(4+x)=PT(i) DD
FI PT==+8:KOlOr(PT(3) & 15)
Maksxsy(Pt):Mcxyx(Pt)
ELSEIF M=18 IMEM PT(3)==1 16:Mcxyx(Pt)

Pt(1)==-ju(st): Maksxsy(Pt): UCXVZ(Pt)
FI Dit(5x,sy)
DD P(0)=n-1: RETURN

PRDC JOUF():BYTE ::INT ARRAY Pt(3)
IF cnows THEM KOJOT(1) FI
FDR i=# TD 2 DD Pt(1)=foc(i) DD
Haksxsy(Pt):Dit(ex,sy):Ufoc(Pt)
DD

MHILE Stris(8)=8 DD st=Stick(8):Dit(sx,sy) If st(15 THEN Pt(2)==-Jy(st) Maksxsy(Pt):Ufoc(Pt) FI Dit(sx,sy)

D D

st=Stick(B):Dit(SX,SW)
IF kew=35 THEM kew=255
FDR :=8 TD 2 DD foc(:)=Pt(:) DD
CLR():Draw(P):Maksxsu(Pt)
ELSEIF key<255 THEM ENIT FI
IF St(15 THEM Pt(D)==+)X(ST)

PT(1)==-Jy(st):Maksxsy(Pt):Ufoc(Pt)
FI Dit(sx,sy)

56 * ANTIC SOFTWARE LIBRARY

JUNE 1985

OO Ufoc(foc):RETURN

PROC JOVE(3:INT x,y,z x=eye(8):y=eye(3):Z=eye(2) 00 st=Stick(8):Ueye()

00 st=Stick(0):Ueye()

WHILE Stris(0)=0 00 st=Stick(0)

eye(2)===-Jy(st):eye(3)==+Jx(st)

Ueye()

00

00
IF key=33 THEM key=255
FixE():FixM():CLR():Draw(P)
x=eye(8):y=eye(1):z=eye(2)
EL5EIF key<255 THEM EXIT FI
eye(8):=+;x(st):eye(1):=-;y(st)

eye (0) ==+ Jx (St) :eye(1) ==- Jy(St)

00 eye(0) =x:eye(1) =y:eye(2) =2:Ueye()

RETURN

PROC JOUCD:INT x.y If cnowed THEN Kolor(1) FI RECRIPHICALDITION, NO 80 st=Stick(8):Ucen(x,y):0st(x,y) 1F key=33 THEN key=255 Cx=x:Cy=y:CLR():0r=W(P) ELSETF key<255 THEN ENIT FI

LISTING 7

; DISKID (LISTING 7)

MODULE:BYTE err BYTE ARRAY #18(16).abort=" #2332214(#)

PROC MUETY(BYTE e)
POSITION(1,16):Print("==="""""")
Print8(e):err=1:mes~=1in21
POSITION(12,21):Print8(e)
MNILE Key=255 00 00 key=21:RETURN

x==+,x(st):y==+,y(st):@it(x,y)

PROC CIO-SE456(BYTE 0.×)

PROC IO2(BYTE CMd CARG buf,len)
BYTE IOCMd=866 :7-L0A0 11-SAVE
CARD IObuf=868.IOlen=872
IOCMd=CMd:IObuf=buf:IOlen=len
CACA IO. DETUM

PROF DI-CLIMITE 1.2.1(free2
DITE DROWF CALLS .(free2
1 ft.22[POSITION(22.3)
1 ft.22[POSITION(22.3)
1 ft.22[POSITION(22.3)
1 ft.22[POSITION(2.70]
1 ft.22[POSITIO

PROC INTENTE ABRAY ():DYTE 1

T D2 INE

T D2 INE

SCOPY(F-M0)

"]

FI POSITION(2.5.18):PD(15)

POSITION(2.5.18):IND(15)

POSITION(2.5.18):IND(16):

POSITION

 WHILE Rep=255 00 00 kmepikep=255
IF k-062 THEN POSITION(1.46):PUT(*5)
Print(abort):RETURN
FI tegren=generalization
n=60+(80+(80:1080c(2):0pen(2,-10,-6))
102(11,-p. 102(11,-p. 3):Close(2))
Position(1.46):Print(" MITOMOR ")
Error=101(0) RETURN FI

POSITION(1.18) IPRINT("(L)-#E0050")
HHILL REPLESS ON ON EMERY REPLESS
IF NOW THEM POSITION(1.6):PUT("L)
PRINT(DEDOTT) RETURN
FI T-EFFOR-EFFOR-MARTETERS
GLOSS (2):OPEN (2.18, 4.8)
IF eFFOR THEM CLOSS (2):EFFOR-TRETURN FI
12(2.8, 2):Unsuber (1.44)

IF err>8 THEN Close(2):Error=t:RETURN F 102(7,P+2):In=0P(0)=16 102(7,P+2,N):102(7,C7,5):Close(2) Position(1,16):Print(" Homing(N) ") Error=t:SetOfeoUt():Chon() Position(36,19):Pb(6):RETURN

LISTING 8

; PRINTID (LISTING 8)

PROC PPT(INT ARRAY v)
Printo(2,"("):PrintIO(2,v(0))
Printo(2," "):PrintIO(2,v(1))
Printo(2," "):PrintIO(2,v(2))
Printo(2,":"):PrintIO(2,v(3))
Printo(2,":"):PrintIO(2,v(3))

PrintOE(2," "):PrintOE(2,0)

IF errow THEM CLOSE(2):Error-t:RETURN FI IF h=10 THEM ST(5):16:PP:INTOE(2.5t) ===#1:d(8)=192 FOR 1=8 TO 39 00 n=7640+1 FOR 1=1 TO 192 00 d(3)=5(N):n==48 00 pr:INTO(2.pre):PrINTOE(2.d)

j==+1:n===:PPtOE(2) FI
00 PrintOE(2," ")
FI POSTION(1,16):Print(" #297*6940 ")
Error=t:Close(2):RETURN

: MINUSO (LISTING 9)

PROC Menu():8YTE 1.7FT=02:0YTE ARRAY 61 e1:e12-5:e115T-d1:e12-e115T

continued on next page
ANTIC SOFTWARE LIBRARY * 57

```
FOR 1-8 TO 12 GO di(1)-d1(5+1) GO
d1 (1)=401d1 (2)=401d1 (3)=71:d1 (6)=6
44 (8) =48; d1 (22) =5 |d1 (23) =5 |d1 (24) =15
d1 (26) =16:d1 (28) =16:d1 (38) -15
di (32) =16 (d) (35) =di #255 (4 f f = 1
betuff ( ) i e e i e e e e
Printe ("
                                  1955")
Prints ("Management 6
Printf("MK Inc rxm u
PEADLE COM
           Inc rum H
Printf("MZ Inc ram C Colorm")
Printfilm Inc ra
PRINTECUMA Get PIM
Printer's and Points/ ines
PrintE("M2 EOIT Points/Lin
PrintE("MS Change EVE/dist.
printgrad Change Focus
Prints ("MS Change CENTER
Print ("Will sale and the sale
Print("x GRAPHICS /PLUS x ")
Prints ("Presotated
Prints (" Strate - Dictor
PRINTECT MENOSITY
                                   - MENUTY
Print(" Emeior
                 Hillue
11815-20-688
lin16=5a+648:lin17=8a+688:lin18=5a+728
lin19=5a+768:lin28=5a+888:lin21=5a+848
lin22=sa+888:lin23=sa+928:RETURN
```

LISTING 10

```
VIENSD (LISTING 18)
     ANTIC Magazine
INCLUDE "D:GR78M.ACT"
INCLUDE "D:MISC1-ACT"
INCLUDE "D:COLORS - ACT"
INCLUDE "D:DRAHSD.ACT"
INCLUDE "D:UPDATES.ACT"
INCLUDE "D:STICKSD-ACT"
INCLUDE "D:DISKID. ACT"
INCLUDE "D:PRINTIG-ACT"
INCLUDE "D:MENUXD.ACT"
PROC Setup(): BYTE +
```

SetTris():SetJxJy():SetDfault():FixP(0) Gr780N():dl1=dlist:se1=se:rem==-33 Graphics(8):ram==+33:d12=dlist:cur=1

CMon():Menu():Dir():UReset():dlist=dl1 mes-=1in28

PROC Main(): BYTE k: Setup() DO WHILE key=255 DO OD k=key:key=255 dlist=dl1:CPon()

IF k=31 THEN Meso=11022 :1 JOYD (1) ELSEIF ke38 THEN mesaclings :2

CLR (): JoyD (8) ELSEIF k=26 THEN Mesalin17 13 JOVEC

ELSEIF k=24 THEM mes -= 1in19 ;4 JOYF () ELSEIF k=29 THEN MC50#lin19 :5 JONE (3

ELSEIF k=50 THEN MPSA=11028 :8 UReset() ELSEIF k=22 THEN Mes -- 1 inin : X

rx=(rx+ri+368) MOD 368:Urot() ELSEIF ks43 THEN Mes ~= 1in18 ;Y ry=(ry+r1+368) MDD 368:Urot() ELSEIF k=23 THEN Mesasinis ;Z

rz=(rz+ri+368) MDD 368:Urot() ELSEIF k=13 THEN mes-=linis :I ri==+1:IF ri>45 THEN ri=45 FI:Uri()

ELSEIF k=1 THEN Mes -= 11818 ;J ri==-1:IF r1<-45 THEN r1=-45 FI:Ur1() ELSEIF k=18 THEN Mes-=11023 ;C FixCol() ELSEIF k=16 THEM Mes^=1in15 ;U

Bulew():CLR():praw(p) ELSEIF k=37 THEN Mes^=1in17 :M Umag ()

ELSEIF k=58 THEN dlist=dl2 ;D CMORES: Direct ELSEIF RER THEN RESOULINGS IL

LoadP(): Heye(): Hfoc(foc): FixE() FixMC):CLR():prov(P):meso=lin28 ELSEIF k=62 THEM MeSamiin16 :5

SaveP():Me5~=lin28 ELSEIF ROS1 THEN MESALLINIS :G Dat to ELSEIF k=18 THEN Mes ~= 11016 ;P

Prnt():Mes^=1:n28 ELSEIF k=33 THEN MESA=11028 (SPACE CLR():Draw(P) ELSE dlist=dl2:CMon()

enhance your picture details like NASA does!

PIXEL SCANNER ATIGGE ON DOBBE 14


LISTING 1

Don't type the MY 18 REM STIR PINEL AVERAGING ON 28 REM BY LYN BUCKANAM FH 38 REM CC2 1985. ANTIC PUBLISHING HL 48 GOTO 388 IK 100 REM PIKEL AVERAGING ROUTINE RM 110 REM SET AREA TO BE ENHANCED V5 111 REM Y-COORDINATE RANGE PV 112 FOR Y-1 TO 60 UP 113 REM N-COORDINATE RANGE PS 115 REM STOP ATTRACT MODE 58 + ANTIC SOFTWARE LIBRARY

JR 116 POKE 77.8 SX 128 REM LOCATE EACH PINEL AND ASSIGN I TS VALUE TO A VARIABLE ON 121 LOCATE N-1.Y-1.A KP 122 LOCATE H-1, Y. O 02 123 LOCATE N-1.7+1.C 124 LOCATE N.Y-1.0 MF 125 LOCATE N.Y. JR 126 LOCATE N.Y-1.F XV 127 LOCATE X+1.Y-1.6

126 LOCATE X-1.Y.X

JUNE 1985



158 REM RETURN FOR THE NEXT PINEL HENT HINEHT 168 REM LOCK SCREEN IN GR.9 MODE POKE 77, 9:50UNO 0.65, 14, 14:60

199 REM 250 REM ORAH STICK FIGURE BIRD 201 GRAPHICS 9: POKE 712,144

218 BEM GRAN TATE 211 FOR H-1 TO 15 | COLOR H | PLOT 15 * H . 75 ORANTO 3+H/4.71-H/2 | NENT H

IUNE 1985

220 REM ORAH BOOY 221 FOR M=16 TO 4 STEP -1: COLOR X:PLOT 15*8/8.6.74-8:080NTO 68-8/1.8.74-8 222 PLOT 15+X/8.6.66+X:080HT0 68-N/1.8

230 REM ORAW WINGS 231 FOR N=1 TO 16:COLOR N:PLOT 4.63:OR AHTO 18+H, 18-H/2 | ORAHTO H+2+28, 66-H/4:

ORANTO N=2+24.66-H/4 232 GRANTO 46+H, 28-H/2: GRANTO 75, 45: NE 248 REM GROU NEOR LM 241 COLOR 11:FOR N=1 TO 22:PLOT 40:H/2

.68-H/2: GRANTO 68-X/6.68-X/2: NEXT X RH 250 REM ORAH BEAK

US 251 COLOR 15:FOR X=1 TO 5:PLOT 73.67 0 RANTO 48+H.67-H:NEHT H:FOR H-1 TO 15:P LOT 49+H/2,67 | ORBHTO 75,55 | NENT H KH 250 DEM OROU TYE COLOR 8: FOR Y:54 TO 56: PLOT 68. Y:0

RANTO 62, Y: NEXT Y LV 278 GOTO 188 299 REM ME 388 GRAPHICS 8: POKE 718.28: POKE 712.28

POKE 789,2 OY 301 2 17 17 , "OSENSTRUCKSERSTRUCKSERSTRUCKS": ? Lyn Buchenen";?

NR 302 ? "This demo program draws a stick -figurebird using normal PLOT and ORAM

383 7 "commands. Then the program 'co

mputer enhances' the image by sampling YR 384 ? "color value of each pixel, and" "averaging it with the values of th

surrounding Pixels."|7 "The BASIC COULING IS Slow (take s about12 minutes), but the results ar ZK 310 POKE 752.1:POSITION 12.22:7 "REMOY 7 PRESS MRMSDOMM":POKE 53279.8

VM 328 IF PEEK(53279) (>6 THEN 328 50 338 POKE 53279.8:GOTO 200

ANTIC SOFTWARE LIBRARY * 59



COLOR INKLE LOOM Availab on page 29.

LISTING 1

Don't type the Co

60																																		
83																																		
EH																																		
MF	в	e	0	×	H		e	×	3	٠	¢	3	>		c	L	3	¢	4	8	2		C	L	1	5	¢	4	0	3	5	5	•	40
		6	1	5	c	1	,	ı.	c	R	5	¢	1	,	÷	k	ıE	A	v	5	¢	2	6	8	4	>								

VY 58 MCAVS(1)="+"|HEAVS(7684)=HEAVS:HEAV 5(2)=HEAVS:ADX:ADX(MEAVS) F6 60 LOD=0 P5 70 605U8 820:GOTO 98H

ST 88 G05U8 938 EX 98 SCRM-PEEK(88)*PEEK(89)*256

O 100 N=0:0=1:0=3 OT 110 IF LOD THEN JHK=USR(ADR("NAMENAMENA OT 110 IF LOD THEN JHK=USR(ADR("NAMENAMENA

ENTERNISHMEN PROFIGERS BOOKS BOTTOMERS-D-"
).AGN.5CRM.7608)
KH 128 IF LOO THEN POKE 712.ASC(HEAVS(768

HR 138 IF LOO THEN FOR Y=700 TO 710 POKE Y.ASC(HEAVS(Y+6974,Y+69743):NENT Y:GOT O 15N

0 15H
HX 148 POKE 712.5:POKE 71H.34

8P 158 FOR K-1 TO 79:COLOR K/5:50UH0 H.25

5-(K-2).18.8:PLOT K.158:DRAHTO K.16H:H
EXT K:50UH0 8.8.8.H

EXT K:SOUND 0.8.8.N 00 168 GOSU8 188:POKE 559.34 ME 178 GOTO 208

HN 188 POSITION 8.8:7 CHRS(125):POKE 752, 1:POKE 758,34 JS 198 ? *** 0 C D E F G H I J K L M H 0***RETURN

M H 0":RETURN AL 200 REM LOOM SET UP NY 210 CLOSE M1:OPEN M1,4.0,"K:"

MY 218 CLOSE M1:0PEN M1,4.8."K:"
07 228 IF LOD THEN LOO-N:60TO 718
NY 23N GOSUB 108:POSITION N,3:7 "Number o
f threads per harness?":7 "(LIMIT 39)

";:IMPUT H:? :IF H<1 OR H>39 THEN 238
UN 24N 605U8 18N
OG 258 POSITION 8,8:7 "SURE? (Y/N) "!

GET H1.KITP K->89 THEM 238

GET H1.KITP K->89 THEM 238

YIPLOT N.Y:COLOR SIPLOT N.Y:DRAWTO N.Y

YIPLOT N.Y:COLOR ISIORANTO H=2.Y

UR 228 REM HARMESS SET UP

TO 288 CLOSE M1.0PEM M1.4.6."K!"!POKE 252

1 PC 29M H=1:Y=8:ET=4 DC 3MM FOR T=1 TO M MP 3IM GOSUM 1M8:POSITION M.3:? "Marness

P 31M GOSUM 1ME:POSITION M.3:7 "MACHOSS M1 Thread M "7:17" (Golor Selection?" |GET M1.KIIF K<64 OR K>79 THEM 31M |K 328 GOSUB 18M | 0 33M CL=K=64

HM 348 CLS(T.T)=CHMS(K)

JT 35M FOR N=K TO N+1:COLOR CL:PLOT N,Y:D
RANTO N,ET:MENT N

FT 368 POSITION 8.31? "COLOR OK (Y/M) ?":

FT 368 POSITION 8.3/7 "COLOR OK CV/M3 7"
6ET M1.K:IF KC>89 THEN X=X-2/IF KC>89
THEN 318
KM 378 NEXT T
8 NEX X = 11/4-5:ET=V+4

HT 598 FOR TZEL TO H
FY 408 GOSUS 308:POSITION 8.3:7 "Harness
HZ: Thread H ";TZ:7" Color Selection"
"IGET HL.KIF KC40 OR K779 THEH 408
US 438 GOSUS 108
US 438 GUSUS 108
US 438 GUSUS 108

10 448 FOR N=N TO N+1:COLOR CL1:PLOT N,Y:
ORANIO N.CTINENT N
FN 458 POSITION 8.3:7 "COLOR OK (Y/N) 7"!
GET M1.K:FK K<>89 THEN N=N-2:IF K<>89
THEN 488

FO 468 NEXT T2 OM 478 POSITION 8.8:7 "R Press START to M eave." POKE 55279.8 OD 480 IF PERKES52793 <>6 THEM 488 OR 498 POKE 53279

60 + ANTIC SOFTWARE LIBRARY

IN SEE REM MEAVING ROUTINE FI SIE POSITION N.N:? "4

ING"

ON 52M FOR K=1 TO 79:COLOR 8:SOUND 8.255(K=2),18.8:PLOT K,158:ORANTO K,168:NEX

T K:50UNO N.N.O.0 OT 530 N=1:Y=0:ET=4 GG 540 FOR R=1 TO 15:X=1

GG 540 FOR R=1 TO 15:N=: ZT 550 FOR I=1 TO M ... DZ 560 505=CLS(I,I) EJ 570 CL=ASC(505)-64

HN 500 FOR N-N TO N-1:SOUND 0.RHD(1)-255. 10.0:COLDR CL:PLOT N.Y:DRAMTO N.ET:HEN

UJ 598 SOUND M.S.M.S:MEXT I PP 688 X=1:Y=ET+1:ET-Y+4 ZM 618 FON I=1 TO M KG 628 S89=CL15(1.1)

RY 638 CL1=ASC(585)-64 PH 64N FOR N=X TO X+1:50UND 1.RHD(

18.8:COLOR CL1:PLOT X.Y:DRAHTO X.ET:NE XT X YA 658 SOUND 1.8.8.8.HEXT I:Y=ET+1:ET=Y+4

668)
01 668 MEAV5(7661,7661)=CHR5(PEEK(712))
HJ 698 FOR X-7502 TO 7664:MEAV5(X.X)=CHR5
(PEEK(X-6974)):MLXT X
TM 768 REH VALUE CHANGE OF MEAVING
ZV 750 9 "MBO YOU WISH TO CHANGE THE VALUE

e? (Y/M) "16ET MI.K.IT KOND THEN 788
MP 728 TRAP 758
20 758 7 "MType a letter between A (darke
51) and 0 (lightest)":GET MI,K:IF K:65
0R K:79 THEN 758

UH 758 A-PEEK(712):POKE 712,V:? "4Value 0
K? (Y/M)"||GET #1:K:IF K\>59 THEN POKE
712,A
PU 768 IF K\>59 THEN 738
JK 778 IFAP 48888

H6 760 7 "MEGAUC STAIR? (Y/H)":66T H1,K:1 F K=09 THEN 605U0 1530:IF K=09 THEN 10 0 0 0 0 "RETURN TO MEDUT (Y/N)":6ET H1,

K:IF K:09 THEN POP :GOTO 1818 8M 880 7 "A Leave Program? (Y/M)":GET H1, K:IF K:>59 THEN 708

PM 818 7 "4 SUPET CY/N)":GET N1.K IT K-89 THEN GRAPHICS 8:END MZ 828 REM TITLE ROUTINE PX N3N GRAPHICS 2*16:COLOR 2:POSITION 6.N

VC 856 7 M61" "DEMONDRE PROPRIES TO BLE 1 TO 3H SOUND 1,8MD(1) "2MG,18,8:NEXT D 1 NEXT LC MM 86M FON 0L-1 TO 39M:NEXT OL:SOUND 8.8.

1.50UNO 1.8.N.8:50UNO 1.96.18.6:POSI TOS 1.6.1" INC. " I

OOM ""

55 M88 POSITION M.8
LU 898 FOR 6L-1 TO 188:MEXT PL:50UMO 2.61
,18.8:POSITION 8.6:7 M6;" BY GM3
MU 98N FOR L-1 TO 888:MEXT L

RO 91N FOR 5-0 TO 3:SOUND 5.0.0.0:NENT 5 ZJ 920 RETURN NZ 93N REM SET UP TEXT NINDOM

```
YT 948 POKE 54285.8:GRAPHICS 8:POKE 07:11
                                                                              2..OISKETTE"
   POKE 623, 192: POKE PEEK(560) *256*PEEK(
   561) +166.143:NESTORE
                                               MN 1388 GET #1,K: IF K<49 ON K>58 THEN 138
   958 ADDNES-1536:POKE 54286.64:FOR K-8
   TO 10 READ PIPOKE ADDRES+K, PINERT KIPS
                                               05 1310 POKE 752.1
   INT (ACCRES/256) | POKE 513.P
                                               PH 1328 ON K-40 GOTO 1338.1370
VX 968 POKE $12.880RES-256*PIPOKE $4206.1
                                               JK 1338 ? :? :? "Insert and queue tope"
   92:06T6 72.173.111.2.41.63.141.18.212.
                                               LC 1348 ? "Press MONROW, tyre MONGODOM"
   141.27.288.169.0.141.26.288.184.64
                                               HJ 1358 GET #1.K
   978 RETURE
                                                  1368 OPEN #2,4,128,"C:":60TO 1428
                                               HR 1378 7 :7 :7 "Insert diskette and pres
  980 REM MESU
UN
  998 GRAPHICS 2+16:POSITION 1,5:7 H6;"
                                               GV 1300 POKE 764,255
    ****** HENU *****
   1000 FOR 0-1 TO 500:0ENT 0
                                               GC 1390 IF PEEK(764) (>12 THEN 1398
  1818 GRAPHICS 8: POKE 752.1 | POKE 710.21
                                               FZ 1488 POKE 764.255
                                               CX 1418 OPES #2.4.8."0: HEAVISG"
  1028 POSITION 8,0:7 "
                                                                       MONORAGE COMMUNICATION CO.
                    1 CREATE NEW HEAVIOR"
                                               AB 1438 G05U8 938
                   5 PARE MENAISE.
                                               10 1448 ODHT=TRT(ODN/2561:00L0=60X-60HT#2
   1848 ? "
KZ 1858 2 "
                                               80 1458 10:864:POKE IO+2,7:POKE IO+4,80L0
KF 1868 ? "
                   4 LEAVE PROGRAM"
   1878 7 :7 "
                       Selection 7"
                                               UP 1468 POKE IO+0.4:POKE IO+9.38
   1000 CLOSE M1:0PEN M1.4.0."K!"
                                                  1470 JOK-USB (BOR ("bbt
   1898 GET #1, K: IF K<49 OR K>52 THEN 181
                                               YX 1488 POKE 212.65C(MESVAC2601.7601)
TH 1100 0-K-40
XY 1118 08 A GOSUO 88,1138,1288,018
                                               IE 1490 FOR N-700 TO 710 POKE N. ASC (MEAUS
                                                  (H-6974, H-6974)) | BEHT HIPOKE 559.8
                                                  1500 LOG-1:POP :GOTO 90
1510 REM ERASE MEAVING AND RESET
   1138 REM SAVE PATTERS
HO 1148 7 :7 :7 " Save to: 1 .. CASSETTE
                                                  1528 2 "5
                                                                ERASIRG OLD PATTERNS
                                                  1538 FOR U=1 TO 48:CLS(U,U)="e":CL15(U
P5 1158 GET m1,K:IF K<49 OR K>58 THEN 114
                                                   . U) ="e"|HENT U
20 1158 ON K-40 G010 1170,1208
                                               CK 1549 585-" ":5815-" "!CR5-" "
                                               8H 1558 H=1:Y=8:ET=4
             "Place tape in recorder":? "
   1178 2 12
   Press RECORD and PLAY": 7 "Then type Mill
                                               OM 1568 FOR R-1 TO 15:X-1
                                               LR 1578 FOR I-1 TO P
                                                  1508 585=EL5(1.1)
HO 1100 GET #1.K
KH 1198 OPES #2.0.128,"C:":60TO 1218
                                                  1598 CL-85C(505)-64
   1200 7 :7 :7 "Insert diskette and pres
                                                  1688 FOR X=X TO X+1:50U00 0.RM0(1)+255
   * MODERNOCH": GET #1.K: OPES #2.8.8."0:ME
                                                  .18.8:COLOR CL:PLOT H.Y:DRANTO
                                                  HT X
                                               VO 1518 SOUND B. B. B. B. BINENT T
   1218 7 17 17 17 "
   1228 ADHI-INT(A0X/256):AGLG-AGX-AGHI+2
                                               PH
                                                  1628 X-1:Y-ET+1:ET-Y+4
                                               HC 1648 589=CL19(I.I)
LO 1248 IO=064:POKE IO+2,11:POKE IO+4,80L
                                                  1658 CL1=A5C(508)-64
   DIPOKE TO+5. AGHT
                                                  1668 FOR H=H TO H+1:50U80 1,RNO(1) 4255
UI 1258 POKE I0+0.4:POKE I0+9.38
                                                   1R.DICOLOR CLIPPLOT M.Y: ORANTO M.ET: N
  1268 JHK-USR(80R("NNNDLVD"), 32):CLOSE
HK
                                                  1678 SOURS 1.8.8.8:8ENT I:Y=ET+1:ET-Y+
AY 1278 RETURN
BZ 1208 HEH LONG GLO PATTERN
                                                JU 1688 BENT R
NH 1298 7 17 17 "Load from: 1.-CASSETTE
```

type-in music construction software

THE MUSICIAN Article on page 37.

LISTING 1

Don't type the OF 18 SEM THE MUSICIAS XO 28 REM BY ABGELO GIAMORA PH 38 REM (c) 1985, ABTIC PUOLISHIBG HB 48 SI=1:POKE 65.8:60T8 2868

OC SO IF PEEK(20) CTEMPO THEN SO EN SO OSPEEK(764) : RETURN 70 FOR I=1 TO SI-1:PITCH-ASC(SOOGS(I.) YC OR IF PITCH-255 THEO POKE C1.ASC(500G5 (T+1. T+1)1 : POKE C2. ASC (50855 (1+2, 1+2))

JV 98 IF PITCH-255 THEO POKE C3.050(50065 (I+3.I+3)):I=I+3:BENT I:GOTO 288 188 IF PITCH-254 THEB POKE C1.0:POKE C 2.8:POKE C3.0:0EXT 3

JT 118 IF PITCH>128 THE8 SUST=1:PITCH=PIT CH-128:IF PITCH-125 THES PITCH-128
OH 128 POKE CS.PITCH-POKE 20.R:IF PITCH-S THEN 170

RJ 138 IF H>15 THEN H-5:G-1:G0500 218 MG 148 YPOS-ASC (YPOS(I,I)): IF YPOS>131 AM 0 YP05<147 THEO YP05=YP05-128:P0511100 :? M6:"+":X=X+1 05 158 IF YP05>283 ABD YP05<219 THEB YP05

YPRS-288:PRSTTION X, YPRS: 7 HO, "b": X-X HE 168 PRSTITEN X. YPRS: 2 MG: 815: PRSTITER H. YPO5-1:7 N6;" P":POSITION N. YPO5-2:7

> continued on next page ANTIC SOFTWARE LIBRARY + 61

#6;" !":X=X+2 OI 620 IF A:42 THEN POSITION 4.22:9 M6;"# 178 TEMPO-ASC(TS(I.I))*TEMP:60588 58:1 y or n=:60588 2498:6010 558 SUST OR PITCH-O THEN SUST-O-NENT I:G EF 638 IF A-46 THEN HTS-CHRS(239) INTTYPE OTO 200 1:055C5="Whole":RFLAG=8:G0T0 988 188 IF A<> 255 THEN POKE 764, 255: IF A-Z HR 648 IF A=8 THEN SONGS(SI.SI)=CNRS(254) B THEN T-51 :SI=SI+1:POSITION 4.22:7 W6;"Chord 190 POKE 53768, STNENT 1 ":GOTO 558 FI 650 IF 6-10 THEN 1780 200 G-8:POKE C1.8:POKE C2.8:POKE C3.8: MU 668 IF A-45 THEN GOSUB 1678:GOTO SSB POKE CB.B:SUST-B:RETURN 210 POKE 53277, 01NT5="+":N=3:5ETCOLOR IV 670 IF A:63 THEN GOSUS 1988:60TO 1978 IF A=0 THEN GOSUS 1988:GOTO 2010 . 0. 0:C-1:SETCOLOR 0.7.4 698 IF A-57 THEN MIS-CHRS (239) : MITTYPE-220 SETCOLOR 1.1.4: SETCOLOR 2.54.4:GRA 2:065cs="helf":RFLAG=8:G0T0 878 PHICS 17: POKE 559.46: POKE 53277.3 230 POKE 16.112:POKE 53774.112 NE 788 IF 8-48 THEN 948 240 POKE 756, CHR8ASE/256: POSITION 7.8: 718 IF A-47 THEN NTS-CHRS (148) : NTTYPE-4:0E5C5="quarter":RFLAG=8:6010 570 258 POKE 53761,178:POKE 53763,168:POKE 720 IF A:53 THEN NYTYPE:8:STEMPLAGS-CM 53765.168:POKE 53767.168:POKE 53768.8 RS(224):0ESCS="e.Shth"|EIGHTFLAG=1|RFL POKE 53775,3:1F G THEN RETURN AG=8: NTS=CNNS(148) | GOTO 988 268 POKE 53254.60:POKE 53255.100:POKE 738 IF A-27 THEN NTTYPE-6:STEMFLAGS-CH 53260.0:POKE 54279.PHB65E:FOR L=784 TO RS(224):0E5C5="51xteenth":RFLAG=8:61GH 787:POKE L.68:NEXT L TFLAG=1:NT5=CHR5(148):G0T0 988 270 FOR L:53256 TO 53259:POKE L.X:NEXT 748 IF A=26 THEN HTTYPE=3:STEMFLAGS=CH L:POKE 53248,68:POKE 53249,92:POKE 53 RS(224):065C5="thirty sec":RFLAG=8:616 258,124:POKE 53251,156:GOTO 78 200 IMPNT #1,TEMP:IMPNT #1.51 MTFLAG=1:MT9=CNR9(148):60T0 988 CO 758 IF A=34 THEN 00T-1:GOTO 988 298 FOR I=1 TO SI: INPUT #1. CHAS: SONGS (GK 768 IF 6=7 THEN G0588 1278:G0T0 SSE . I) -CNAS: NEXT I GR 778 IF A-62 THEN SUST-1:60TO 988 300 FOR I=1 TO SI: INPUT W1, CHAS: TSCI, I 788 1F 8-54 THEN ST:1:FOR TEL TO SUSDI ECHAS:NENT I:FOR 1=1 TO 51 NO 0.15,18,18:FOR 0-1 TO S:NEXT 0:50UM 318 INPUT #1, CHAS! YPOSCI, I) - CHAS! NENT O P. P. B. B. HERT T I | 51 - 51 - 1 : POKE 53762 . 8 : POKE 53764 . 8 : PO 798 POSITION 4,22:7 #6/"Sons cleared": KE 53769. 9: RETURN 888 6010 628 320 POSITION 4,22:9 M6;" ": HTFLAG-BIRETURN 818 FOR 1-1 TO 388: NEXT 1: FIRSTTIME - 0: 330 IF MOVEFLOG THEN POSITION MPOS-1, V 2120 MF 828 IF A=21 THEN SHARPFLAT=2:GOTO 988 340 IF SUST THEN POSITION MPOS. YPOS + 2: 020 IF A=21 INCH SMARPFLAT=1:GOTO 900 840 IF A=90 TNEW SMARPFLAT=1:GOTO 900 840 IF A=10 TNEW GOSUB 210:FT0STTTMF=0 2 461" " 350 POSITION MPOS. VPOS-2:2 06:" ":POST :60T0 2128 TION RPOS. YPOS NC 858 IF A-7 THEN GOSUS SSB:GOTO 988 368 XF SHARPFLATES THEN ? MG:"/" PR 860 IF 8-35 THEN SHARPFLAT-3:GOTO 988 OX 878 IF EIGHTFLAG THEN POSITION XPOS+1, SHARPFLAT-1 THEN ? MG/"+" 300 IF SMARPFLAT-2 THEN ? MG:"b" YPO5-2:7 #6/" ":PO5ITION MPO5+1, YPO5-1 390 IF MOVEFLAG THEN RETURN 488 MOVEFLAG-1: MPOS-MPOS+1: RETURN CM 888 IF NOT OUT THEN POSTTYON MODS+1.V 410 IF SHORPFLOY THEN GOSUS 330 420 POSITION MPOS. YPOS+1:7 W6;" ":POSI 828 60588 418:60YO 558 TION XPOS. YPOS-3 430 ? 86;" ":POSITION XPOS+1, YPOS+1:? LO DOD IF NTTYPE (>1 THEN GOSUB 418:GOTO S 86;" ":POSITION MPOS+1, YPOS-31? MG1" " 918 POSITION MPOS. VPOS-2:? 06;" ":POSI TION MPOS. YPOS-1:? H6;" ":IF EIGHTFLAG THEN POSITION MPOS-1, YPOS-217 MG:" "
928 IF DIGHTFLAG THEN POSITION MPOS-1. 448 IF SHARPFLAT THEN POSITION MPOS-1, YP05+1:7 #6:" ":P05ITION XP05-1.YP05-1 YP05-1:7 06;" ": IF NOT OUT THEN POSIT 450 IF SUST THEN POSITION MPOS. YPOS+3: ION MPOS+1, YPO517 +6: GT 938 60588 418160TO 558 CS 948 IF MITTYPE-4 THEM MIS-"L" 460 POSITION MPOS. YPOSI7 **GINTS! " 470 IF HTTYPE () 1 AND RELAGER THEN POST FM 958 IF NTTYPE=5 THEN NTS="A":NTTYPE=9 TION MPOS. YPOS-1:? MG:STEM18:" ":POSIT 968 IF NTTYPE-2 THEN NTS-""" ION NPOS. VPOS-2:? #6; STEH2#;" " HC 978 RFLAG=1:IF YP05=12 THEN G0585 419: 488 IF MITTYPE = 8 OR MITTYPE = 6 OR MITTYPE = 60TO 558 THEN POSITION MPOS+1, YPOS-2:7 HG; STE 988 IF YPO5>11 THEN 1818 998 IF YPOSK11 THEN FOR YPOS-YPOS TO 1 498 IF MITTYPE=6 OR MITTYPE=3 THEM POSIT 1 STEP 1:GOSUS 418:MENT YPOS ION NPOS+1, YPOS-117 MG:STEMPLAGE 1000 GOTO 558 500 IF MITTYPE-3 THEN POSITION MPOS*1.Y NU 1010 FOR YPOS-YPOS TO 13 STEP -1:GOSUR 418 : NENT YPOS : GOTO SSR 518 IF OOT-1 THEN POSITION MPOS+1, YPOS OC 1020 MX= (YPOS=4) #4+ (YPOS=5) #7+ (YPOS=6) SUST THEM POSITION MPOS, YPO5+21 8+ (YP05=18) +34+ (YP05=11) +48 1858 NX: NX+ (YPO5-12) +43+ (YPO5-13) +49+(538 IF RFLAG OR NTTYPE-1 THEN POSITION MPOS. YPOS-117 MG/" "!POSITION MPOS. YP CYPOS=17)=78+CYPOS=181+76 05-Z12 #61" SE 1848 IF SWARPFLAT-1 THEN NX-NX-3 548 GOTO 328 DO 1858 IF SHARPFLAT-2 THEN NX-NX+3 550 REM POLL JOYSTICK TH 1868 IF SHARPFLATES THEN SHARPFLATER SGB A-STICK(8):IF A-15 OR RELAG THEN 5 DH 1878 IF RFLAG THEN SOUND 8.18.8.18:GOT 570 IF A=14 THEN IF YPOS>4 THEN YPOS=Y NM 1888 SOUND 8. VALCSCALES (NX. NX+2)3, 10, 1 POS-1:GOSU8 418:GOTO 558 588 IF A=13 THEN IF YPOSCIO THEN YPOS-MM 1898 FOR I=1 TO SB: NEXT I: SOUND 9. 8. 9. YP05+1:G0588 418:G0T0 558 BITEMPO-188: IF OUT THEN TS (51+1.51+1) = 598 A-PEEK (764) : IF A () 255 THEN POKE 26 BN 1188 TEMPO=128+(NTTYPE=1)+G8+(NTTYPE=Z 4.255:GOTO 628 RM 600 IF STRIG(0):0 THEN 1820 3+38*(NTTYPE-4)+15*(NTTYPE-8)*2*(NTTYP

E-6)+3+(NTTYPE-3)

1158 YPOS(SI, SI)=CHRS(YPOS):IF SHORPFL HT=1 THEN YPOS(SI,SI)=CHRS(RSC(YPOS(SI 1168 IF SHARPFLAT-2 THEN YPOS(51,51)-C HRS (ASC (YPOS (51.51)) +200) 1170 REM MAKE HEH HOTE 1188 SI-SI+1:POSITION 3,8:IF NTS-CHRSC 1483 THEN NTS="+" 1198 IF MTS-CHRS (239) THEM NTS-"0" 1288 STEM15-" P'ISTEM25-" P'ISTEMPLNGS-" ." IF FIRSTTIME-# THEN FIRSTTIME-1:GOT 1218 GOSUR 418:TRAP 48888:IF RELNG THE NTS="+":RFLNG=8 1228 MOVEFLAG=8:5VEHPOS=HPOS:HPOS=HPOS HP05>15 THEM SUBFL=1:HP05=3:G05U 2138 1230 IF SUEHPOS-1 THEN SUEHPOS-3 1240 STEM19=CNR9(130):STEM29=CHR9(130) STEMPLAGS-CHRS (224) ITF NTS-"+" T5=CHR5(148) 1258 IF NTS="o" THEN NTS=CHRS (239) Lu 1268 DDT=8:SUST=8:GDSU8 418:GDTD 558 1278 POSITION 2.22:7 #6;" enter ther ":POSITION 2,231? #6;"then press re OT 1200 FOR I=1 TO 3:50UNO 8.15.10.10:FOR 0=1 TO 6:MEHT 0:50UNO 0,0,0,0.0EXT I OH 1298 CN5=" " | OPEN #1,4.8,"K;" | POKE 702,01CI-1|HP-HP05-1 1300 A-PEEK(764):IF A-255 THEB 1300 GR 1318 GET #1.A:POKE 764.255:IF A:155 TM 2 M 1320 IF CI-6 THEN 1300 1330 CHSCCI, CID-CHRSCA) 1348 IF CHRSCA3-"6" THEO CHSCCI.CI3-" ISTRIN-S PH 1358 IF CHRS(N)="?" THEN CNS(CI,CI)="+ SEVENTHER 1368 CHAS=CHP(CI,CI) 1370 IF CHAS-"+" THEN CHAS-CHRS(19):60 MU 1388 IF CHAS-"-" THEN CHRS-CHRS (18) (GO OOCHAR=1 1398 IF CHAS="#" THEN CHAS=CHRS(16):60 ODCHOR-1 1400 IF CHAS="*" THEN CLOSE #1:POSITIO "ISECONDPASS"B: N HP05-1,2817 H6;" 6010 1638 1418 IF CHAS-"a" OR CHNS-"b" OR CHAS-" C" OR CHAS="d" OR CHAS="e" OR CHHS="f" FL OR CHAS="9" THEN 1458 1428 TF (CHAS=""" BR CHAS="","") AND SEC 50 ONDPASS THEN 1468 1438 IF CONDICHOR OR STRIK OR SEVENTRO OND SECONDENSS THEN 1468 1448 GDTO 1388 1458 SECONOPASSE1 BE 1468 POSITION NP. 28:7 HG/CHAS/GOOCHAR -B:CI=CI+1:HP=HP+1:GOTO 1300 NU 1478 CLOSE M1: POKE 782.64: SECONOPHSS=8 CHAS-CHS(1,1) 1400 NH=112+(CHAS="c")+186+(CHAS="d")+ 100+(CH65="e"1+97+(CH63="f")+91+(CHH5= 9"1+05#(CHAS="a")+79#(CHAS="b") LV 1498 IF CI=2 THES 051=12:052=21:60T0 1 618 CU 1500 051-12:052-21:CI=2:IF CH5(2,2)-"# THEN HH-NH-3:CI=3 TK 1510 IF CHS(2,2)="b" THEN 8H=8H+3:CI=3 HH 1528 IF SINTH THEM SINTH=8:052=27 05 1248 IL CHRCCI'CI'=.... LUEN 025=24 1558 IF CH5(CI,CI)="4" THEN 051=9:052= GU 1988 DPEN H1.8.8.FILENAMES UP 1568 IF CH2(CI,CI)="-" THEN 051=12:052 ON 1578 IF CHS(CI.CI)="H" THES IF CHS(CI **TUNE 1985**

OH 1118 IF DOT THEM TEMPO-TEMPO=1.5

PITCH-VALCSCALES CHR. NX+233:1F SUS

T THEN PITCH-PITCH-128:IF PITCH-256 TH

1138 SONGS (SI) = CHRS (PITCH) : TS (SI, SI) = C

1148 IF RELAG THEN SONGS (SI) -CHHS (8) ID OT-0:SUST-0:0ESCS="quarter":NTTYPE-4

1120

EN PITCH=253

MH-051.MH-051+2))):50MG5(51+3,51+3)=CH R5 CUNL (SCHLES (HH-052, NN-052+2))) 1638 SINTH=8:SEVENTH=8:SI=SI+4:P0SITIO 2.22:7 M6:" "IPOSITI OH 2,23:7 H6;" 1648 POSITION 7.2217 HEIDESCRIF CHASE " THEN RETURN 1658 50UNO 8.ASC(50NGS(51-3.51-3)).18. 18:50UND 1.ASC (50NG5 (51-2.51-2)).18.18 150UMD 2.N5C(50NG5(51-1,51-1)),10.10 1660 FOR I=1 TO 20:NEHT I:50UMD 0.0.0. 8:50UNO 1,8,8,8:50UND 2,8,8,8:RETURM 1678 FOR I=1 TO 3:50UNO 8,15,18,18:FOR 0=1 TO STRENT OISOUND 0.0.0.0:NENT I 1688 POSITION 5.28:7 MG:"Change Tempo" :POSITION 5,22:? M6;" 1898 PRSTTTRN 8.22:7 M6:CNR3(243):CNR3 (236) | CHR5 (239) | CHR5 (247) | CHR5 (229) | CM RS(242):TEMP0-0.25 1700 ASSTICKED 1718 IF A=14 THEN POSITION 8.22:7 MG/C NRS (238); CHRS (225); CHNS (243); CHRS (244) ;CNR5(229);CNR5(242) KO 1728 TEMPO=-0.25;GOTO 1788 1738 IF N=13 THES 1698 HR 1748 TF STRIGGERS B THER 1768 1750 GOTO 1700 1768 TEMP=TEMP+TEMPO:FOR I=1 TO 3150UM 0 8.15.18.10:FOR 0:1 TO 6:MENT 0:50UNO 8.8.8.8:NEHT 1 IJ 1778 POSITION 5.28:7 #6;" ":P05ITI00 4,2217 #61" "IDESCSI" ": RETURN 1288 ST:ST-1:FOR T:1 TO 3:50000 8.15.1 8,18:FOR 0=1 TO 8:BEHT 0 1798 SOUND B.B.B.B.MERT T:POSTTTON 7.2 MG1"Cancelled" 1000 POSITION HPOS. YPO5-2:7 #6;" **:00 SITION HPOS. YPOS-1:7 MG:" "!POSITION HP05. YP05: ? MA: 1818 IF SHARPFLAT THEN POSITION HPOS-1 1828 IF SUST THEN POSTITION MPGS. VPOS+2 1838 HPOS-SVENPOSITE ST41 THE8 ST-1 1048 IF SIC4 THEB 558 1858 IF ASC(50MG)(51-3.51-33)=255 THEN SI=SI-4:POSITION 3,22:7 MG/"Chord can 1868 FOR X=1 TO 188:MENT I:POSITION 3. 1878 GOTO SSE 1880 IF TS(51,51)="4" OR TS(51,51)="6" OR TS(51,51)="3" THE

1988 GRAPHICS 18:POKE 53277,8:POKE 559

1938 SET H1. CH: TF CH-155 THEN CLOSE #1

1948 TF CH-126 THEN POSITION (PEEK(85)

1958 IF CHR\$ (CH) ("A" OR CHR\$ (CH) >"Z" T

1968 FILENAMES(I)=CHRS(CH):? #6;CHRS(C

B. B. "C:": FOR I=1 TO 120 | PUT #1, CH : NEHT

K(851-11, (PEEK(841); I=I-1|GOTO 1950

1) . (PEEK(84)) :? #6;" "1:POSITIOS (PEE

.34:9 HG:" ENTER SONG NAME" 1918 OPEN H1.4.8."K":FILENNMES="0:":I=

STEMPLINGS:"\"

3:2 M6:2 M6:2 M6:" 1928 POKE 16,112:POKE 53774,112

H+128)::I=I+1:GOTO 1930 1978 IF LEGIFILENAMEST-2 THES OPEN MI.

1898 GOSUS 328

HEN 1938

I:60TO 1998

1,CI+1)=" " THEN 051=9:052=21

1.CI+1)="+" THEN 051=9:052=38

1,CI+2)="aj" THEN 051=12:052=33

PR 1588 IF CHS(CI.CI)-"H" THEN IF CHS(CI+

BM 1598 IF CHSCCI.CI) -"H" THEN IF CHSCCI+

1600 IF CHS(CI,CI)="M" THEN IF CHS(CI+ 1.CI+1)="| " THEN 051=9:052=27

1618 SONGS (SI, SI) = CHRS (255) : 50NGS (SI+1 SI+1) = CHRS (VAL (SCALES (NM, NX+2)))

1628 50MG5 (51+2, 51+2) - CHR5 (VAL (5CMLES)

continued on next page ANTIC SOFTWARE LIBRARY * 63 ZP 1990 ? #1:TEMP:? #1:SI-1:FOR I=1 TO ST -1:CH40=50460(I):? #1:CH40:0EKT I:FOR I=1 TO SI-1:CH40=T5(I) IK 2000 ? #1:CH40:UEUT I:FOR I=1 TO SI-1: CH40=YPDOS(I):? #1:CH40:MENT I:CL056 #1

THE STYPHIST OF THE STYPHIST STATES OF THE STYPHIST OF STYPHIST OF

116010 2058 17 2058 0PE #1.4.8.FILESHHES:GOTO 2058 NH 2048 CLOSE #116070 2128 AV 2058 51=1:NTS="#150388 208:CLOSE #1:6 6580 210:FIRSTITHE-816070 2128

LK 2008 REM 10171ALIZE SCREEN 10 2070 DIM 015(1),5TEM25(1),5TEM25(1),5D M65(1000),75(1000),700(1000),900ME5(1 2),FILEOAME5(12) HF 2000 DIM 50ALIS(127),5TEMFLAG5(1).DESC

\$(15):0ESC5="quarter":0IM CHS(S).CHAS(1) PD 2898 SCALES="8288298318338358378488428 4584785885385786888488872876881885091

996.0218011412120136144153162173162"

YH 2100 5ChLES (180) - "195204217230243255"
G05U0 520017809-1

VZ 210 Ce=537601C1=53762:C2=53764:C3=537
66

66
R 2120 WT9="0")STEH19="|"|STEH29="|".8TT
PPE=4|DE5C5=""UBARTER"|"|SPD=11
PPE=4|DE5C5=""UBARTER"|"|SPD=12|IMPD9=1
P130 PMCE 53277.0:GRAPHICS 17:SETCH0.08
0.0.0:PMCE 756.INT(CHR005E/250)IPD5IT
100 3,07:96/"THE PMSECADE

CH 2140 POKE 16.112/POKE 55774.112
MM 2150 POSITION 7.2217 M6.DESC5:POKE 559
.46:POKE 53277.3:POKE 53254.60:POKE 53
255.100:POKE 53266.0:POKE 623.4
CZ 2160 FOK TSCHROASE TO CHROASE?:POKE 1

CZ 2168 FOR ITCHROASE TO CHROASE+7:POKE I .0:BENT I:FOR L=704 TO 707:POKE L.120: BENT KY 2170 FOR L=53256 TO 53259:POKE L.318EH T L:POKE 53246:A0:POKE 53249.92:POKE S

3258.124:PDKE 53251.156 GE 2108 IF 580PL THEM SUOFL=8:RETURM 5R 2199 GOTO 1199 PR 2208 GRAPHICS 17:P=57856:PMOASE=10TCCC

PEEK(106)-12)*256)/1824)*1824 50 2218 CHR805E-18T(C(CPEEK(106)-16)*256) /1824-1))*1824

CT 2228 POKE 16.112:POKE 53774.112

80 2238 FOR I=1 TO 15:POSITION 5.117 M6;"
RENE EMBRISHMENT SERV 1:7 M6:7 M6:7"
FEV.1.0"

HS 2248 DIM ES(76):FOR I-1 TO 76:READ A:E S(I.I)=CHRS(A):HENT I HB 2250 DATA 104.104.133.193.104.133.192.

184,133.197,184,133

0M 2200 0818 190.109.226.133.199.109.R.13 5.194.100.R.102.0.177.194.145 VF 2270 0818 192.200.192.0.200.247.232.22 4.5.246.10.250.193.230 10 2280 0818 195.100.0.109.240.252.102. 10 2280 0818 192.0.200.249.252.224.5.240. 10 100.0.230.197.109.0.240.232.244.5.240. 10 100.0.230.197.109.0.240.232.988511PS

7544-176:700 Incheons-1-26 TO CHROASE-103:700K [] PERKYP):P-P-10ENT [VX 2310 P-5734-104:700 I=CHROASE-104 TO CHROASE-103:700K [] PERKYP):P-P-116ENT VX 2320 P-5734-24:FOR [] CHROASE-120 TO C HROASE-135:FORK [] P-ERKYP):P-P-P-16ENT [

HROASE-135:POKE I.PEEK(P):P=P+1:0EXT I IP=57344+112 FI 233R FOR I-CHROASE-96 TO CHROASE-103:P OKE I.PEEK(P):P=P-1:0EXT I:P-57544+400 OF Z340 FOR ITCHBRASE-256 TO CHROASE-256;

OF 2348 FOR I=CHROMSS-2266 TO CHROMSS-2263:
POKE I,PEEKEP;P:P=+1:BENT I
C0 2558 FOR I=CHROMSS-00 TO CHROMSE-07;RE
AD A:POKE I.A:BENT I;FOR I=CHROMSE-64
TO CHROMSE-71:READ A:POKE I.A:NEHT I
UA 2568 FOR I=CHROMSS-40 TO CHROMSE-55:RE

AD A:POKE I.A:BENT I

MM 2378 START-PMBASE:PMBASE:PMBASE/256
MP 2308 FOR I-START-304-49 TO START-304-6
1:POKE I.248:MENT I

C 2398 FOR I-START-5249 TO START-648-4

1 STEP 8:PORE 1,255:FON Z=1+1 TO 1+7:P ORE Z,0:NEXT Z:GENT 1 NP 2408 FOR 1-51ART+640-49 TO START+760-4 1 STEP 0:PORE 1,255:FOR Z=1+1 TO 1+7:P ORE Z,0:NEXT Z:MEXT 1

OKE Z.0:MENT Z:MENT I

CP Z418 FOR I=576R1+560-49 TO START+896-4

1 STEP 0:POKE I,255:FOR Z=I+1 TO I+7:P

OKE Z.0:00HT Z:MENT I

OH 2420 FOR I=5TART+8056-49 TO START+1824
41 STEP 0:POKE I,255:FOR Z=I+1 TO I+7:P

41 STEP BIPOKE 1,255:FOR Z=1+1 TO 1+2:
 POKE 2.0:MENT 2:MENT 1
 SH 2430 POKE 15.INT(CHRORSE/250)|A-CHRORS
 E-(10)TCHRORSE/250)=256)|POKE 14.
 YO 2440 POKE 34279,PHORSE:POKE 559,46:POK

E 53277.3 HT 2450 POKE 53760.e:RETURE AE 2450 OATH 40.24.20.45.24.20.40.24 OT 2470 DATH 40.62.4.8.8.16.16.32

01 2470 DATA 40.62.4.0.16.16.32
NK 2400 DATA 8.36.44.52.36.44.52.4
H0 2400 APPECK(264):IF A-255 THES 2490
H0 2500 POKE 764,255:IF A-243 THES POSIT:
H1 2518 FOR I-1 TO 20:NEHT I "RETURE
LT 2518 FOR I-1 TO 20:NEHT I

let your joystick select program hues!

COLOR PALETTE ASSESSMENT

LISTING 1

64 * ANTIC SOFTWARE LIBRARY

TYPO II Codes!

TP 20 REM OY JOHN M. FELTON
FM 30 REM (c) 1905. ABTIC PUBLISHING
JR 40 REM INITIAL COLORS
HT 50 OATA 40.202.140.70
PC 60 OATA 50.02.252.114.172,244.190.0

E 68 DATA 50.02.252.114.172.244.190.0 78 BEN DISPLAY LIST V 88 DATA 112.112.04.07.0.07.135.0.150.0. 5.135.0.150.05.135.0.2.0.2.06.0.0.2.2. 2.2.2.00.0.05.05

EK 98 REM 015P. LIST INTERRUPTS TU 188 DATA 72.173,288.2.69.79.37.78.141. 18.212.141.24,285.173.7.5.69.79.37.70.141.23.285.169.59.141.6.2.169.6.141 GR 118 0ATA 1.2.184.64 OH 120 OATA 72.173.06.69.79.37.79.141.18

ON 128 ORTH 72.173.0.6.69.79.37.78.141.10 .122.141.22.280.173.1.6.69.79.37.70.14 1.23.200.173.2.6.69.79.37.76.141.24 Y5 130 ORTH 280.173.3.6.69.79.37.76.141.2 5.200.169.186.141.8.2.169.6.141.1.2.18

AS 140 DATA 72,173,200,2,69,79,37,78,141, 10,212,141,24,205,173,7,6,09,79,37,78,141,23,206,169,142,141,0,2,169,6,141

JUNE 1985

62 158 ORTA 1.2.184.64 00 160 DATA 72.173.4.6.69.79.37.78.141.18 .212.141.22.208.173.5.6.69.79.37.78.14 KN 548 POKE 54229. THTTPMBASE/256):POKE 53 277, 31POKE 756, INT (PMBASE/256) 1,23,288,173,6.6.69.79.37.78.141.24 UR 658 PM5(9.33)="UUUUUUUUUUUU HZ 178 BATA 288,169,188,141,8,2,169,6,141 HK 550 RCM DRAW SCREEN 1,2,184,64 BH 188 GATA 72.173.288.2.69.79.37.78.141. UI 678 TSCH:PCCK(B9) .TSCL=PCCK(BB) :POKE B 18.212.141.24.288.169.224.141.9.212.17 9. BSCH: POKC BB. BSCL 3,7,6,69,79,37,78,141,23,285,184,64 XN 688 POKE 87.0:POKE 752.1:POSITION 8.8: SH 198 REM W/B INTERRUPT TC 698 RESTORE 248:FOR N=8 TO 15:READ AS: AL 200 DATA 169,14,141,8.2.169.6.141.1.2. POSITION 1.8:7 " "; as:POSITION 16-(N >9), H:? N:POSITION 39,8:7 " " NEHT N 76.95.228 85 218 DATA 184,168,219,162,6,169,6,32,92 GH 700 POKE BB. TSCL | POKE B9. TSCH: POKE B7. .228.96 228 REM SCROLL SUBROUTINE LS 718 FOR M-1 TO 31 STEP 18:COLOR 33+(N= HK 238 DATA 184,184,141,8,8,184,141,8,8,9 11)+(N=21)=2+(N=31)+130:FOR M=0 TO 6 5 MO 248 DATA GREY.GBLD.ORANGE.RED.PINK.VIO TEP LET. PURPLE. RLUE. CYAN. LT BLUE. TURQUBISE PH 720 FOR I-0 TO BIFOR J-0 TO 1 PLOT N+I M+J-CH-6 AND M-313+3: NEXT J: NEXT I 258 ROTO BLUE-GON, GREEN, YLLN-GRN, ORNG-16 730 NEXT H: NEHT H ZP 748 POKE 87,8:POKE 752.1 268 OIM PMS(1824), SCS(708), C(12), CRSS(BM 750 FOR C=1 TO 12:605UB 1280:NEHT C 18) , BLANK (18) , AS (28) , BLKS (18) , ROUTINES 768 POSITION 1,9:7 %6;"BRANCH PROMISSION 1,18:7 %6;"BRANCH 778 POSITION 1,18:7 %6;"BRANCH PROMISSION PROMISSION COMMENT 788 POKE 89,85CH:POKE 88,85CL 270 BEH TITLE PAGE YO 200 POKE 106, PEEK (748) En 290 GRAPHICS 0: SETCOLOR 3.5.6: SETCOLOR 798 CR55="+13333333331+" 8,14,18 | POKE 718, B | POKE 752,1 TH BBB BLKS="TTTTTTTTTT PE 300 X-PEEK (560) +PEEK (561) +256+91POKE H SU 010 POKE 559,46 .6: POKE H+1.6 310 POSITION 4,4:? "SECREMINGUES GA B28 LY-528:Y-1:X-1:GOTO 928 DIG REM UPPER HINGON ROUTINE FA 328 POSITION 18,18:7 "BY" CI 848 IF STRIGGOS - B THEN 548 GO 330 POSITION 13.12:7 "JOHN H. FELTON" HC RSR IF STRIGGREE THEN GOSUB 1350:GOTO 340 REM INITIALIZE 288 350 RESTORE 180:FOR N=1550 TO 1770:REA NZ 868 FOR GELAY-1 TO 15: NEHT GELAY B GIPOKE N. GIMERT N 50 878 GOSUB 1218 3GO POSITION 11,28:7 "(BACK IS A MOMEN YT BBO IF DX-0 AND DY-B THEN BSO JH 898 POKE 77,8 988 X-X+DX:Y-Y+0Y 378 RESTORE SOIFOR N=1 TO 12:READ A:CC M) = A: NEXT M TD 918 H=X-(X=5)=4+(X=8)=4:Y-Y-(Y-4)=3+(Y XJ 388 RESTORE 68: FOR N:0 TO 7: READ A: POK 18 928 PMS(LY, LY+9)=8LKS E 1536+N, 0: NEXT N 398 5CS(1)=" ":5CS(788)=SCS:SCS(2)=SCS VD 938 LY=Y=21+585 NV 948 PBKE 53248.H=48+22 FA 958 PMS(LY, LY+9) -CR55 VO 400 DMB05E=255#(DEEK(105)-8) 84 968 GOTO 858 418 BSCH-INT (PHBASE/256-5) | BSCL-8 PO 428 FOR Nº96 TO 288 POKE PMBASE+N. PEEK PG 978 BEM LOWER WINROW ROUTING (52344+N) : NEHT N UM 988 CLOC=1527+H+Y#4:CL0C=CL0C-(Y=13#82 EY 430 REM SET UP DISPLAY LIST 4:IF Y=3 AND N=4 THEN CLOC=712 440 GRAPHICS 17: POKE 559.0 HM 998 C=H+(Y-1)=4|COLR=INT(C(C)/16):LUM= LU 450 DL=PMBASE-256+6:5CRLOH=DL+22:5CRHI 1888 BSCRN-BSCL+BSCH+256 VI 468 RESTORE DO: FOR N=8 TO 32:REAS A:PO IN 1818 SCLOC=8SCRN+(COLR>2 AND COLR<133+ [COLO-2] #48+ [COLO > 12] #488 KE DL.B.A: NENT N 470 POKE SCRLON, BSCL | POKE SCRHIGH, BSCH ZT 1020 G05UB 1240 :POKE OL+33.PEEK(S68):POKE OL+34.PEEK(SE 1030 0H=LUM+19+(LUM>9)*(LUM-B)/2:BY=CO LRIPOSITION BX.BYI7 "X":LBH-BH:LBY-BY BX 1040 IF STRIGGO-8 THEN 950 HK 488 POKE BL+4.PEEK(BB):POKE BL+5.PEEK(YM 1858 685UB 1218 89):POKE 568.8L-INTCOL/2563#256:POKE 5 1868 IF STRIGGO: THEN POSITION BH. BY 61.DL/256 198 M=PEEK(88) +PEEK(89) +256 - 188 | HIGH=I :7 " ":GOSUB 1350:GOTO 840 MT(M/256):LOH=N-HIGH=256:POKE BL+30.LO 1878 BH=8H+8X+2:BX=8X+(BX>27)+BX:BY=8Y HIPOKE OL+31. HIGH 588 POKE 512.14:POKE 513.6:POKE 54286. MB 1550 IF SH-LSH AND SY-LSY THEN 1850 1921POKE 1543,18 1098 POKE 77.8 S10 REM INIT SCROLL SUBROUTINE 1100 IF BH>37 OR ON<19 THEN ON-LON:BH-520 RESTORE 238:FOR N=1 TO 10:READ A.R OUTINES(N.N)=CHRS(A): BEHT N SIG HIGH=INT(SCRLOH/256):LOH=SCRLOH-HI FF 1110 IF 8Y>15 OR BY O THEN BY-LBY: DY-B GH=256 | ROUTINES (B. B) = CHR9 (LOH) : ROUTINE 1120 POSITION LBX.LBY:? 5 (9.9) - CHR5 (HIGH) 1130 IF OSCRN-BY*40 (SCLBC THEN SCLOCES S40 HIGH-INT (SCRHIGH/256) | LOH-SCRHIGH-CLOC-49:605UB 1248 HIGH#256:ROUTINES(4.4) - CHRS(LOH) / ROUTI 1140 IF DSCRN+BY#40>SCLBC+200 THEN SCL BES (5. 5) = CHRS (HIGH) OC=SCLOC+40:G0SUB 1240 CH 550 A=USR (1768) 1150 POSITION 0x. 0y:? "H":LBX:BX:LBY=0 TR S68 REM SET UP P/H GRAPHICS 578 VVTP=PEEK(134) +PCEK(135) #256 1168 LUM-LUM+8X=2:CC-LUM+16=8Y:POKE CL JF 588 STARP-PCEK(148) + PEEK(141) #256 0C.CC:C(C)=CC:G05W0 1260 OJ 598 OFFSET-PHRASE-STARP 1178 POKE 88, TSCL: POKE 89, TSCH: GOSUB 1 SOR HT - THI COFF SET / 2561 : LON: OFF SET - HI = 2 1155 POKE SS. SSCL : POKE S9. SSCH HA 518 POKE VVTP+2, LOH: POKE VVTP+3. HI 1130 6010 1050 628 PMS (512) - "+": PMS (648) : PMS (512) : PMS 1200 REM READ JOYSTICK SUD (513) =PMS (512) OH 638 POKC 623.1:POKC 784.12:POKC 53256. continued on next page ANTIC SOFTWARE LIBRARY * 65 HINE 1985

```
TN 1218 5=STICK(82:0H=(5>4 AND 5<8)-(5>8
                                                 MODE OPERATIONS
   AND 5<123:0Y=(5-5 0R 5-9 0R 5-13)-(5-6
                                                         AND ORKHSK
    OR 5-18 DR 5-14)
                                                9348
                                                          STA WSYNC
                                                                      I HAIT FOR HORIZO
OH 1220 POKE 16.112: POKE 53774,112: RETURN
                                                HTAL BLANK
GH 1238 REM SCROLL SUR
                                                         STA COLPF2 | STORE IN GR.0 8
   1248 A-USR (AGR (ROUTINES) , SCLOC) | RETURN
                                                ACKGROUND COLOR REGISTER
                                                                     ; LORO DISPLAY CO
                                                        LOA COLR?
   1258 REM SET TENT COLOR SUB
                                                LOR SEVEN
   1268 A=PEEK(712)-INT(PEEK(712)/16)+16:
                                                8378
                                                         FOR COLDSH : PERFORM ATTRACT
   POKE 1543,18-(R>9) +2 | RETURN
       REM UDITE HUEZION SUB
                                                 MODE OPERATIONS
   1288 BY-INT(C(C)/16):LUM-C(C)-RV+16
                                                8388
                                                          AND ORKHSK
   1298 Y-1+(C>4)+(C>8):H=C-INT((C-1)/4)=
                                                8798
                                                          STA COLPF1
                                                                      ; STORE IN GR.O L
                                                UMINANCE COLOR REGISTER
   1300 POSITION H=10-9-(0Y>9),Y=3-1:9 =
                                                          LOA # KINT2 ; LOAD ADDRESS OF
   ": 0Y:".":
   1318 POSITION N=10-6.Y=3-1:7 LUM;" ";
                                                8418
                                                          STA UNSUST : THTERRUPT THTO
   THEN ? " ":: IF C(C) <18 THEN ? " ":
                                                THE
N M
   1338 ° C(C) : RETURN
                                                          LOA # >INT2 : DISPLAY LIST IN
   1348 REH BEEP SUB
                                                TERRUPT
   1358 SOUND 0,50,14.6:FOR N=8 TO 18:NEW
                                                8438
                                                          STA VOSLST+1 ; VECTOR
   T N:SOUND E.E. O. B: RETURN
                                                8448
                                                          PLA
                                                                     ; POP ACCUMULATOR
                                                 OFF OF
                                                        STACK
                                                         RTI
                                                                      ; RETURN FROM INT
                                                ERRUPT
LISTING 2
                                                8468 :
                                                8478 : THYEDDURY H2
          COLOR PALETTE INTERRUPTS
                                                                      : PUSH ACCUMULATO
           JOHN W. FELTON
   20 ;
                                                R ON STACK
           (C) 1985, ANTIC PUBLISHING
   39 :
                                                9599
                                                          LOA COLRO
                                                                      ; LORO OXSPLAY CO
   48 :
                                                LOD ZEDO
   58 ORKMSK = 54E
                         ; ATTRACT MODE RE
   OUCEO LUMINANCE MASK
                                                          EOR COLRSH
                                                                      ; PERFORM ATTRACT
                                                 MODE
                                                        ERATIONS
   60 COLRSH = 34F
                         ; ATTRACT MODE CO
                                                          AND ORKHSK
   LOR SHIFT MASK
   ZB MSYNC =
                50488
                         : WAIT FOR HORIZO
                                                0530
                                                          STA MSYNC
                                                                      : WATT FOR MORTZO
   NTAL SYNCHRONIZATION REGISTER
                                                NTAL BLANK
   BB COLPER a
                50816
                         : COLOR RESTSTER
                                                8548
                                                          STA COLPFO
                                                                      : STORE TH COLOR
   FOR PLAYFIELD ZERO
                                                REGISTER
                                                         ZERO
   98 COLPF1 = 50817
                         ; COLOR REGISTER
                                                          LOA COLRI
                                                                      : LORO DISPLAY CO
   FOR PLAYFIELD ONE
                                                LOR ONE
                                                8558
   8188 COLPF2 = 50818
                         ; COLOR REGISTER
                                                          EOR COLRSH
                                                                      : PERFORM ATTRACT
   FOR PLAYFIELD THO
                                                 OPERATIONS
   0110 COLPF3 = 50019
                         ; COLOR REGISTER
                                                          OND ODENSE
   FOR PLAYFIELD THREE
                                                8588
                                                          STA COLPF1
                                                                      ; STORE IN COLOR
   8128 COLOR4 = 582C8
                         : BACKGROUND COLO
                                                REGISTER
                                                          ONE
   R REGISTER SHADOH
                                                0598
                                                          LOA COLR2
                                                                      I LORG DISPLAY CO
   8138 VD5L5T = 58288
                         ; DISPLAY LIST IN
                                                LOR THO
                                                8688
                                                          EOR COLRSH
                                                                      : PERFORM ATTRACT
   TERRUPT VECTOR
                                                 OPERATIONS
   8148 SYSUBU = SE45F
                         ; STAGE ONE VERTI
                                                          ONO ODVINCE
   CAL BLANK ENTRY
   8158 SETUBU = SE450
                         : SET VERTICAL BL
                                                8628
                                                          STA COLPEZ
                                                                      : STORE IN COLOR
   ANK VECTOR ROUTINE
                                                REGISTER
                                                         THE
   8168 CH8A5E = 5D489
                         ; CHARACTER BASE
                                                8638
                                                          LON COLRS
                                                                      : LOAD DISPLAY CO
                                                LOR 3
   000RESS
   9178
             ORG SMAN
                         : POSITION ON PAG
                                                          EOR COLRSH
                                                                      PERFORM ATTRACT
   E STR
                                                 MODE OPERATIONS
   0188 COLR8 .05 1
                         ; OEFINE STORAGE
                                                8658
                                                          AND ORKHSK
   FOR DISPLAY COLORS
                                                8668
                                                          STA COLPFS
                                                                     ; STORE IN COLOR
   8198 COLR1 -05 1
                                                REGISTER
                                                         THREE
   9200 COLR2 -05 1
                                                8678
                                                          LOA # <INT3 ; LOAD AGGRESS OF
   8218 COLR3 .05
   8228 COLR4 .05 1
                                                8600
                                                          STR VOSEST : INTERRUPT INTO
   0238 COLR5 . 05 1
                                                8698
                                                          LOA # >INTS ; OISPLAY LIST IN
   8248 COLR6 -05 1
                                                TERRUPT
                                                0286
                                                          STA VOSEST+1 : VECTOR
   8258 COLR7 . 05 1
             .05 4
                          ; EXTRA STORAGE
                                                                      ; POP ACCUMULATOR
                                                        STACK
   0278 :
                                                 OFF OF
   9289 : THTERRUPT MI
                                                8728
                                                          RTI
                                                                      : RETURN FROM INT
   8298
                                                ERRUPT
   8388 INT1 PHA
                          PUSH ACCUMULATO
                                                8238 :
   D ON STOCK
                                                8748 : THYEDDUDY MY
   8318
             LOA COLOR4
                         ; LOAG BACKGROUND
                                                8758
                                                8768 INTS PHA
                                                                      PUSH ACCUMULATO
                         ; PERFORM ATTRACT
                                                D OM STACK
```

TUNE 1985

66 * ANTIC SOFTWARE LIBRARY

```
1220
                                                                STA HSYNC
   9778
             LOS COLOR4 : LOSO DECKEROUND
                                                                             ; HAIT FOR HORIZO
   COLOR
                                                     NTAL SLANK
                                                     1230
                                                               STA COLPEZ
                                                                             ; STORE IN GR. 0
             FOR COLDSH
                           : PERFORM ATTRACT
   MODE
          OPERATIONS
                                                     ACKGROUND COLOR REGISTER
             AND DRKMSK
                                                     124B
                                                               LOO MSES
                                                                              ; LOAD MSB OF ADD
                           : WAIT FOR HORIZO
                                                     RESS OF CHARACTER SET IN ROM
   enee
              STR MSYNC
                                                                STA CHBASE ; STORE IN CHARAC
   NTAL BLANK
                                                     TER SET BASE POINTER
   8818
             STA COLPF2 ; STORE IN GR. 0 B
                                                              LDA COLR?
                                                                             ; LOAD DISPLAY CO
   ACKGROUNG COLOR REGISTER
                                                     LOR SEVEN
   9829
             LDA COLRY
                           : LOAD DISPLAY CO
   LOR SEVEN
                                                     1278
                                                               EDR COLDSH : PERFORM ATTRACT
                                                      MODE OPERATIONS
   838
             EOR COLRSH
                           ; PERFORM ATTRACT
                                                     1288
                                                                AND DRKMSK
    MODE OPERATIONS
                                                                STA COLPF1
                                                                             : STORE IN GR.B L
   8848
             AND DRKMSK
                                                     UMINANCE COLOR REGISTER
   8858
              STA COLPET
                          ; STORE IN GR.B L
                                                               PLA
                                                                            ; POP ACCUMULATOR
   UMINANCE COLOR REGISTER
             LOA # KINT4 ; LOAD ADDRESS OF
                                                      OFF OF
                                                              STACK
                                                     1318
                                                               PTT
                                                                              ; RETURN FROM INT
    NEXT
                                                     ERRUPT
   8878
              STA VOSLST ; INTERRUPT INTO
                                                     1328 ;
                                                     1330 ; VERTICAL BLANK INTERRUPT
   9888
             LON = >INT4 ; DISPLAY LIST IN
                                                     1340 :
   TERRUPT
             STA VDSLST+1 ; VECTOR
                                                     1358 VBI LOA = CINT1 ; LOAD ADDRESS OF
                                                      FIRST
   9989
             PLA
                           ; POP ACCUMULATOR
                                                                STA VOSLST ; INTERRUPT INTO
   OFF OF STACK
                                                     THE
   8918
             RTT
                           : RETURN FROM THE
                                                     1378
                                                                LOA # >INT1 : DISPLAY LIST IN
                                                     TERRUPT
                                                     1388
                                                                STM VDSLST+1 ; VECTOR
   8938 : INTERRUPT #4
                                                     1308
                                                                JMP SYSUBU ; JUMP TO OS VERT
   894B :
                                                     ICAL BLANK ROUTINE
   8958 THT4 PHO
                            : PIISH OCCUMULATO
                                                     1400 -
   R ON STACK
                                                     1418 ; SET VECTOR TO VERTICAL BLANK IN
             LOR COLR4
                            ; LOAG DISPLAY CO
                                                     TERRUPT
   LOR FOUR
                                                     1428 :
   8978
             EOR COLRSH
                           : PERFORM OTTROCT
                                                     1430
                                                               PLA
                                                                             : DISCARD NUMBER
   MODE OPERATIONS
                                                     OF PARAMETERS PASSED IN BASIC CALL
             AND ORKMSK
   8998
              STA HSYNC
                            ; HAIT FOR HORIZO
   NTAL BLANK
             STA COLPFE
   1888
                            ; STORE IN COLOR
                                                         SOUTHERN SOFTWARF
   REGISTER ZERO
   1918
             LOA COLRS
                             LOAD DISPLAY CO
                                                        1879 Ruffner Rd. Birninghan, At. 35210
   LOR FIVE
                                                          PHONE 205-956-0986
   1928
             EOR COLRSH
                            ; PERFORM ATTRACT
                                                     GEND HELF ADDRESSED STATIFED FIVELINE FOR OUR TOP 3D SPECIAL SHEET LADRESS EVERY MEEK
    OPERATIONS
             AND DRKMSK
             STA COLPF1
                            : STORE IN COLOR
                                                         THIRD PARTY BOFTWARE
                                                   ALL
   REGISTER ONE
   1958
             LOS COLRE
                            : LOOD OTSPLAY CO
   LOR SIX
   1968
             EOR COLRSH
                           ; PERFORM ATTRACT
                                                     AT APR 1
1030 MARIN. 19,95
1030 MARIN. 19,95
1050 DISK SMIM. 179,95
1020 MICHAEL 179,95
1020 PRIMITE. 79,93
1022 PRIMITE. 79,93
                                                                                  ATARI
   OPERATIONS
   1978
             AND DRKMSK
   1888
             STA COLPF2
                          ; STORE IN COLOR
   DEGISTED THO
                                                                             1027 FRINGE......197-79
                                                     AXLUN RAMPOWEN
             LOR H KINTS : LORG ROORESS OF
                                                                            MENT
                                                      STA VOSLST ; INTERRUPT INTO
                                                                             ICD INC. 34.95
specie pop. 34.95
us poster. 55.95
Dup FOR 850. 69.95
herry species. 32.00
             LOA # >INTS : DISPLAY LIST IN
   1118
   1128
             STA VOSLST+1 ; VECTOR
                           ; POP ACCUMULATOR
   1130
             PLA
                                                                     T LISTED ..... CALL
    OFF OF
            STACK
                           ; RETURN FROM INT
                                                     MIL PRICES 125100 MM FOR MAIL CROFFS ON Y. CREDIT CARD
MID C.C.D. DEFENS APPROXIMATELY TOT HISMAN. DAY EX
BASINESS WALCOM, SOME FOR DUT PHET BROTHER PARTY AND PAIL
1251, FOD 95,00 FOR SHIPPING, HARDLING AND INDEPENCY.
PRICESS DEPOSES WELLOWS WITH MISSELENIN POSINGS DECUMED.
   ERRUPT
   1150 :
   1168 ; INTERRUPT #5
   1178
   1180 INTS PHA
                           ; PUSH ACCUMULATO
   R ON STACK
                                                          SOUTHERN SOFTWARE
   1198
             LOA COLOR4
                           ; LOAG BACKGROUNG
    COLOR
                                                         1879 Ruffner Rd. Birmingham, AL 35210
   1288
             EOR COLRSH
                           ; PERFORM ATTRACT
                                                            PHONE 205-956-0984
         OPERATIONS
   1210
             AND ORKMSK
                                                                       ANTIC SOFTWARF LIBRARY + 67
JUNE 1985
```

LDY # KUBI ; LOAD Y HITH LSB OF INTERRUPT ADDRESS 1450 LDX # >URI ; LOAD H HITH MAR OF THTERRUPT ORDRESS ; LOAD ACCUMULATO 1460 LDA #6

R WITH SIX FOR IMMEDIATE UNI 1470 JSR SETURY : CALL OS ROUTINE TO SET VECTOR : DETUDN FROM SUR 1400 RTS ROUTINE

fast graphic power from BASIC

FH 30 REM (C) 1985, ANTIC PUBLISHING

G.U.P. THE GREAT

LISTING 1 KS 18 REM GUP. 8AS

Don't type the 28 REM BY BAREK MINECKA

48 DIM FRS (28) . TEMPS (28) . ARS (93) "MBUTPUT filename": : INPUT FMS: CAS IF FMS(1,1) -"D" AND (FMS(2,2)=":" 8 R FM5(3,3)="|") THEN 66 28 TEMPS(1.2)="D:":TEMPS(3)=FHS:FHS=TE BU TRAP 150 100 RESTORE : READ LN:LM:LN:DIM AS(LN): 118 ARS-"" READ ARS 128 FAR H:1 TO LENGARS) STEP 3:POKE 75 138 LM=LM-1:PD5ITIDM 18,18:7 "(Countdo "!INT(LM/10);") 148 AS (C.C) = CHRS (VAL (ARS (N. X+2))) | C=C+ 1:NEXT 8:60TR 118 178 AD : ADR (AS) : ABHI - INT (AD/256) : ADL8-A 188 ID=848:PDKE ID+2,11:P8KE I8+4,88LD IPOKE 18-5. ADMI: POKE 18-8. MUMLD: POKE I B.S. HUHHI 198 X=USR(ADR("hhhmlvm"),16):CL85E #1 288 GRAPHICS 8:9 "MORRIDGORDER 1000 DATA 1909 1018 DATA 2552550880641848718768688718 55021039065112065140065030067142064059 1828 BOTA 8488710968717338777338778888 00000039050033040040041035051000055052 1838 DOTO 8888358338588378438888458418 40047035043033088000000165203041007005 286178165284841883168189148 DATA 8648372871332288732558571428 4133205166204224192176034165203160002 48889874136248885874136248 DATA 8818741681891858711332141898 1872133215177214837228885285145214896 00000025525525525500000000 858 DATA BRESERREDEREDERERESERS 52498

15248815248815248863287243252863287243 1070 0ATA 1652211972032400411760061662 3134221133283165221845838865133223165 203045030065197223240069197 1888 DATA 2832488231812891332248328738 197224200237169000133207032 1898 Dete 8738641657858741817891737838 76815865238214288882238215165285145214 1108 MATA 2002351692551332070320230641 65283197221240885238283876823865096888

	221165284197222144886166222
EH	1128 BATA 1342841332221731188651332838
	32194864238284165284197222288248173118
	865133283832194864896888888
IH	
	38288865173212865872169888872173218865
	072169000872173200065072104
BT	1148 88TR 0742482192818812888838768758
	64141208065206208065104104133203104104
	133284133226876182865173218
JF	1158 DATA 8651332831732128651332841332
	26184141211866184133221141218865184184
	133222141212865832214865286
54	
	00000165222197204200003876180864165221
	197283208083876253866176818
KE	1178 DATA 1662831342211332831652841642

22133222132204132226165221056229205141 203066072165204133226169000 1100 BATA 1412400701412110661040160061 41248878878283866238283866165222856229 284176889872169881141211866 1198 BATA 1848732558241858811412878661 69000032214066072141207066173205066133 19169888141287866184824185 1288 DATA 8888322148661732858661332181 69120133225169230141103066141160066173 240070240005024102219102210 1218 8016 1652191412138662818812888855 65210141213066173211066240020165210073 255133218165219873255133219 1228 DATA 1691981411838661411688661732 13866248842832873864824165225181218133 225165226101219133226165204 CM 1238 DATA 1972262488282382841652841972

26240812197222240000832073064230204026 enconcenenasoonnesoonnesoon16000056 1258 DATE 866842848144886237283D668762 48866189283866136288233176884189283866 02404620506609616520419722 1260 DATA 1440061642221332221322040320 73864165284197222248811238284832873864 165284197222288245896184184 1278 DATA 1841332381841841332311841332 25133226184133227248236141283066169128 41207066169000032214066072 1288 BATA 1698881412878661732858661332

19104032214066173205066133210169255135

38824181229133283832873864165238856229

1298 DATA 2261812191332261788362268481 11116051159000111207055152 PU 1388 BATA 8888781468641448838241812271 86118287866282288241234234133229173824 868248837165238824181229133 1318 DATA 2211652388562292291332D38321 94864165231824181236133284165238856229 229133283832194864876886867

229133203032073064165229133		177214141838869896883858153
	V.6	1488 00T0 1531531531531531531531531531531
33284832245867465231856229236133284832		53152152152152152152152151151151151151
245867876245867465238856229		150150150150150149149149140
	20	1498 0010 1481481471471471461461461481
		45144144144143143142142141141148148139
		138139137137136135135134134
		1586 DATA 1331321311311381291281281271
	****	26125124123123122121128119118117116115
		1141131111110189188187185184
	M.T.	1518 DATA 1831821888998978968948938918
	***	98888866884882881879876874872878867865
		862058057853858845843838833
	0.4	1528 DOTO 8278198881841841841332831841
		04133204104133233104133234104104133235
		198235168888165234133214165
		1538 DATA 2331332151772141322248728418
	4.5	96874874874874874168185244878133223184
		041159005223133218169000133
		1548 DATA 2198248382188382198382188382
	V.	19838218838219165218133214165219824185
01007040003107004141171002200030173040		224133215160007132232152024
		1550 DATA 1812841781652838748748241251
		85821133212189841872185888133213165283
		841883178824164237122214133
		1568 DATA 2161698881332171822161822172
	N.D.	62815249158888173242878849212859215145
		212288173242878849212869217
		1578 DATA 1452121642321368161832382832
	B.5	38283238283238283165283281152144816856
		233152133283165284824185888
		1558 DATA 1332842811041448881642241962
	na.	35248884288876865878896255888864888832
		095000000000000000000000000000000000000
		1590 DATA 883882883881881881888888888
	00	020010010010040000840000040000000000
	· wa	001001000004000000104104104
	40	1608 DATA 1332831841841332848768738641 84162884168888184184153142864288282288
		247996184162883173818218157
		247896184162883173818218157 1618 DATA 14286428281624789616588881332
	K.b	
		12165889133213168839185833864145212136
	BY	1628 ONTA 19000209600000000000000362061
28173848882133214173849882133215168887		50255000224002225002000064
		continued on page 7
	1338 DATA 2288768868671652318241812361	1

learn and play guitar chords on your Atari

GUITAR TUTOR Article on Dayse 35

Don't type the LISTING 1 OF 1 DEM GUTTOD THIND TH 2 BEH BY FRANK INDURGIO FD 3 BEH (C) 1985, ANTIC PUBLISHING MJ 5 CLOSE #1:OPEN #1.4.8."K!" 00 18 DIM TOPS (38) , 8075 (38) . FRETS (38) . 519 ING+(30) . PATTERN(6) . TONES(63) :FD9 N=0 TO 63:TONES(K)=32:MENT R:GOSUG 28 15 GOSUB 188:7 "A":7 :7 :GOSUB 58:GOSU us

500:60500 1560:60TD 15 20 FOR N-1 TO 13 READ ALTOPS (N. H) = CN95 CARINERT H 21 DATE 32.32.17.10.23.10.23.18.23.18. 23,18.5 FOR H=1 TO 13:READ A: BOTS (H. H)=CNRS COD: NENT H 26 DATA 32.32.26.18.24.18.24.18.24.18.

FOR H=1 TO 12:READ A:FRET SCOL: NEXT M 31 DATA 32,1,18,19,18,19,18,19,18,19,1 48 FOR M=1 TO 13:READ A:STRINGS(M.H)=C MRS (A) : NENT H

41 DATA 32,32,124,32,124,32,124,32,124 ,32,124,32,124 JUNE 1985

58 7 TOPS: FOR H=8 TO 6:7 HJ:7 FRETS: STRINGS : NEXT H: 7 BOTS JI 68 POSITION 9.8:60588 788:60588 718 OU 65 POSITION 2.2817 "BEGGE TO PLAY NUMB ERED CHOSOS"

78 POSITION 2,21:7 "BROWN TO SOUND NOT 25 POSITION 2.22:7 "MCMMM for new chor d.":REM USE INVERSE VIDEO FOR P.S.AND AR 99 RETURN

NN 188 E05UB 1588 NN 182 POKE 751,1:POKE 752,1 SN 118 7 "Pick a note to build a chord on BY 128 7 HCH17 HBH17 HEH17 HFH19 HEH19 HA

*** "8":7 :7 "7" 138 GET #1.K:IF K<65 DA K>71 THEN ? "G ":GOTO 138 5P 148 TONIC-K:THC-K 08 141 60508 1588:7 "You have picked ";CN R5(K);" as your tonsc.":? :? "Now pick

VO 142 7 "11 Natural" continued on next page

ANTIC SOFTWARE LIBRARY + 69

ne 76

```
TO 143 ? "23Flot"
  144 ? "335harp":?
  145 TRAP 145 INPUT ACCITE ACC (1 OR ACC
   >3 THEN 145
   146 TRAP 48888: IF ACC=2 THEN TONIC=TON
   147 IF ACC-3 THEN TONIC-TONIC+14
  150 G05U8 1500
GH
  168 7 "Pick a chord pattern"
  178 ? "13 Nejor":? "23 Minor":? "32 7Th":
    "43 Man 7th"; ?
  188 TRAP 180: INPUT CHORO
   198 IF CHORO <1 OR CHORO >4 THEN 180
  195 CHORO-CHORO-1: TRAP 40000
  288 DETUDE
EK
  500 GOSUS SER!LINE-N:N-N-CHORD
  SOS POKE 752.1:RESTORE N
  518 POSITION 4.2:FOR F=1 TO 6:READ 8:7
    CHRS (A) :" ":: NEHT F: FRET=4
EJ 515 FOR FIR TO SIREOR OPPOTTERMED-RIM
TE
   528 FOR F-8 TO SIFRET-FRET+2:RESTORE P
   ATTERNIES
  538 POSITION 4.FRET
JX
   535 FOR I=1 TO 5:8EAO A:7 CHR9(A);"-":
    NEHT I:READ A:? CHRS(A)
   608 IF TONIC-85 THEM TOMIC-72
  681 IF TOMIC=79 THEM TOMIC=73
          TOMIC-74 THEM TOMIC-66
PH 683 IF TONIC-B1 THEM TONIC-75
95 684 TF TONTCHR2 THEM TONTCH26
  ABS IF TONIC B4 THEM TONIC - 78
MA 688 IF TOMIC-BY THEM TOMIC-28
  658 N=CCTOMIC-653*1883*28888
  699 RETURN
  288 7 CM88(K):
  781 IF ACC=2 THEM ? "b";
GH 782 IF ACC-3 THEM ? "M";
FK 703 IF CHORD-1 THEM ? "MIR";
  784 IF CHORO=2 THEN 7 "2";
  785 IF CHORO-3 THEM ? "MID?";
  786 7 "
   797 RETURN
   718 FOR H=2 TO 16 STEP 2:POSITION 20.8
   *2:7 CMR9((M/2)*176):NEXT X:TONE=CMORO
   715 I=4:FOR H=4 TO 16 STEP 2
LH
   728 POSITION 23.M:7 CHRSCTONESCIDE:
   238 7 CHRSCTONESCT+133
   735 CHORO-TONES(I+2)|G05U0 783:I-I+7:M
   ENT H: CHORO-TOME
   799 POSITION 23.M:? "MUDROW": RETURN :R
   EM USE INVERSE VIOLO FOR REST
   1588 2 "m";?
                17 17 1PBKE 752.817 1PBKE
    718,8:RETURN
   1555 FOR TIME-1 TO 208: WENT TIME: RETUR
   1568 TONTC-THE GET MI.K
   1561 IF CHRS(K)="5" THEN GOSUS IRRE
  1562 IF K>40 AMO K<56 THEN GOSUS 3188
   1563 IF K-08 TMEN 3288
UN
   1565 IF K<>27 TMEN 1568
   1579 NETURM
   2888 GATA 1.19.19.19.19.4
   2881 ONTH 1,19,19,19,20,4
   2882 ONTA 1,19,28,28,19,4
TO
  2883 OATA 1.19.28.20.20.4
   2884 OATA 20,28,28,28,28,28
       OATA 1.19.19.19.20.4
   2886 BATA 1,28,28,19,19,4
       OATA 28.19.19.19.19.20
  2887
   2008 OATA 1,19,19,19,19,20
       OATA 1.28.19.19.19.4
JF
   2018 ONTA 20,19,19,19,19,4
28
  2811 8676 1.19.19.28.19.28
       ONTH 1.19,19,28,19,2
  2812
        OATA 1.19.19.28.19.4
        OnTA 1,19,28,19,28,4
        ONTA 1.19.28.19.19.4
   2816
        OnTA 1.28.19.28.19.4
        OATA 1.19.19.28.19.4
        BATA 1,19,19,19,20,20
        REM ABOVE SETS UP ALL MEEDED
        SMAPES FOR FINGER DOTS.
```

```
28 3888 REM SOUND NOTES INDIVIDUALLY
6Y 3005 RESTORE LINE+99: FOR H=0 TO 4: NEAD
    AIPATTERNIND :A: NEHT H
   3010 SOUND B. PATTERNIED. 18.0: GOSUS 155
   3828 IF CHORD-1 OR CHORD-3 THEN SOUND
   1.PATTERM(4).10.0:GOSUD 1555:GOTO X040
   303R SOUND 1.PATTENN(1).18.8:605U8 155
XH 3848 SOUND 2.PATTERN(2).10.8:GOSUB 155
65 3858 IF CHORD-2 OR CHOND-3 THEN SOUND
   3.PATTERN(3).10.8:60Y0 3868
   3055 SOUND 3. INT ((PATTERN(0)/2)-0.5),1
   3060 60500 1555:60500 1555:FOR X-0 TO
   3:50UNO X.E.B.BINENT NIRETURN
   3100 REM PUT CHORDS INTO MEMORY
   3110 TONE-CK-493 #7:RESTORE LINE+99
   3115 READ ONE. THREE. FIVE, SEV. MINTHREE:
   TONES CTONES -ONE: TONES (TONE+2) -FIVE
   3120 IF CHORD:0 OR CHORD-2 THEN TONES
   TONE -13 = THREE: GOTO 3138
   3125 TONES(TONE+1)-MINTHREE
   3130 IF CHORD-2 OR CHORD-3 THEN TONESC
   TORE+31+5FW:GOTO 3146
   3135 TOMESCTONE+33=INTCCOME/23-0.53
MM 3140 TOMESCTONE+43=TOMIC:TOMESCTONE+53
OR 3145 IF ACC=2 THEM TOMES(TOXE+5)=96
BZ 3150 IF ACC=3 THEN TOMESCTONE+53=35
OF 3155 TONES (TONE+6) -CHORD
KE 3168 605UN 718 PETURN
  3288 REM PLAY CHORDS IN MEMORY
  3285 G0588 1588:G0588 718:P0KE 752,177
    "MIRROR TO STOP PLAYING": REM INVERSE
   VIOED FOR ESC
TE
   3218 H-PEEK(764):IF H=28 THEM 3238
×5
   3211 IF H=31 THEN K=0
   3212 IF M=30 THEM K=1
   3213 IF M=26 THEM K=2
   3214 IP H=24 THEN K-3
   3215 IF M=29 THEN K-4
OH 3216 IF M-27 THEN K-S
        TF H-S1 THEN V-C
   3210 IF X-55 THEN K-7
   3219 IF K<R OR K>7 THEN 3218
   3220 TONE-K-7:IF TONES(TONE)-32 THEN G
   0588 3230:GOTO 3218
   3225 FOR H=B TO 3:SOUND M, CTOMESCTONE+
    H33.10.0:NEXT M:60TO 3210
   3238 FOR X=8 TO 3:50UND N. 8. 8. 8: HENT H
   19858 REM EMPLAIN THE FOLLOWING DATA :
   FIRST SINIPRINT OUT My AND OS ON TOP :
   i.e.;32 IS SPACE. 88 IS N. 79 IS
ON 1985S REM THE MENT SIX ARE DATA LINES
   TO READ SHAPES FOR EACH CHORD PATTERN.
   1.e.;2000 IS A FRET M/ HO FINGERS
   19866 REM THE LAST LINES OF BOTO TH &
   SERIES CLINES 20099.20199,
   19865 REM ARE SOUND NUMBERS : TOMTC . THTO
    D. SEVENTH. MIMOR TRING.
   20000 ORTH 80,79,32,32,32,79,2800,2003
    2000,2000,2000,2000
   20001 DATA 88,79,32,32,32,79,2001,2002
    2000.2000.2000.2000
   28882 BATA 58,75,32,79.32,79.2888,2814
    2888, 2888, 2888, 2888
   20003
         ORTA 85.79.32.79.32.79.2881.2815
    2888,2888,2888,2888
   28898 REM A - IN THIS ORDER: 2RROR-MAJ
   28881=MIN:28882=7th:28883=Min7.
    thers (8.86. etc) are in same order.
   20099 ONTO 144,114,96,81,121
  28188 DATA DB. 32. 32. 32. 32. 32. 2000. 2004
    2000, 2003, 2000, 2000
  20101 DATA 88.32.32.32.32.22.2000.2004
    2555,2852,2598.2888
PT 20102 DATA DO.32, 32, 32, 32, 32, 2000, 2004
   , 2888, 2014, 2008, 200R
AR 28183 ONTA 85,32,32,32,32,32,2888,2884
    .2885,2015,2888,2888
5K 20198 REM 5
PE 28199 DATA 120,182,85.72,188
ME 20208 ORTH 50.32.32.79.32.79.2001.2015
```

```
,2009,2000,2000,2000
                                                  .2000.2004.2000.2009
UD 20201 ONTH 00.32.32.32.32.22.2000.2000
                                               LH 28798 REH AL
    , 2004, 20R5, 20R2, 2000
                                               610
                                                  28799 DATE 153,121,182,85,128
IS 20282 DATA 88.32.32.32.79.2881,2015
                                                 20000 DATA 55,32,32,32,32,32,2004,2888
    2016,2000,2000,2000
                                                   2003.2000,2000,2000
.2016.2000.2000.2000.000
08 20203 DATA 08.32.32.32.32.22.22000
                                                  20001 OATA 80.32.32.32.32.32.2004.2005
   . Z0R4.2805.2015.2000
                                                  .2002.2000.2000.2000
5Y 20298 REM C
                                                  20002 DATA 88.32.32.32.32.32.2004.2008
85 2R299 DATA 121,96,81,68,182
                                                  ,2014,2000,2000.2000
MV 203R0 OATA 88,88,79,32,32,32,2000,2011
                                                  28883 0010 88.32.32.32.32.32.32.2884.2885
   ,2012,2085,208R,2588
                                                  ,2015,2000,2000,2000
TH 20301 DATA 00,00,79,32,32,32,2000,2017
    . 2005.2008.20RR.2008
                                                  20099 DATA 136,100,91,76,114
   28382 08T6 88.88.79.32.32.32.2012.2811
                                                  20900 REM C FLAT IS REFERRED TO 0
   , 2000, 2000, 2R00, 2000
                                                  MOTURAL
   20383 DATA 88.88.79.32.32.32.2208.2017
                                                  20999 REM C FLAT NOTES ARE 8
   ,2885,2888,2888,2888
                                                  21888 OATA 88,32,32,32,32,32,2RR8,2888
   28398 REM D
                                                   2008,2004,200R,2005
   20399 DATA 100.05.72.61.91
                                                  21001 DATA 65.32.32.32.32.22.2000.2000
PS 20400 DATA 79.32,32,32,79.79.2017,2006
                                                   2000.2004.2005.2802
   .2088.2888.2888.288R
                                               TE
                                                  21882 OATA 66,32,32,32,32,32,2000,2000
OY 20401 00T0 79.32,32,79,79,79,2800,2886
                                                   2000,2004,2000,2014
   .2888.7088.2088.2888
                                                  21883 DATA 88.32.32.32.32.32.2888,2888
CJ 20402 DATA 79,32,79,32,79,79,2017,2009
                                                   2000,2004,2005,2815
   ,2000.2000.200R.2000
                                                  21098 REM 05
OP 20403 DATA 79.32.79.79.79.79.2000,2009
                                                  21899 ONTO 114,91,76,64,96
   ,2000,2000,2000.2R00
                                               40
                                                  21100 DATA 00.32,32,32,32,32,2000,2000
UA 28498 REM E
                                                  .2004.2005.2015.2009
   28499 DATA 96,76,64,53,81
                                                  211R1 DATA BB.BB.32.32.32.32.2888.2888
   20500 DATA 00.00.32.32.32.32.2010.2017
                                                  .2017.2014,2000,2000
    2015,2000.2086,2000
                                                  21182 OATA 88,88,32,32,32,32,2884,2885
  20501 DATA 32.32,32,32,32,32,2884,2888
                                                  ,2011,2000,2000,2000
    2080
         ,200R.2008,2880
                                                  21103 OATA 00.00.32.32.32.32.2015.2016
NJ 20502 DATA 88.88,32,32,32,32,2884,2817
                                                  .2017.2000.2000.2000
   .2009.2008.2008,20R8
                                                  21198 REM Eb
   20583 DATA 32,32,32,32,32,32,2004,2008
                                                  21199 OATA 182,85,68,57,91
    2009.2000.2008.2008
                                                  21200 REM F FLAT IS REFERRED TO E
ue.
   28598 REM F
                                                  21299 REM F FLAT HOTES ARE E
   28599 DATA 91.72.68,50.76
                                               ZL
                                                  21388 DATA 32,32,32,32,32,32,2888,2884
  28688 DATA 32.32,79,79,79,32,2880,2889
                                                   2817,2006,2000,2000
         .2000.2000.2000
                                              HL
                                                 21381
                                                        DATA 32,32,32,32,32,32,2000,2004
00 28681
         DATA 32,32,32,32,32,32,2000,2000
                                                        ,2006,2000,2000
   .2004.2000.2006.2000
                                                  21382 DATA 32,32,32,32,32,22,2888,2884
         DATA 32,32,79,79,79,32,2808,2889
                                                   2817,2889,2888,2888
         ,2000,2000,2000
                                                  21383 ONTH 32,32,32,32,32,32,2008,2004
  28683
         DATA 32.32.32.32.32.32.22.2888.2888
                                                  .2888.2889.2888.2888
   ,2004,2000,2009,2000
                                                  21398 REM 68
ve
   2869A PEN G
                                                  21399 DATA 173,136,114,96,144
   28699 DATA 162,128,188,91,136
                                              KO 21400 REM A SHARP IS A FLAT
GT 20700 OATA 32.32.32.32.32.22.2000.2000
                                              FF 21500 REM 8 SHARP IS C
   ,2000,2004,2017,2006
                                              MU 21608 REM C SHARP IS 0 FLAT
DR 20701 DATA 32,32,32,32,32,2000,2000
                                              OF 21788 REM 0
                                                              SHARP IS E FLAT
   ,2000,2004,2000,2006
                                               JJ 21888 BEN E SHOPE TO P
HM 20702 DATA 88.08.32.32.32.32.2003.2008
                                              DZ 21980 REM F SHARP IS G FLAT
LJ 22000 REM G SHARP IS A FLAT
   ,2000,2000,2000,2000
HT 28783 DATA 32,32,32,32,32,32,2888,2888
```

game of the month

HELICOPTER ROUNDUP

LISTING 1

Don't type the

IN 18 REM HELICOPTER ROUNOUP

10 28 REM 47 MALTER GULCHAR

14 50 SEM (<) 1705. ANTIC PUBLISHING

15 60 REM (<) 1705. ANTIC PUBLISHING

15 60 REM (A) 1705. ANTIC PUBLISHING

10 15 60 REM 6 AME INTIALIZATION

10 50 50 171CK(8)

OT 70 POKE PHRASE-861-FUEL.F=126:FUEL-FUE L-8.84:FUELLUSCO-FUELUSCO-1 J5 08 POKE 16.132:FOKE 53774.112:IF FUEL< 0 THEM 348 55 98 50480 8.15.8.18 JUNE 1985 EC 188 HOIFHIGS-43:VOIFFUGG-4)
EF 130 HROS-HPD5-4-HROIF
LF 120 ZF HPD5-40 THEM HPD5-40
LF 130 ZF HPD5-200 THEM HPD5-200
VO 150 ZF HPD5-200 THEM PD5-200
VO 150 ZF VPD5-50 THEM PD5-122
FF 150 SOURCE 0.0.0.0.0.50000 3.0.0.0

continued on next page
ANTIC SOFTWARE LIBRARY * 71

YX 198 A-USR(MOVE. 8. PHOASE. PHO*IC. HPOS. YP 05.5-IC) 200 A-USR (MOVE, 3, PMOASE, PMX, KPOS, YPOS, PA 210 IC-IC+1 00 220 IF IC=2 THEM IC=0: POKE 232.0COM51P OKE 238. HPOS: POKE 231, YPOS: A=USR (1536. 238 IF PEEK(280) - BCOHS THEB IF 06 THEO 605UD 470:000E=1 248 F-8 HB 250 IF GOT (NPOS=176) TOCO 60 GOT (YPOS=188) TOCO 68 260 IF 278 IF DOOR THEM 528 YU 200 50U00 3.50.14.0 ZU 298 IF STRIGGED THES SO 300 POKE PHOASE+061-(FUEL+0.04),126 310 FUEL-FUEL+8-3:1F FUEL>51 THES FUEL 328 F=1:POKE 77.8:60TO 68 330 REM ERO OF MATE LOOF 348 REM CRASK 06 358 CRASSIL 360 50000 0,100,4,14:50000 3,0,0,0 ZO 370 A-USR(MOVE. 0. PHOASE. PMC. MPOS. YPOS. AM 300 FOR 1-20 TO 200 STEP 4 AM 398 IF I=186 THES POKE 53256.3 K7 488 SETCOLOR 4.1.8 V8 410 FOR 0-1 TO 18:0EHT 0 FY 429 BENT I CE 438 SETCOLOR 4,8,8:SOMBO 8,8,8,8 80 448 FOR I=1 TO 488:BENT I 50 450 POKE 53256.1 00 468 BOTO 538 OU 470 REM CLOSE CORRAL SATE 400 COLOR 131:PLOT 6,11:ORANTO 6,13 KA 498 SOURD 3.48.8.15 | FOR I-1 TO 48 | BEHT 00 500 FOR I-150 TO 60 STEP -10:FOO 0=1 T See FOR I-150 10 60 5167 A. FOR ENT 0: 0 1-50)157 -5, 10000 3.6.8.6 BEHT 1:50000 3.6.8.6 510 POSITION 2,21:7 W6;"return to pad" RETURO 520 50000 0.0.0.0:FOR I=1 TO 500:0ENT OI SIR SCORE=(BOT CRASH) = (BCOMS=1000-FUE LUSEO): IF SCORE (8 THEO SCORE-0 540 IF SCORE HISCORE TOES HISCORE-SCOR 550 POKE 53240.0:POKE 53249.0:POKE 532 58.8:POKE 53251.8 560 GRAPHICS 1+16:POKE 758.CHOASE/256 LJ 578 COLOR 131:PLOT 8.8:ORANTO 19.8:ORA MTO 19,23:0RANTO 0,23:0RANTO 0.0 HS 500 POSITION 2.5:7 HG;"HIGH SCORE: ":H Y6 590 POSITION 2,817 HE; "Same score: ";5 UJ 600 POSITION 3,13:? M6:"DOWNSHIRDS ":F NOT CRASH THEO POSITION 2.14:7 610 TF 628 IF CRASH TOES POSITION 2,1517 H61" CM 530 POSITION 1.20:7 HE!"H PRESS Y MINNE 21 658 RESTORE 698 668 BEAD X:XF I=-1 THEO FOO J=1 TO 208 658 JEAN 1:1F 12-1 THEN FOR J=1 TO 200 10ENT J:60TO 650 678 JF (PEEK(53279))=6 THEN SOUND 3,0, 8.8:8C0HS=8C0HS+1:60T0 58 ev 600 Sound 3.1.10.8:FOR J=1 TO 12:0ENT 598 DATA 58,58,8,58,58,47,47,47,47,8,47,4 7.0.47.47.47.0.0.0.60.60.60.60.60.45.45 45.0.45.45.0 788 BATA 45.8.53.53.8.68.68.68.68. YH 710 ONTH 68.68.47.47.47.0.47.47.0.47.4 7,53,53,68,68,8,45,45,45,47,8,45,45,8, 50,60,60,0,0,0,-1 AJ 720 GEN GOAH PLAYFIELD 80 750 GOAPHICS 1+16:POKE 559.0:POKE 756. C0005E/256 0 740 SETCOLOG 0.1.4: SETCOLOG 3.2.8 HY 750 COLOR 131:FOR THE TO 17:PLOY 72 * ANTIC SOFTWARE LIBRARY

GANTO 13.1: BENT I JE 768 PLOT R. B: ORANTO 18.8: OBANTO 10.23: 06AHT0 6,23:0RAHT0 6,6 HL 77R POSITIOS 19,28:7 H6;"M";POSITIOS 1 9.21:7 M6;"D":POSITIO8 19.22:7 M6;"D": POSITION 19,28:7 #6;"@" AX 788 POSITION 15,28:7 #6;"000":POSITION 15,21:7 W6;"OHH":POSITION 15,2217 W6 TY 790 REM PLOT TREES OSO DESTORE BEE DID FOR I T TO SIREAD CIREAD RIPOSTYTO C. 0:7 M6:""":POSITIOS C. 0+1:7 M6;"K" 828 ONTO 8,3,3,5,17,14,4,4,4,10 636 REM PLACE COMS 840 COLOG 69 95 UM 050 FOO I=1 TO 0COMS H6 R60 COL=IOT(17=000(0))+1:R0H-IOT(17=00 0(8))+1 078 LOCATE COL. COM. NUAL:IF NUAL <> 32 TH E# 60TO 050 DOE POKE ADD(CPOSS)+(1-1)+2,COL;POKE A OR (CPOS=)+(1-1)+2+1,00H:PLOT COL,ROH ER 888 BEUT T 6C 988 REM PLACE HELICOPTES 00 918 KP05=176:YP05=188:PM0=PML 928 ATUSE (MOVE, 8, PHEASE, PHO, MPOS, YPOS. OH 938 POKE 53249,200 POKE 53250,200 RU 948 REM CLEAG CESTER OF COGRAL 958 COLOG 52:FOG I=9 TO 16:PLOT 7,IIOS ANTO 12.1: BERT I 960 PLOT 6,11:008HTO 6,13 978 GETURO 988 REM TITLE PAGE DISPLAY 998 POKE 186, PEEK(748): POKE 53279, B 1888 POKE 53246, 8: POKE 53249, 8: POKE 53 21 250.0:POKE 53251.0 EV 1010 GRAPKICS 2*16:SETCOLOG 1,1,4 TO 1020 POSITIOS 5,3:7 M6;"XELICOPTER":PO SITIOS 6.5:7 M6;"ROUSOUP" HH 1030 COLOR 3:PLOT 0.0:000HTD 19.0:DEAH TO 19,11: ORANTO 0.11: ORANTO 0.0 1848 POSITION 4,917 MG:"WOOM 1850 RESTORE 698 1050 0EAO I:IF I=-1 THEO FOO J=1 TO 20 8:8ENT J:60T0 1858 1878 IF PEEK(53279) = 6 THE8 SOURO 3.8.R . . RETURO CE 1888 50800 3.1,18,8:F00 J-1 TO 12:0EXT TH 1898 REM PLEAS MAIT DISPLAY TH 1188 GRAPHICS 2+16 1118 POSITION 7.4:7 MG; "PLEASE"
1128 POSITION 6.7:7 MG; "MAIT" ZA 1138 POSITION 5.18:7 M6:"30 SECONOS" 1148 FOR I=1 TO 300 OCHT T 6.0 1158 GETURO 00 1168 REM LEVEL ISTTIBLIZATION AL 1178 POKE 53248,8:POKE 53249,8 | POKE 53 250.0: POKE 53251.0 1188 GRAPBICS 2+16: SETCOLOR 1.1.4 1190 IC=0:FUEL-51 HR 1200 COLOR SIPLOT 8.8:08AHT0 19.8:00AH TO 19.11: GRANTO 6.11: GRANTO 8.6 1210 POSITION 5,2:7 #61"0ELICOPTER":PO SITIOS 6,4:? #6;"ROUSOUP" 1228 POSITION 2,7:7 MG: "STOCKESSEED PROTECTION ": ecous 1248 POSITION 4,18:2 M6: "TOTAL PROPERTY OF THE PROPERTY OF TH 1250 FOR I-PHOASE+010 TO PHOASE+861:P0 UE KE I. 126 DENT 1260 POKE 53279. 1278 IF PEEK(53279)=5 THES SCONS-SCONS . +1:IF 800M5>38 THE8 800M5=1
0F 1208 POSITION 16.8:7 M5:800M5:" UM 1290 FOR I=1 TO 18:0ENT UH 1500 IF PEEK(532791 <>6 THE@ 1268 OJ 1320 GOSUS 720:POKE 623,1:POKE 559,46: FUELUSEO-0: CRASH-0:000E-0 C9 1338 POKE 53256.1:POKE 53259.1 1348 GETURO US 1350 REM ISITIALIZATION

OZ 1500 COSUB 900:GOSUB 1090 MC 1370 MISCORRE 0 MCOMS-I HO 1580 DIM PHMOVES(100), PRS(5), PLS(5), PC S(0), CMDS(50), CMDEMS(6) SM 1590 DIM PMS(5), VO 1400 DIM H(11), V(11)

HY 1450 GRAPHICS 116:PORE 559.0 26 1460 PMASSETRIC(PEEK(106)-61/4)=4 JE 1470 CHORST-(PMASSET)=256 5K 1400 PMASSETPMASSET256 0M 1490 PMASSETPMASSET256

| 1300 | PARINSEPHRANSER/SB | 1300 | PASCIJ - CHRS (231) : PAS (2) : CHRS (132) : | PAS (3) : CHRS (236) : PAS (4) : CHRS (127) | PASC | S) : CHRS (216) | PAS (2) : CHRS (237) | PASC | S) : CHRS (135) | PAS (4) : CHRS (238) : PASC | S) : CHRS (135) | PASC (4) : CHRS (236) : PASC | S) : CHRS (135) | PASC (4) : CHRS (236) : PASC | S) : CHRS (137) | PASC (4) : CHRS (236) : PASC | S) : CHRS (137) | PASC (4) : CHRS (236) : PASC (4) : PASC (5) | PASC (5

C5(3)=CHRS(34):PC5(4)=CHRS(116):PC5(5)

VA (1826)2):PC5(6)=CHRS(94)

VA (1820)2):PC5(6)=CHRS(94)

VA (1820)2):PC5(2):PC5(0)=CHRS(16)

VA (1820)2):PC5(2):PC5(0)=CHRS(16):PHS(18):PC5(2)=CHRS(16):PHS(18):PC5(2)=CHRS(18):PC5(2

OT 1540 REM ERASE P/M AND CHR MEMORY UF 1550 RHPPEEK(09):RL=PEEK(09) 0A 1560 I=PEEK(186):POKE 186,I-6:POKE 89, PEEK(186)-0:POKE 08,0:7 "M":POKE 09,0H :POKE 08,RL:POKE 186.I

BD 1578 POKK 559.8
M 1508 REN PYM HOVE NOUTTEE
MU 1509 RESTORE 1608:FOR T-1 TO 188:READ
M:PHHOUSE(ST)-CHES 619.0ERT I
MO 1608 DATA 216.104.104.104.133.213.184.
24.189.2135.280.184.184.135.250.184.155.2
84.184.135.295.184.184.135.205.184.244.
84.184.135.295.184.184.135.205.206

213.165,285,157.8,285,96 1648 REM CHAR HOVE ROUTINE 1658 RESTORE 19661:-8 1668 READ NIT 8-1 THE 1608 1678 POKE 1556*1,N:TZ1-1:6010 1668

16:00 CHBEHS="KVOUMMYY2" 16:00 CHBEHS="KVOUMMYY2" 16:00 FOR I=0 TO 511:POKE CHBADE+I.PEEX (5/344-1):BEXT I 17:00 RCSTORE 1740 17:10 FOR I=1 TO 8

1720 CHADD-CHARSE+(ASC(CHMENS(I,I))-32)-8 1730 FOR JEW TO 7:BEAD #:PDKE CHADD+J, 1830 FOR JEW T RELEAD 1840 FOR JEW TREE TRUNK -K 1850 DATA 24:24-24.24.24.24.24 1860 RCH TREE LEAUS-W 1870 DATA 64:49.87.291.84.58.128.28

1896 DATA 04.102.255.03.03.17.17.17 1806 REN CETER COM - V K 1070 DATA 36.24.24.06.06.08.03.36 H 1008 REN RICHIT COM - 252.136.136.136 D 1090 DATA 2.5.255.252.252.136.136.136 2 1008 POKE 5270.18T (PMRASE/256):POKE 78 P 1518 POKE 704.81POKE 786.14:POKE 786.1

86:POKE 767.252
RR 1928 FD8 I=PM8ASE+648 TO PM8ASE+89S:PO
KE I.8:MENT I
HUNE 1985

P 1938 FOR I=PMBASE+682 TO PMBASE+783:PO KE I.129:NEBT I:POKE PMBASE+734,255:PO KE PMBASE+681,255 0 1948 RETURN

0 3958 BEN COM HOUS BOUTES 1 2058 DATA 64.144.132.204.164.133.203. 5 50 5 5

VU 2148 DATA 0.175.18.218.201.205.176.5
HC 2158 DATA 102.0.00.201.205.176.5.102
CY 2168 DATA 10.0.102.255.00.105.00.135
HU 2170 DATA 205.165.09.133.206.138.208.1
IB 2100 DATA 96.165.205.216.24.105.20.138

18 2228 GATA 286.56.229,287.24.197,285.1 K 2238 GATA 2.162.1.96.229,286.24.197 24 2248 GATA 265.176.2.162.255.96.24.281 18 2258 GATA 265.176.2.162.355.96.24.281 KL 2268 GATA 96.138.24.281,7.176.1.96. U 2278 GATA 266.96.96.96.96.96.96.268.288.96

End Program Typing Agony Forever!

Antic Magazine+
Disk Subscription
Instant Relief!
Only \$99.95
for 12 issues.

See Subscription Insert for details.

Derit for details.

80

MG



TURTLE PIANO ATICIS ON DANG 10.

LISTING 1

TO STEN : LEN TELL (8 1) PU TELL 0 8K 6 TELL 1 FD 14 TELL [8 1] LT 98 FD :LEN / 2 - 18 END

TO STAFF ILEN INIT C5 PU LT 98 FD :LEN / 2 RT 98 FD :HIT # 5 / 2 PD

REPEAT 4 ISETH 98 FD :LEN BK :LEN RT 98 FD :HIT) PT 188 REPEAT 2 (FD :HIT # 4 RT 98 FD :LEN R

T 981 STEN :LEN

TD MEASURE

TELL 2 STAFF 250 10 END

TD OIRECTIONS

PR LIF YOU HANT THE COMPUTER TO PLAY! PR TALDNG WITH YOU, PRESS 'N' NOW-1 MAKE "CHDT RC

IF : CHDI - "Y IPR ITHE COMPUTER WILL PLAY ALDNG . 1] IPR ITHE COMPUTER WILL MDT PLAY-11 PR (Press a key to so on.)

PR RC CLEANUP END

TD SETUP SETEG 0

TELL 2 SETPH 8 SETPC 8 182 SETC 15 TELL IN 11 SETC 6 TELL [8 1 2] C5

TELL 2 MEASURE TELL 2 PU SETPDS 18 -281 SETC 15 PUTSH 1 :NDAT PUTSH 2 : STAFFLD

PUTSH 3 ISTAFFHI TELL 0 SETSH 2 TELL 1 SETSH 3 TELL 2 SETSH 1

ENG TO BEEP : NOTE SETERU R X TDDT 8 :NDTE 18 28 END

TO PLAY :ST IF :ST = "A LTYPE IN C) SETY -28 DP 2 68.71 IF :ST = "S [TYPE [d] SETY -15 DP 2 93.31 IF :ST = "O CTYPE IN 01 SETY -10 DP 3 301 IF :ST = "F CTYPE (N F) SETY -5 DP 34

TE :ST = "6 CTYPE IN 91 SETY 8 DP 391 IF :ST = "H CTYPE C al SETY 5 DP 448

IF :ST = "J [TYPE [b] SETY 18 OP 49

IF :ST = "K ETYPE IN CJ SETY 15 DP 52 1.51 IF :ST = "L CTYPE (\ D) SETY 28 DP 58 6.61 IF :ST = ": [TYPE [\ E] SETY 25 DP 66

81 IF IST = "+ TTYPE IN F1 SETY 38 DP 69 5.41 IF :ST = "# CTYPE C GJ SETY 35 DP 78

2.21 IF :ST = CHAR 32 ETYPE IN 1 SETY 8 DP 500001

00 50000 END TO BEEP2 : NOTE

SETENU 0 3 TDDT 8 :NDTE 18 28 TDDT 1 :NOTE / 2 8 28 END

TO REMEM : ST MAKE "LINE LPUT :ST :LINE

ENO TO REPLAY :LINE

IF EMPTYP : LINE (STDP) IF : CHOI - "Y INCEPS PLAY FIRST : LINE I DEEP PLAY FIRST : LINES REPLAY OF ILINE ENO

TO START SETUP BEEP2 PLAY "A DIRECTIONS GET. NOTE

ENO TO CLEANUP CT

PR CC=CLEANUP, Y=START OVER, R=REPLA Y3 MAKE "LINE CI END

TO GET-NOTE .DEPDSIT 731 255 MAKE "ST RC IF :ST = "C (CLEANUP GET.NOTE) IF :ST = "Y [START] TF :ST = "R PREPLAY :LINE GET-NOTE] REMEM :ST

IF :CHOI = "Y [SEEP2 PLAY :ST] [SEEP PLAY :STI GET . NOTE END

MAKE "ST "R MAKE "STAFFHI 18 12 18 9 9 9 9 9 9 9 9 9 9 18 12 81 MAKE "STAFFLO IS 24 48 72 135 136 136 138 141 141 139 137 137 73 42 28] MAKE "NOAT 18 7 15 12 8 8 8 8 8 8 184 248 248 248 96 81 MOKE "CHOT "Y

MAKE "LINE IS OF Y F G H Y H J K Y KKK

TURBO TYPO II

LISTING 1

HS 32000 HEM TYPO II BY ABBY SARTON CM 32015 MEM TURBO TYPO REV. OT J.Q. MCLO MEHLIS UP 32016 REM (c) 1905. ANTIC PUBLISHING

GI 32025 0IM 05(75) 25 32026 05="GFMGhhMGhMM>hMXX+=Q/=Q/=Q/= DOMOGRACHO/#G/E *DG/#G/9* DG/99300000

PH 32150 A05-US0 (ADR (05), AGR (LIGES), LEG(L IOE533 :A05-PEEK(17893+258*PEEK(17983+6

LISTING 2

SH 10 DEM CREATE LINE 32026 FOR THOSE TYP

CH 28 REM BY J.S. MCLAUGHLIS FN 38 BEM (C) 1985, ABTIC PUBLISHING

48 SEAPHICS 8 Se RESTORE :POSITION 2.6:7 "32026 85=" CH85(34):

IE 60 POKE 766.1 62 70 FOR I-1 TO 71: NEAD A NG DO ? CHRSCAT!

SG 90 BENT I POKE 766.8 GL 180 POSITION 2.11:7 "CONT":POSITION Z. ZIPOKE 842,131510P

HR 110 POKE 842,12:7 "LIGE 32026 HAS BEES CREATED": ESO FL 128 BATA 169-1-133-283-184-184-133-285 184,133,284,184,184,133,287,169.8,141 ,253.6.141.254.6.141

130 OATA 255.6.160.0.165.203.133.200.1 77.284.133.286.24.165.286.189.253.6.14 1.253.6.144.11.230 KH 148 ONTH 254,6,173,254,6,288,3,238,255 ,6,198,288,288,238,288,238,283,198,287 ,288,215,96,34

LISTING 3

18

JUNE 1985

es : TURBO TYPO 86 ; BY J.O. MCLAUGHLIN 87 ; (c) 1985. ANTIC PUBLISHING H= 50600

1789 :FIRST 20 BASIC1 = 38 985TC2 = 1798 SECONO ANO ITHIRO BYTES OF A 48 86STCX = 1791 NS FROM BASIC PROGRAM 50 LOA #1 STA SCB **:ESTABLISH COUNTE** R CTYPOII'S VARIABLE C) PLA : DISCARD WOF BYTE S PASSED 88 PLO

STA SCD HI BYTE OF AGRIL INEST 8198 PLA LO SYTE OF ADRIL 9118 STA SCC THEST B128 PLA IBASTE ALWAYS PAS 5E5 A HERE AS HI BYTE OF LENCLINES

0130 STR SCF ;LO BYTE OF LENCL INESI 9150 LDA *** 0160 STR RRSICS :ZERO OLL 8178 STO BOSTC2 :BYTES OF 0156 STA BASICS :OMS LDY HB ;SET COUNTER

8288 LOOPA LOA SCO 8218 5TR 508 JUSE AS A COUNTER GET CHARACTER FR LDR (SCC),Y OM LINES 8238 STR SCE 8248 LOOPS CLC :LOOPS 'MULTIPLIE 5' CHAR. BY 'C' LOA SCE 0250 ADC BASICS 0278 STA BASICS 8298 SCC ONN 8298 INC BASICS

LDG BOSTC2 8318 BNE ONH INC RESICS BASE ONN DEC SOR 8348 BNE LOOPS 8326 INY ISAME AS C=C+1 INC SCO 8378 DEC SCF REDUCE NUMBER OF CHAR.5 REMAINING 8388 RME LOOPS

: ALL CHARS, PROCE : YES, THEN RETURN

:GET VALUE OF 'C'



Tined of always scanding for the right reope?
Are the pages of your recope books covered with your recipe.
Fed up at governing area into when a neighb cover the bur, you will so then you need the Damputer Gournel.

With The Computer Cournett you can . Fauly save your favorite recipes (even give them a rating!) Adjust for a different serving size automatically . Print the whole recipe or just the list of ingredients.

Best of all. The Computer Gournet comes with a disk full of recipes Available on disk for Alters' computers (requires 456). To order, send 509-95 plus \$2,00 for politings (fecus insidents plants and 5-1,95 selection) to New Harupons Sethware + P.O. Box 180253 + Austri, Texis 78718

Means with to us for interestion on all of our products for Attel computers.

New Horizons Expanding Your Life

ANTIC SOFTWARE LIBRARY * 75

G.U.P. continued from page 68

LISTING 2

Don't type the

U 10 DEM COMPHICS UTILITY PACKAGE REMO	1+79.1.1) LY 550 0:U50(581.0.0.0.0):Tu1+1
6 20 DEM DY RAREK MIHOCKA	
H 30 DEM (C) 1905, ABTIC PUBLISHING	KO 568 A:US@CLIBE.T.T.T+79.T.T+79.T+79.T.
P 48 START=163R4	KP 578 BEHT T
E 42 IF PEEK(START)=76 THEB 50	
A 44 POKE 718.6617 "%+ G.M.P. Nachine	Re 598 A-USR (GOAPHICS, 15) POKE 752, 253 7
Language coutines are not in memory!	"ARE COURSE, CARCLES CAN be lest empty
L 46 7 17 " This demo cannot BUS with	TZ 600 G05W0 1160
out theseroutines. See article for ad	
ditional information.": E80	NI 510 PRKE CIGF.0
D SO RABOOM-PEEK(START+3)+256*PEEK(START	FF 638 6-USP(SET, 178, 178, 178, 178)
U SE ODN-PERKISTORY+S)+256*PERKISTORT+G)	65 648 A=USR(CIRCLE,T+45,79,68)
	NR 668 A:USR(CIRCLE, T+46, 79, 68)
E 78 LET BRANTR:PEEK(START*7)*256*PEEK(5	
TART+81	
J RO LIBE-PEEK(START+93+236*PEEK(START+1	
0)	752,255
	JE 698 7 "K THE RRH"
2 98 CIRCLE-PEEK(START+11)+256*PEEK(STAR	

IJ 100 LET CRLRO-PEEK(STAGT+13)+236*PEEK(118 LET GRAPHICS:PEEK(START+15)+256+PE 120 C12R-PEEK(START+17)+256+PEEK(START 138 CIRFUPERKISTORY+191+256*PEEKISTART 148 TENT-PECKESTART+213+256+PECKESTART

138 LET PLOT-PERK(START+23)+256*PEEK(5 168 LET SET=PEEK(STABT+25)+236#PEEK(ST A91+262 PG 178 LET SETCOLOG=PEEK(STAGT+27)+256MPE EK(STAOT+28)

188 8080FF5ET-288 190 REM DEGIS MAIS PROGRAM 200 60500 910

218 POKE CIOF.1 228 A-US8 (68APRICS, 13) :POKE 752.253 238 ? "AThe same routine in 69.15 With RT 240 7 "using multiple parameters for a T:UZ=159-T2 268 A-USB(LIBE.T.T2.U.U2.T.U2.U.T2.T.T

SH 278 BEST TIPOKE 752,253 208 ? "ATMICE the pixels in half the t ine. 238 7 "How about some multi-calor disp 300 A=US0(SET.164,29,134,165):G05U0 11 G0:FRR T=79 TO 0 STEP -1 310 A=US0(LIDE.T,T,T,139-T) 328 A-USR(LIBE.159-T.139-T.139-T.T)

OE 348 GOSUR 1188 A=USR(GRAPHICS, 13):POKE 752.235 YE 368 ? "wand now, the Super Fast CIRCLE RJ 378 7 "38 CIRCLES ROAMS IS 4.8 SECORDS (6 CIRCLES PER SECREDIA HH 388 FRR Y=1 TO 38

FR 398 A-USR (RASORM) RH 488 A-85R(CIGCLE,68+Y,68+Y,68) No 418 SERT Y 9R 428 GRSUE 1188

PS 438 A-USR(GRAPHICS.15) "Mare fest circles. DR 458 FOR 8:88 TO 8 STEP -4 YZ 468 H-PEEKCZO) : A-USG (SET. H. H. H. H. H) : A=US B(CIOCLE, 79, 79, 8)

A-USB(SET.8.8.8.8):A-USB(CIRCLE.79 79.9-21 JM 488 BEST O OP 498 60580 1188 GR 508 A-U50(G0APBICS, 15):POKE 752,255 VI 518 ? "A And now, some more LIGE draws

HV 528 FOR T-8 TO 78 KK 548 8-858(LIBE, T. T. T+79. T. T+79. T+79. T. JE 698 7 "% THE RRH..."

HK 788 FRO T=8 TO 78:U=3-T:A=US8(SET.U.U. HG 710 A-USR (RRH. T. T. 139-T. 159-T) : BENT T RE 720 GRSUR 1100

OR 750 GRAPHICS O:PRKE 752,255 Re 748 ? "whow about mixed text and graph TT 750 FRO T-0 TR SIPOKE COLRET, 255 | DENT HK 768 FOR THE TR 58 778 A=USR(CIGCLE, PEEK(53778)/2+16, PEEK

(33778)/2+16,9+PEEK(S3778)/48) 788 PRKE CIRF.PEEK(S3778)/256 798 A-USECTENT, 34.8, ARRC"This complete HE DOD A-USBCTENT, 30.24, ADBC"OF the GOAPH KG RIO BENT T

RR 020 PRKE TYPE.0:0-U50(TENT,32,0,0R0(" HE 830 A-USB (TEHT. 28.32.ARE (" JK 848 POKE TYPE, 255: A-USOCTENT, 34.8, ARGC s completes the d "This completes the demo", 25)

80 858 A=USECTENT, 38,24,408("of the ERAPH
ICS UTILITIES"), 25)

BE 868 A-USB(C128,128.5) CA 678 A-U58(C128,128.6) 00 888 6RSU0 1100 898 SEMPHICS 18:PRKE 712.48:7 H6:? M6: "TOROKS FOR MATCHISS":? MG:? MG:? MG:"

no one 7 well graphics utility Chage":H=U58(C128.488.5):E80 05 918 695UR 1888 BY 928 A:USB(GBAPHICS.15) | POKE 87.7:REM M AKE BASIC THISK IT'S IS GR-13. IN 938 COLOR 1 PRKE 782,255

RR 948 7 "Limited by the R.S., BASIC can use 168×88 resolution in GRAPHI C5 13. It is also slow." OI 950 FRO T-0 TO 79 STEP 3:T2=T/4:U=139-COANTO U.T2: COANTR T.T2 KT 978 BEHT 1 05 988 G05U8 1100

2H 998 BETUDE 1888 GRAPHICS 18:7 N6:7 N6:" IS THE 8 REISSISS" 00 1010 2 m612 m6:** 1020 7 M517 M52" PLOT AGR RUANTO " 1848 GRAPHICS 1:5 MELTERH. THANKS TR 6. H. P" 1858 7 MG:7 MG;" THE ATAOX ALSO HAS" JM 1868 ? M6:? MG;" BOH. CIOCLE. A80" JM 1878 ? M6:? MG;" 16 GOAPHICS MODES"

EN 1100 POKE 752.255 UJ 1110 7 "A+ DEGESSMENHOOMSCOOLMSCOOLMSCOOLMSCO FZ 1120 POKE 764.255 TO 1120 PURE PERKEZSALUZZES TORN 1130 GF 1140 POKE 764,255

BH 1168 A-USB (BABOOM) : GETUDE

HU 1000 GOSUO 1100

478

product reviews

COLORTONE KEYBOARD

(Waveform Corp.) Protecto Enterprizes Box 550 Barrington, Il 60010 (312) 382-5244

Reviewed by Nat Friedland

At \$49, the Colortone Keyboard by Waveform Corp. is not a tool for professional musicians. But nevertheless it is an intriguing Atari music device that puts a surprising amount of musical power and feedback literally at your fineerties

The Colortone is a recent conversion from a fairly successful Commodore 64 product. As a matter of fact, Antic received its copy just one day after programmer Russ Karras delivered the conversion software to Waveform. Actually our keyboard's converter hookup is a prototype that

dangles exposed on a spliced cable. Distribution for this product is just getting set up, but one source you should be able to obtain it from is the Protecto mail-order house whose address is shown above (We recommend that you verify availability by phone before mailing Protecto a check)

The Colortone is a membrane keyboard, after the fashion of the old Atari 400. It's laid over a sturdy plastic base, but looks a lot like those cardboard piano keyboards that kids in group piano classes used for practicing their fingering

Once you select your choices from the function keys at the top of the board, you will probably wind up playing mostly on the Color Harp strip above the regular piano-key diagram. The Color Harp gives you only the notes in the scale you have chosen, so you can fool around without the risk of hitting a drastically wrong note.

The Colorione software does a lot of interesting things. You get a choice of seven well done pon/rock twovoice accompaniments or a simple metronome beat. Some of the most common and effective rock patterns are utilized, boogie, ballad, etc.

You have eight instrumental voices to choose from and a variety of musical scales. You can also adjust the speed, pause, and listen to playback of your solo with or without saving it to disk

As you are playing, the software writes out the musical notation of your solo, showing it above the bass accompaniment notes. At the same time, it also tracks your fingering with

red lights over a piano key display. It is easy to sound pretty good as you play along with the accompaniment by tapping or even rubbing your fingers over the color harp. You can never be drastically out of tune. although you are able to experiment with interestingly dissonant effects if you wish.

A lot of your noodling will sound like the background music from your favorite videogames.

Where Colortone Keyboard eventually shows its limitations is its lack of precision at reflecting musical ideas you are consciously trying to play. It's often nearly impossible to find a specific note you're looking for in the color harp section. And the membrane sensors on the piano diagram don't respond fast enough to pick up speedy passages.

Eventually it seems that no matter what you try to do, you find yourself repeating a consistent pattern of chromatic eighth-note scales as the accompaniments pump steadily along

SENECOM

DR. P.D. OUICK, D.D. Dr. Quick Explains Buying On Margin, And Discloses THE HIDDEN

HEALTH BENEFITS Of Using PDQ Diskettes

Doctor Quick, your PDQ Disks are double-density. Will they work in my single-density disk drive? Ja. Chi, ja: they work so good, I am telling you, yes! They work like a chum.

Q. Aren't your PDQ Disks better than I really A I should hop so! We make sure it is better. not just this much, but this much, and then some Double density, ja, and 48 tracks per inch, certified. And people is using them right now at 96 TPI, is that better yet? You betche my life!

Q. So why should I pay for quality I don't A. I can't believe what my ears are telling me You don't know of the buying on margin? You got always to buy on margin. Everything!

C Buy on margin?

A I am drawing you a hyperethical case. You are going to put a steering column in your car, okay? For the dictars you can get one that will sat you buy maybe three years. Then one day it turns to peanual butter white you're driving, and abouty? For twelve bucks, let's say it, you can be steering column to last five years. For thir-teen fifty you could get one to last 24 allion years, give or take a allion. Which one do you go for?

Q. You're talking about a margin of safety, A You got it. A margin. You like to live dangerous, maybe? Go for the cheepe, save a buck or his You got better smarts than that? You buy on margin when you get a steering column. Or a disk

Q. I see your point.
A. No, that is before the point. Now I tell you the point. You ready? You buy on margin and get better than you need: you smile more, right? Fewer

writides in the forehead Your food goes down nicer. All those tension backaches, they go away Your doctor looks you over and says, "if's a minacie! I can't believe such perfection in a human person!" So, you going to chisel? Or do you show is night so empty up here, and buy on

PDQ — Premium Disk Quality — Diskettes are Double-Saded (yes, they'll work in your 480 Direct as well as Double-Density, and carry a 21-year replacement warrarry — and even a 30-day moosy-ANO AN EXTRA VALUE! To introduce our new line of "NameBrand" disks, we'll even autoribe your name in bright golden letters on each disk at

PREMIUM QUALITY AT A REASONABLE PRICE. Namelinand Disks are \$39-90 a box (10 disks). For 5 bosss or more: \$34,90 box. PLUS AN INTRODUCTORY OFFER For orders mailed before June 30, 1985, deduct \$10.00 We're that sure you'll reorder Nameltrand PDQ's once you've seen them and tried them! AND AN OPPORTUNITY. With each order is in-ciaded a free Opportunity Disk Boot its program into a 46K or 64K Atan, and give some thought to a

Please add \$2.00 to your order for postage & hand-ing (USA and Canada; others add \$4.00). NYS residents add 7% sales tax, Rush your order to SENECOM: Dept 17 13 White St Seneca Falls, NY 13148 erF is a registered trademark of Atlan Cosporation SenecorF is a registered trademark of Seneca. Computer Company, Inc.



Payment enclosed | Dcheck | Dmoney order

Hours Mon Fri 1100 AM 700 PM Eastern tyme

BIII my DMastercard DVIsa Expires_

Hours: Mort - P/L 11 00 AM - 700 PM Easter Answering services after hours Computisto", PO Box 652, Nabick MA 01760 "Oversels membership 825.00 per year

Signature .

ELECTROR	ിധ‴—യുപ്പെ			
ATARI COMPUTER HAROWARE				
	D. PRICES			
ATARI 1200XL 55 00	THE			
1010 CASS REC 38 99	ALGO BEST			
DISK DRIVES ATARI 1050 146 00	SERVICE			
INDUS 0 T 224.00	ELECTRONIC CALL			
DEINTERS	ONE michelasses			
GEMINI10X 239 99	PO Box 13425 • Columbus, Oh 43213			
GE MNI SQ10 238 99 STAR DOWNED TYPE 319 99	PO BSI 13426 * COUTSUS, ON 43213			
EPRON HXAD 229.99	THE LOWEST PRICES			
EPSON PX80 FT 279 99	ATARI ATARI COLECOVISION			
EPBON FX80 369 99	2600 5200 INTELLIVISION			
PROWRITER 6510 319 99 INTERFACE CARLES	GAMES GAVES ATABLESCET			
	GAMES GAMES ATAM SUFT			
U PRINT 54.99	ATARI COMPUTER SOFTWARE			
MPP 1150 54.99	ATARI WRITER 29 99			
ATARI COMPUTER HAROWARE	TOUGH TYPING 9 59			
1027 LETTER 236 00	LOGO 59 69 CONV FRENCH 19 59			
1025 PRINTER 148 00	SYNFLE 35.99			
1030 MCOEM 160 99	SYNCALC 35.99			
(ADV. SOFTWARE) ATAMISCIPMOF LAR. 38.99	SYN TREND 25 99			
MPP 1000E MODEM 109.00	FASTERN FRONT 9 99			
COMMODORE 1702 206:00	PAC MAN 7 99			
TECHIKA COLOR 14 199 00 AMDEC 300 COLOR 14 199 00 228 00	STAR PAIDERS 7 99			
	ASSEMBLE EOTOR 24 99			
SPECIAL PKG OF	MILLIPEDE 14 99			
NASHUA PKG OF 10	MOON PATROL 14 99 FLIGHT SIMULATOR II 34 99			
SINGLE SIDE 888	CALL OR WRITE FOR THE			
DOUBLE DENSITY	PRICE OF YOUR PROGRAM			
HOW TO ORDER: CASHIER CHECK	MONEY ORDER MASTERCARD* or NO PERSONAL CHECKS NO			
WSA" (Add 41s for charge cards)	NO PERSONAL CHECKS NO			
	on an stock merchandise. Other residents			
and 5.5% anies iza. Add 53.00 pn all s	orders under \$100.00 ARM\$5.00 pp. all			
orders over \$100.00				
INTERNATIONAL Add 15% to all orders				
CALL OR WRITE FOR FREE CATALOG				
ELECTRONIC ONE*	(614)864-9994			
P O Box 13428 * Columbus: Ohio 42213				

Software Discounters
of America (a Peripherala, tool)
For Orders Only 1-800-225-7638*
Inquiries and PA-412-381-5291 Open Saturday
Free shipping on orders over \$100 in continental USA
No suchange for VISA/MASTECAB

KOALAPAD' TOUCH TABLET.



- Video drawing tool.
 Comes with Koala
- Painter® —full feature computer graphics program. •Use the KoaiaPad for cursor
- control, graphics, or custom keyboard. •Educational, entertainment,
- Educational, entertainment, business software available.
 Atari[®] on Disk.

Lowest

Price

⊕Koala

29⁹⁵

"Ordering and Teams, Orders with cathers cheek or movey order shaped to medically Preference money orders, allow 3 weeks carearce, 8.6 O.G.D.S. Shipping, Continental U.S.A.—Orders under \$100.00 to \$1.00 to \$1.0

ADVERTISERS

ADDON \$75TIMS	SHOPPER'S
COMPUTER PALACE	COMPLETE TO COMPLETE THE COMPLE
NEW HORIZONS SOFTWARE	
PROGRAMMERS WORKSHOP 15 PROTECTO ENTERPRIZES 26,27 ROYAL SOFTWARE 13	SPARE PARTS FOR Your Atari
SENECOM	Hand to find integrated Circuits 35 okon On CPU GTIA ANTIC CTIA.
SERIOUS SOFTWARE	CPU 6502 CPU 6511 C 191 CS 5849 ROM29999 CS ROM9 4200 5 5000 C 16 6054000 Main Polikry 6220 PJA C 16 505 500 MeV 6507 PJA 6532 DAWGGOD FORMUR 6507 PJA 6532 FOR 1056 OT 12500, 2500 F FOR 110 C 635 515 62 FOR 1056 OT 12500, 2500 F FOR 110 C 635 515 62 Degranate Carterings Companyer or Disk 255 62
SUBLOGIC	BiC

HOPPER'S GUIDE


When You're Tired of Just Playing Games!

Have you given up trying to find a source for business and educational software? Do you get the feeling that some folks are more aware of the latest game than the best word processor or pre-school program?

If so... Welcome to Serious Software, here our name says it all Our goal is to provide you with a comprehensive selection of the best business and educational materials available for the Atan.

backed with helpful, knowledgeable advice, Write or call for our Free Catalon. M.C. and VISA gladly accepted





Duick Reference Instructions for Atari Programs Now available for:

ATARIWRITER Beginning BASIC Organized commands · Easy to read

e Durable plastic (11" x 4 1/4") · Use on or off computer Only \$8.95 ea. postpaid (Both for only \$15.96 pad.)

andi Publishing Inc. P.O. Box 453 Ardsley, NY 10502

COMPLICAT

computervision

(408) 554-0666

BETTER'N BIG BEN Provide your home computer the current time & date with the new Click Clock

Fearures: · Easy installation plugs into Atari- standard

joystick port · Long-life battery power Click Clock arrives running

 Sample software included · 1001 programming uses Time to order. For your Click Clock

send \$45 in payment to: DANDY DATA

23000 SW STAFFORD ROAD TUALATIN, OR 97062

This is provided as a convenience and as a coursesy to advertisers ANTIC does not quarantee accuracy or compechensiveness

atari service center

Service Centers Retailers to get your listing in Antic cult 1415/661-3400

ALAGAMA
WIGGO REPARA CO
2009 CENTERPOINT BO
BERRANGHAM
206 454-6512
ANIMEDW CITT SERWICE
CENTER
244 PALINDRW PLAZA
SUGSEN
205-442-6618
C & R ELECTRONICS
704 HOLDOWSE AVE
MOBELE
206 473-2000

BUSINESS SERVICES
SISIS CHESTIFUT ST
MONTOOMERY
205 S84-2591

ANIZEMA
PICK'S TV & APPLIANCE
1104 E DESIDE OF CLUES
SHOW LOW
SOC-547-7025

CALFERNA
LEARNING TREE COMPUTER
CTR.
24th IN TUSHIN SUITE 800
SANTA ANA
714 667 1075
COMPUTER SUPPORT
SERVICE
SS LIMINER ANE #1
SOUTH SAN FRANCISCO
145 568 8000
D & S COMPUTERS

BAS-HIGH 220
AUTHORISTO COMPUTER
SERVICE
201 W FOOTHALL BLVD
UPLAND
THE 600 2001
TESTER
WAS NUTS
815-706 6000
COMPUTER LUNCTION INC.
10000 77H ST SLITE 216
WOODWAY IT 216

COLORADO
AMERICAN TELEVISION
SERVICE CO
1226 W LITTLETON BEJO
LITTLETON
300 795 2040

LODONG GLASS MICROPHICOUTS 4230 WIST EISE SHOWER LOVELAND 303-669 4881

FLORENA

R & S ELECTRONICS INC
3246 W MCAUS RO
PT LINDEFERRE
300-373-4740
BEOGREE'S ELECTRONIC
SERVICE
TO RICHREN RO
PT MALTON BLACK

SERVICE
TO RICHIES RO
IT INCIDE BLACK
SO RICHIES RO
IT INCIDE BLACK
SO ROCK
RO
SO ROCK
R

EM EDGEWOOD AVE JACKSOMVELE 904-736 1385 COMPUTER IMAGE HOOM SUNGET OR MANU 305-271-1224 COMPUT-PHONE EHD EDGEWATER OF SUITE E UILANDO

GENDA

GODOWN S ELECTRONICS
JUNCTION S-1079NO CEN
ALBANY
91 4359005
NORMAN S ELECTRONICS
INC.
4814 PRACHIERE RO IN
ALLARIA
484 233 3348
ELECTRONICS SPECIALISTS
MSS EEMA PLACE
MACON
921-1742-6588

HISS ELMA PLACE MACON 92-742-9638 NUCROS AND MICHOSOMPATERS INC 90-883-907 HIGHES TV 15 NORTHOMPAT CROSSING O SAMPHERS

HAMPLE NEMA COMPUTER 75-0706 HAMANIA PL #197 KALLUK KEMAL 816 729 8574

092TAL WORLD INC 711 APMY TRAIL RD AQUSEN 312 543 9000 CMEGA ENTERPRISES 7623 N. 290 ST ROCKFORD 815 882 H77

POCKFORD 815-982-1477 SMIANA WRIGHT ELECTRONICS 510 N MAIN ST PANNELLE

696 N MAIN ST TWANSHILLE 812 400 8845 CITIZEN S TV & VORD 677 W 6LEMPHON KVE GRIPTITH 229/464 4005. THE COMMUTER COMER 7101 REDILIVALLE 210-738 30502

EAMERS
MIDWEST APPLIANCE
SERVICE
METCALE SOUTH MALL
DISTRICTOR
STS-SET 6666
MATTERY

STID-STID SESS

KENTREKY
FRANCKY ELECTRONICS
SIZE PALLIMBO OR
LEONATON
605 205 2741
MANUFER TV HORPITAL
MODILLESOFON
MIDDLESOFON

606 246 3827 LOUISMAN ODMAUTER ELECTRONICS 1955 BALLAS DRI BATCH POLICE SON 927-8656

CONDOR SERVICE 322 SOUTH MAIN ST SHAPON 637 784 2382 FECEM INC 194 MIN ST WARRIAM 6:7 295-2542 WARRIAMO NOTICEM RESIDENCE.

NATIONAL BUSINESS & SCOURTY 6639 LCOH HAVEN BLVD 341-MODE 321-MOS 6870 6006-MODO TV-& ALDID 4832 EGGEWEDD NO COLLEGE MARK 321-441 8115 CREMINS TO & WICED SERVICE 2217 DEFENSE HINY CREMINS 301-721 TOO COMPLUTION COMPLUTED CENTER EAS BURNICOOP, GET BURNIE

ADMACEO COMPUTER SEÑNIC CO SATE SAJEN ST MESTIMATIER 301476-8333 MAINE AUTOMATIC SEMICES 22 TARGET INDUSTRAIA CIRCLE

AUTOMOTO SCHOLOS
22 TARRET HIQUITAN
CIRCLE
BIANDOR
237-942-4769
J.D. ELECTRONICS
355 SELVENS AVE
PORTLAND
307-775-9411
MICHIGAN
FURDER ORSECTIONS

| 15091 WAY 974 | Web 974

SOLID STATE SERVICE
545 SHATTLER, RG
546 SHATTLER, RG
546 SHATTLER, RG
517 TS2 1866
MENICECOM, REALITY CATTONS
5 TV
748 N E HARDING ST
MINEL POLIS
512 317 FROD
1108 FRIENDER Y COMMUNITIES

MISSOURI SCUTHLAND ELECTRONICS 22 E OLIVE DR ALRODA 417 BTB 4023 MODINEST APPLIANCE SERVICE NETTO INCENT MALL KANSAS CITY

AHRS PLAZA BAVO

SPRING LAKE PARK

COMMUNITY SOUND & VICED 1534 & STEMANY 1579 STREET, CO 407 667 3081 A & E ELECTRONICS COMP 2001 Big about burd 51 LDUIS 31 ADDIS 7733 J & S VICED VISIONS 1001 MASSINGTON SOLARE CENTER MASSINGTON SOLARE

204 239-2077
MISSISSPPI
ELECTRONG SERVICES
2015 S5TH KVE
ELLEPOOR
001-660-3772
HORTH CAROLINA
SOUTHERN PHOTO
TECHNICAL SHICE

SOUTHERS PAYDO
SECHNICATE SINCE
SED SOUTH SOUTH
THE SOUTH SOUTH
TOWN SESSOUTH
TOWN SES

S I GUR.

SI I GUR.

SOLITION SOLITION AVE.

SOLITION SOL

SEC EXTIPM ANY
SOMERSET
201-545-6473

K S S ELECTROMOSS
THE HAMMITCH BURD
SOUTH PLANMING.
201 TSS 4004

NEW YORK
SERVICE
SERVI

ALASWARK ELECTRONIC

44 CASTLE ST

215-789-529

LONG ISLAND COMPUTER CRASAL, TOS ATLANTIC ANE LIMITOR OF SERVICE CO. ARC ELECTRONICS SERVICE CO. 382 THARSTON RO. NOCHESTER 775-228-1860

CHOO ARMY MICHS THE MICHS THE MICHS THE MICHS SEPTEL NO COLUMNUS SHOULD FUN THE MICH S

SALTHANDS

BAND GLECTRONGS PG

ST793 MAKSON ANE
LARRADOD

STRONGT ST80

SROWNERS STRONGT STRONGT ST80

SROWNERS STRONGT ST

DREGON
NOFTHWEST COMMUTER
SUPPORTING
10000 SW MIMBUS B-1
PORTLAND
500 644 2280

POWSTUMMA

DOSERS MODPRIDGETTY
SOFTALLOWING OWNE
CHAPLERO
102-453 TASA
PARK T MORROW INC
107-W 28TH ST
ERIE
101-455-7565
[PRICE FILE BUT SUPPRISON OF TAKEN OF TAKEN

662 PHILADEL/PER ST INDIANA WE 3 99 7290 CRUSS ELECTRONIC REIN IN HALLS PLAZA JUNISTIONN 614 356 195 TESCO, INC 9227 ROGEWELT BLVD PHILADEL/PER 315-677-5000

atari service center

NATIONAL TELEVISION 5461 63 PERSY AVE 80YO TV 719 LANCASTER AVE

REGIST ISLAND VIDEO ENCOUNTERS MAINES SHOPPING CENTER

SOUTH CAROLINA ELECTRONIC SERVICE CO. COASTN, TV & APPLIANCE 603 HWY 501

803-NR 2586 SOUTH DAKONA TWILDS AUDIO-VISUAL INC HIROS 805-332-3205

COMPUTER HOME INC.

HOUSE OF TELEVISION SOLX MUS HI-R SERVICE CENTR

SALEM COMPLIER CENTER BALLS THE SHAPE & STREET FROSERICK. 3843-C DICKERSON RO VIDEO INI IMPERILISERNICE \$15-865 S000 1797 ROUTE 17 TV CENTER 202 S WILLIS LAY DETROUCS ABLENE 19670 JETTERSON DAVIS

PACIFIC STEREO NASABICTOR ON LINE COMPLITERS PLUS 205 544 2090 BUTLERS TV & COMPUTER FLEENI, MY

INTERNESI FLECTRONCS

4091 SOUTH STATE ST

801-356-5381

E SOIS SPRACE F AVE JAMSON'S TELEVISION

MISCONSH SPEEN BAY Says City water by TR #088+01, 3 9201 WISTER TV SERVICE

419-570-2615 WEST VISSING COMPUTERS PLUS INC 2077 CHARLESTON TOWN DHARLESTON

Next Month COMPUTER CHALLENGES

- Battle Of The Chess Programs
 - Coverage Of Atari Meeting At Antic
 - Inside Strategic Simulations Inc.
 - Another Mind-Boggling Cover By Okamoto

PARTS/SERVICE FOR ATARI COMPUTERS PLAT SERVICE RATES BELOW INCLUDE PARTS AND LABOR

565:00 800XL Computer Regue 547:50 880 Onli Drive Reguer 600X), Computer Room \$45.00 KISD Disk Drive Fesser 1200XX, Computer Repair:

INTEGRATED REPLACEMENT/ BACK UP CIRCUITS GTIA Chip BOARD SETS ode with menucours \$11.50 IBK rex. "B" Q.S. Uperade 512.50 46K 400 th 803 Board Sec \$15 \$85.00 \$50.50

Policy Chip C0122N 58:50 Arric Chip C0122N 510:00 PM Chip C014795 581:00 0014886 92.50 All Boarth Complete Wish IC's Bo MODULES/CIRCUIT Oversea outpriers ask

BOARDS...complete with IC's IAK Ram Hemory Module C0051 \$24.50 600 13K Rev 18" OS Hodde SIR 50 800/408 CPU Board with GTIA ... \$24,50 610 Foor Scord-Vision Sound Upwork 800 Man Soard \$38.50 400 Man Soard \$36.50 400 Main Board 400 E.5 1850 400 Main Board W/O E.5 1850 400 Main Board W/O E.5 1850 \$25.00 810 Sele Board W/O Sep. & 1771 810 Barr Power Board \$15 810 Arating Board \$16.00 \$25.00

Medit Deligration and Automotive States Stat Carendge Circuit Boards \$4.00 Non-Asan Carendge Boards \$2.00 Same Resear Manual Sans Repair Manual for R00 or 400 SIT 50 EA 800 Krybeard Repair 535 00 De Re Atan' 512.50 PHONE 415-352-3787 AMERICAN TV Hall Order & Repair Address . ISSSE Inversess St., San Leandro, CA 14579. 1988 Withreton Ave. Sen

apprag 14:00 Shapping and handling on orders under \$50,000 Add \$2:00 for CODD orders, CA.

For the Atari

kyan pascal is the most complete package available for learn-ing and using the Pascal language. And now, it's available for the Atari family of computers

- kyan pascal is easy to use, lightning test, and loaded with fea-tures. It's a full Pascal implementation and perfect for both be-ginning and advanced programmers.
- kyen pascal features:

 Optimized Machine Code Compiler

 Built-In Full Screen Text Editor;
 - String-Handling, Chaining, Include File, and Other Powerful Extensions.

 13-Digit Arithmetic Precision and Full Graphics
 - Built-In Assembler (Allows Full Hardware Control); and
- · Tutorial Manual with Sample Progra kyan pascal requires 48K of memory and a single disk drive No additional hardware is necessary. And, it comes with kyan's No additional hardware is necessary And.
 MONEY BACK GUARANTEE If not con

rn it within 15 days for a full refund kyan pascal for the Atari

new products



AERO I

(printer) Alphacom

2323 South Bascom Ave. Campbell, CA 95008

(408) 559-8000 \$249.95

Described as an Epson-compatible dotmatrix printer, the Aero is raced at 130 cps It uses a 6x9 matrix field, contains a 2K buffer and supports (all on the same line) superscript, subscript, double strike, enlarged and emphasized print and underlining.



PLUS WRITER

(printer) Alphacom

2323 SO BASCOM Ave. Campbell, CA 95008 (408) 559-8000

Alphacom claims this new 20 character-persecond dissywheel printer is the perfect printer for your Attari, Plugging directly into your Attari, Attari, Plugging directly into your Attari, the PhawYiter emulates the Diablo 630 and uses standard ribbons and dashy-wheels. We are told that the printer supports supersecting, subsecting, boldface, proportional spacing and underthining.

New Products notices are compiled by the Antic stiff from information provided by the products' manufacturers. Antic welcomes such submissions, but assumes no responsibility for the accuracy of these notices or the performance of the products listed.





GE 3-8100 PRINTER GE PRINTER INTERFACE MODULE II

(printer and interface) General Electric Company

Electronics Park Syncuse, NY 13221 (315) 456-2446

\$299.95 (printer) \$89.95 (interface)

GE's foray into the home computer market includes a dot-matrix printer capable of "letter quality" print at 25 cps or regular draft printing at 50 cps. The inserface will connect the printer directly to an Auari.

QUESTRUSTERS

(adventure newsletter) 202 Elgin Court Wayne, PA 19087

This monthly adventure game newsletter covers recent news, reviews, and the like. It is not Atari-specific.



(line filter)

Network 203 Harrison Place Brooklyn, NY 11237

(718) 821-7555 \$99.95

This surgespike filter not only protects electrical lines for computers and peripherals, but also protects two modular phone lines (providing exactly the kind of filtering and protection the Atari 1030 modem dossn't have).

Q-MODEM (modem) Quantum Microsystems Inc.

Quantum Microsystems In PO. Box 179 Liverpool, NY 13088 (315) 451–7747

A 300-baud direct connect modern with autocial, autoanswer and other advanced features, the Q-Modern plugs directly into your Atari and fits in the pollm of your hand. It even comes with the famous Quantiern software, which uses color displays, on-sercen menus, a built-in editor, multiple buffers and so on.

Return the favor. When you call a manufacturer or supplier about a product you've seen advertised or otherurise mentioned in ANTIC, please tell them so. This will bely us to continue to bring you the latest information about products that cell make your Arair computer ain even more valuable investment in the futur.—ANIK ED

Turbo charge your Atari with an Indus GT.™

Introducing the all-new Indus GT™ disk drive. The most advanced, most complete, most handsome disk drive in the world.

handsome disk drive in the world.

A flick of its "Power" switch can turn your Atari
into a Ferran.

Looks like a Ferrari.

The Indus GT is only 2.65" high. But under its front-loading front end is slimline engineering with a distinctive European-Gran flair.

Touch its LED-lit CommandPost™ function control AccuTouch™ buttons. Marvel at how responsive it makes every Atari home computer.

Drives like a Rolls.

Nestled into its soundproofed chassis is the quetest and most powerful disk drive power system money can buy. At top speed, it's virtually unhearable. Whisper quiet.

Flat out, the GT will drive your Atari track-totrack 0.39 in less than one second, And when you shift into SynchroMesh DataTransler® you'll increase your Ataris baud rate an incredible 400%. (Faster than any other Atari system drive). And included as standard enginement, each

comes with the exclusive GT DrivingSystem¹⁴ of software programs. World-class word processing is a breeze with the GT Estate WordProcessor!¹⁴ And your dealer will describe the two additional programs that allow GT owners to accelerate their computer driving skills.

Also, the Indus GT is covered with the GT PortaCase™ A stylish case that conveniently doubles as a 80-disk storage file.

Parks like a Beetle.

The GTs small, sleek, condensed size makes it easy to park.

So see and test drive the incredible new.

Indus GT at your nearest computer dealer soon.

The drive will be well worth it.

NDUS"

The all-new Indus GT Disk Drive.

The most advanced, most handsome disk drive in the world







ONLY

\$149.95

SOFTWARE ON CARTRIDGE

FEATURES:

- ☐ Supports XMODEM Protocol
- ASCII/ ATASCII Translàtion
- □Upload/Download of Text and Programs

Allows Transfer of Files Larger than Memory

- □100% Machine Language
- Loads a 65 Column Screen Driver
- ☐ Multiple Buffers
- ☐ Off-Line Editing
- □ Variable Baud Rate
- ☐ Parity Options
- □ Full/Half Duplex

 Alan and CompuServe DemoPak are trademarks of Atan Corp. and CompuServe.

Expand Your Mari

VICTO PRINCE Interface

- Works with Atari,400, 800, 600XL and 800XL Replaces Atari 850 Interface
- Module

 Compatible with all software
- 5-foot cable with Centronics plug (compatible with Epson, NEC, Prowriter, etc.)
- computer
- 2 Year Warrant

m=-1000c Modam

- Auto Answer/Auto Dial
- Direct Connect to Phone Line
- Module Needed
- Includes AC Adapter/
 Power Supply
- Free CompuServe DemoPak
 1 Year Warranty
 - Connects to Joystick Port
 - Works on ALL Atari Computers

MICROBITS PSMPHRRIL PRODUCTS 225 Third Avenue, SW + Albany, OR 97321

225 Third Avenue, SW • Albany, OR 97: ORDERS:1-800-624-7532 CUSTOMER SERVICE:1-503-967-9075

RETROMAGS

Our goal is to preserve classic video game magazines so that they are not lost permanently.

People interested in helping out in any capacity, please visit us at www.retromags.com.

No profit is made from these scans, nor do we offer anything available from the publishers themselves.

If you come across anyone selling releases from this site, please do not support them and do let us know.

Thank you!

